JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SCHEDULE AND SPECIFICATIONS

Name of Work:- Widening and Strengthening of road from Shivdaspura Tri-Junction to BadaPadampura Tri-Junction inZone-14A, JDA, Jaipur

1. NIB No.

: EE-14A 04 2015-16

2. Estimated Cost of NIB

: Rs. 385.00 Lacs

3. Cost of Bid Document

: Rs.1000/- The Bidders are required to submit Bid Security. Cost of Bid documents, Bid processing fees through online payment after registering with JDA on www.Jaipurjda.org/e-services/e-tender portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fess the bid of respective bidder will be considered as non-responsive and shall be rejected.

4. Bid Processing Fee

: Rs. 1,000/- In favour of M.D. R.I.S.L., Jaipur

 Earnest Money (in favour of Secretary, JDA, Jaipur) : Rs. @ 2% @ Rs. 7.70,000/-(For A & AA class contractor registered in other department and @ ½ % Rs. 1,92,500/-(For contractor registered in JDA) through online payment after registering with JDA on www.Jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date.

6. Sales of Bid document online

: From 01.01.2016 to 18.01.2016 Upto 6.00 PM

 Date & Time of receiving tender Online : From 01.01.2016 to 18.01.2016 Upto 6.00 PM

 Date of submission of Bid Cost, Process Cost EMD Online 18.01.2016 upto 6.00 PM through online payment after registering with JDA on www.jaipurjda.org/eservices/etender portal. There should be a gap 3 working days between End date for Bid Applying. Online Payment &

Bid Submission and Bid Opening date.

9. Date of opening Tender

: 21.01.2016 at 03:00 P.M. in Room No.-CCC-TF-309, Third Floor, Customer Care Building, Ram Kishore Vyas Bhawan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur-

302004 (Raj.)

10. Completion Period

: 09 (Nine) Months

SCHEDULE - A: INFORMATION USEFUL FOR THE CONTRACTORS:

The Tenderer should see the site and fully understand the conditions of the site before tendering and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates give in the Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

SCHEDULE - B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

SCHEDULE - C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor NIL. But the bidder shall have to arrange at his own cost drawings required for the work after deposition necessary cost with in JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standard & or the standers laid down in the detailed specification of the Public by the contractor qualified personnel as required under the contractor enlistment rules duly approved by the department shall have to be engaged at site by the Contractor. The department reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE - E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15days in advance with the Engineer In charge and be got approval by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within stipulated period given in the work order and should be completed within the prescribed time period. In case of failure, the contractor shall be Liable for action under the conditions of agreement and special condition of the tender.

SCHEDULE - G: ATTACHED SEPARATELY BASED ON BSR PWD 2013, JAIPUR.

SCHEDULE - H: SPECIAL CONDITION: Attached Separately.

SCHEDULE - I: LIST OF MATERIAL TO BE SUPPLIED BY THE DEPARTMENT:

NILL. Earth for embankment shall be arranged by the contractor at his own cost (if required)

No. extra payment on this Account will be payable.

Annexure-3: Special Provision of the work plan- Qualification criteria and methodology of roads category - I&II.

SCHEDULE - J: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY (EMD).

The Bidders are required to submitted Bid security, cost of Bid documents, Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fess the bid of respective bidder will be considered as non-responsive and shall be rejected.

Signature of the Contractor With full Address

Executive Engineer-14A JDA, Jaipur.

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal www.jaipurjda.org.

To participate in the bid, bidder has to be:

- Registered on JDA website <u>www.jaipurjda.org</u>(by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
 For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

- Online through Internet Banking, Debit Card or Credit Card.
- ➤ In case the amount exceeds the online payment limit, the payment may be made through RTGS / NEFT / Transfer in Bank Account Number 675401700586 IFSC Code ICIC0006754 of ICICI BANK Limited, IDA Campus Jaipur.

In case of RTGS / NEFT / Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated whiling applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per **Annexure-4**. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jaipurjda.org under eServices>>JDA Tender

Bidder has to submitted as proof of deposited amount against the Bid on e-Procurement Protal

| Jaipur Development Authority, Jaipur. Bid Participation Receipt | | |
|--|----------------------|--|
| | Date & Time:- | |
| Bid Detail | | |
| Bid ID: | Procurement Entity:- | |
| Bid Title: | | |
| Bid Value: | Bid Opening Place: | |
| Bidder Detail | | |
| Name of Entity: | Mobile No.: | |
| Registration Type: | Instrument Amount: | |
| Payment Mode: | Payment Channel: | |
| Instrument No.: | Instrument Date: | |

| Dates Deta | il | |
|------------|------------------|------------|
| Sr. No. | Event Name | Event Date |
| 1 | Publishing Date | |
| 2 | Bid Opening Date | |

| Specific Instrument f | or eProc Rajasthan | | |
|-------------------------|-----------------------|--------------|------|
| Instrument Type | | | |
| Instrument Number | Head Name | Amount | Date |
| | Tender Fee | | |
| · · | RISL Processing Fee | | |
| | Bid Security Deposit | | |
| Issuer Detail: Jaipur D | Development Authority | Challan Numb | oer: |

Bidder has to submitted as proof of deposited amount against the Bid on e-Procurement Portal

Jaipur Development Authority

Bid Participation Receipt

Date & firm: 199/06/2015 05:13 PM

| В | | |
|---|--|--|

| Bid Id : | 6215152001 | Procurement Er | ntity : |
|-------------|------------|---------------------|----------------------|
| Bid Title : | "esting | | |
| Bid Value | 300000 | Bid Opening Place : | Manthan Hall, Jaipur |

Bidder Detail

| Name of Entity | 2000000000000 | N N | lobile | 9829012345 |
|-------------------|---------------|--------------------|----------|-----------------------|
| Registration Type | individual | Instrument Amount | 32500 | 00 |
| Payment Mouse | Online UTR | Laymert Share of H | ayment : | ACUL Tracellor yearsh |
| instrument No | 456123789 | instrument clate | 17.06 | 2015 |

Dates Detail

| Sr. No | Event Name | Event Date | |
|--------|------------------|---------------------|--|
| 1 | Publishing Dare | 01.06.7015.01 (C)PV | |
| 2 | Bid Opening Date | at at 2015 09 00 FV | |

Specific Instrument Detail for eProc Rajasthan

| nstrument Number | Head Name | Amount | Date |
|------------------|-----------------------|-----------|------------|
| 10000 | Tender Fee | 400.00 | 05.06.7016 |
| 10001 | AISL Processing Fee | 1000.00 | 05 De 2015 |
| 10002 | Birl Security Deposit | 30,000,00 | 06 06 0016 |

SPECIAL CONDITIONS

SCHEDULE 'H'

- 01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost?
- 02. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which schedule 'G' has been prepared, shall prevail.
- 03. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
- 04. The JDA shall have right to cause on audit and technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful; for the JDA to recover such sum from him in; the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid bay the JDA to the contractor.
- The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
- 06. Whenever any claim against the contractor for the payment of a sum of money arises out or under the contracts, the JDA shall be entered to recover the sum by appropriating in part or whole of the security deposit of the contractor. In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
- 07. The rate quoted by the contractor shall remain valid for a period of 4(four) months from the date of opening of the tenders.
- 08. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
- 09. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
- All transaction in the execution of this work and this tender will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
- 11. If any tenderer withdraws his tender prior to expiry of said validity period given at S.No. 9 or mutually extended prior or makes modifications in the rates, terms and conditions of the tender within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of Bid Security (EMD) given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or dose not complete the work and the work has to be put to retendering, he shall stand debarred for six months from participating of tendering in JDA in addition to forfeiture of Bid Security (EMD) / Security Deposit and other action under agreement
- The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
- The contractor shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen wherever supplied by the department.
- 14. Rules regarding enlistment of contractors provide that work ;upto five times limit for which they are qualified for tendering can be allotted to them Therefore, before tender the contractors will keep this in mind, and submit the details of work. Tenders with incomplete or incorrect information are liable to be rejected.
- 15. Any material not conforming to the specifications collected at site shall have to be removed by the contractor within a period of 3 days of the instructions, issued by the Engineer-Incharge in writing. Failing which, such material shall be removed by the Engineer-Incharge at risk and the contractor after expiry of 3 days period.

- The material collected at site and paid provisionally shall remain under the watch and ward of the contractor till it is consumed, fully on the work.
- 17. The rates provided in tender documents are inclusive of all Taxes royalty.
- 18. For paver work at least 3 road rollers shall be simultaneously deployed.
- Bitumen for tack coat or any other purposes, shall be applied only be a bitumen sprayer of a mechanical pressure.
- 20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
- 21. Undersigned has full right to reject any or all tenders without given any reasons.
- 22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
- 23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
- 24. Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable.
- 25. The tenderer are required to submit copy of their enlistment as contractor.
- 26. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
- 27. Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from tendering for three months in JDA.
- 28. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES, 2013, provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and RULES 2013 shall be applicable.
- 29. The Contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
- 30. "If any bidder quotes a rate below than the schedule "G" rates, i.e., rates below than at par, then the bidder has to deposit the difference amount i.e. amount between the rates as per at par and below, as work performance guarantee. This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G/FDR/NSC. The validity of these shall be for a period three months beyond the stipulated dated of completion/actual date of completion. In case of non deposition of the same in specified period, the 2% Bid security will be forfeited. In case work is not completed satisfactorily, the work performance security will be forfeited along with Bid security."

Signature of Contractor with full address & Mobile No.

Executive Engineer -14A JDA, Jaipur.

ANNEXURE '1': SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR ROADS WORKS COSTING RS. 25.00 LACS AND MORE

1. ROAD WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be Three years. Road works executed by the Contracting agency shall be maintained by them at their own cost for three years (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, up-gradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
- (i) Routine maintenance of Road Works,
- (ii) To remove the defect as & when appear in part and entire structure of Road Works, in specified time and keeping the Road Surface with good riding quality and
- (iii) Damages due to improper drainage / drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at completion of the construction work and ends after three years.
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in manual for maintenance of roads of MORTH and shall be carried out accordingly.

1.7 The routine maintenance activities and their periodicity

| S. No. | Name of Item/Activity | Frequency of operations in one year |
|--------|--|--|
| 1 | Restoration of rain cuts and dressing of berms. | Once in a year, generally after rains. |
| 2 | Making up of shoulders. | As and when required. |
| 3 | Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc. | As and when required. |
| 4 | Insurance of proper functioning of drains including civil maintenance and desalting of drains. (If constructed by the same Road agency or not) | As and when required. |
| 5 | Maintenance of road signs. (If installed by the same Road agency) | Maintenance as and when required Repainting once in every one and half 11/2) years. |
| 6 | Road Marking, Kerb Stone/ Dand. (If done by the same Road agency) | Thermoplastic Paint Maintenance as and when required Repainting once in every One & half (11/2) years. Ordinary Paint Maintenance as and when required Repainting thrice in every years. |
| 7 | Damages beyond control of agency. | Road cuts made by various agencies for utility, duly permitted by JDA/JNN will have to be repaired by agency or the same rates of the contract agreemen till DLP. |

2. General

2.1 Inspection of works during Defect Liability Period

- 2.1.1 The contracting agency shall undertake joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of emergency. The Contracting agency shall forward to the Engineer-in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particulars attention on those road sections, which are likely to be damaged during rainy season.
- 2.1.2 One register has to be maintained by every A.E.n for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions regarding Security Deposit

2.2.1 Security for DLP-

The contracting agency shall have to furnish security deposit (SD) in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 Refund of SD -

The Security Deposit will be release in the following stages after satisfactory performance certificate issued by Engineer-In-Charge:-

1 After completion of one year

20% of SD Amount

2 After completion of two year

20% of SD Amount

3 After completion of three year

Remaining 60% of SD Amount

2.2.3 Forfeiture of SD

In case contracting agency fails to rectify the defects within stipulated period notified to him by the Engineer-in-charge concerned under contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

2.2.3 Force Majeure

The defect arises due to earthquake, cyclone, and natural calamities shall not be the responsibly of contracting agency.

Signature of the Contractor With full Address

Executive Engineer-14A JDA, Jaipur.

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must no have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

| | Declaration by the Bidde | <u> </u> | |
|----------|--|--|--|
| | relation to my/our Bid submitted to | NoDatedI/we | |
| 1. 2. | and competence required by the Bidding Document issu | ed by the Procuring Entry; | |
| 3. | state government or any local authority as specified in the I/we are not insolvent, in receivership, bankrupt or be affairs administered by a court or a judicial officer, no suspended and not the subject of legal proceedings for a | eing wound up, not have my/our t have my/our business activities | |
| 4. | | t have, been convicted of any criminal or the making of false statements or o enter into a procurement contract encement of this procurement process. | |
| 5. | 일을 많은 아니라는 아니라는 아니라는 아니라는 아니라는 아니라는 아니라는 아니라는 | 에 이 원래 (1985년 - 1985년) - 1985년 1일 전 1일 전 1일 전 1985년 1일 | |
| Date | ate: S | ignature of bidder | |
| | | lame : | |
| | | Designation : | |
| | | | |

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is EC, JDA, Jaipur. The designation and address of the Second Appellate Authority is ACS UDH, Govt. of Rajasthan.

(1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) From of Appeals:-

- (a) an appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or though registered post or authorised representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority of second appellate authority, as the case may be shall-
 - (i) hear all the parties to appeal present before him; and
 - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

FORM No. 1 [see rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public procurement Act, 2012

| Appeal the | NoofBefore(First/Second Appellate authority) |
|------------|---|
| 1- | Particulars of appellant : (i) Name of the appellant : (ii) Official address, if any: (iii) Residential address : |
| 2- | Name and address of the respondent(s): (i) (ii) (iii) |
| 3- | Number and date of the order appealed against and name and designation of the office/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved: |
| 4- | If the Appellant propose to be represented by a representative the name and postal address of the representative: |
| 5- | Number of affidavits and documents enclosed with the appeal: |
| 6- | Grounds of appeal : |
| 7- | Prayer: |
| Place : | |
| Date : | Appellant's Signature |

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the biding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. It the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Signature of the Contractor With full Address Executive Engineer-14A

JDA, Jaipur

Jaipur Development Authority, Jaipur

Name of Work: Widening and Strengthening of road from Shivdaspura Tri-Junction to BadaPadampura Tri-Junction inZone-14A, JDA, Jaipur

G-Schedule

BSR Used: 2013 NH BSR (Bridge Works)-2013-2014 BSR Used: 2013 Road BSR (Road Works)-2013-2014 2015 JDA BSR Items (Approved Non-BSR Items)-2015-2016

| S.N. | Item | Unit | Qty | Rate | Amount |
|------|--|-------------------|-----------|---------|--------------|
| 1 | Excavation in Cutting in Soil | | | | |
| | Excavation in Soil using Hydraulic Excavator and | | | | |
| | Tippers with disposal upto 1000 m | | | | |
| | Excavation for roadwork in soil with hydraulic | | | | |
| | excavator of 0.9 cum bucket capacity including | 1 1 | | | |
| | cutting and loading in tippers, trimming bottom and | | | | |
| | side slopes, in accordance with requirements of lines, | | | | |
| | grades and cross-sections, and transporting to the | | | | |
| | embankment location all lead and lift as per MoRD | | | | |
| | Specification Clause 302.3 | Cum | 9187.50 | 29.00 | 266437.50 |
| 2 | Granular Sub-base with Well Graded Material (Table | 1,000,000,000,000 | 2110120 | 27.00 | 4500 12 0.23 |
| | 400.1) By Mix in Place Method | | | | |
| | Construction of granular sub-base by providing well | | | | |
| | | | | | |
| | graded material, spreading in uniform layers with | | | 1 | |
| | Tractor Mount Grader on prepared surface, mixing by | | | | |
| | mix in place method with rotavator at OMC, and | | | | |
| | compacting with smooth wheel roller to achieve the | | | | |
| | desired density, complete as per MoRD Specification | | | | |
| | Clause 401. For Grading I Material | Cum | 2850.00 | 445.00 | 1268250.00 |
| 3 | Wet Mix Macadam | | | | |
| | Providing, laying, spreading and compacting graded | | | | |
| | stone aggregate to wet mix macadam specification | | | | |
| | including premixing the material with water at OMC | | | | |
| | in mechanical mixer (Pug Mill), carriage of mixed | II 9 | | | |
| | material by tipper to site, laying in uniform layers in | | | | |
| | sub-base/base course on a well prepared sub-base and | | | | |
| | compacting with smooth wheel roller of 80 to 100kN | 1 | | | |
| | weight to achieve the desired density including | 1 | | | |
| | lighting, barricading and maintenance of diversion, etc | 1 | | | |
| | as per Tables 400.11 & 400.12 and MoRD Specification Clause 406.By Mechanical Means with | 1 | | | |
| | all lead | 1 | 3325,000 | 1190.00 | 3956750.00 |
| 4 | Prime Coat | Cum | 374577000 | 1120.00 | 3730130.00 |
| | Low porosity | | | | |
| | Providing and applying primer coat with bitumen | | | | |
| | emulsion (SS-1) on prepared surface of granular base | | | | |
| | including cleaning of road surface and spraying | | | | |
| | primer at the rate of 0.70-1.0 kg/sqm using | | | | |
| | mechanical means as per MoRD Specification Clause | | LLOSS NO | 25.00 | 41000000 |
| | 502 | Sqm | 11875.00 | 35.00 | 415625.0 |

| ·S.N. | Item | Unit | Qty | Rate | Amount |
|-------|---|------|----------|---------|----------------|
| 5 | Tack Coat | | | | |
| | Providing and applying tack coat with Bitumen | | | | |
| | emulsion (RS-1) using emulsion distributor at the rate | | | | |
| | of 0.20 to 0.25kg per sqm on the prepared bituminous | | | | |
| | surface cleaned with Hydraulic broom as per MoRD | | | | |
| | Specification Clause 503. | Sqm | 35625.00 | 10.00 | 356250.00 |
| 6 | Tack Coat | | | | |
| | Providing and applying tack coat with Bitumen | | | | |
| | emulsion (RS-1) using emulsion distributor at the | | | | |
| | rate of 0.25 to 0.30 kg per sqm on the prepared dry | | | | |
| | and hungry bituminous surface cleaned with | | | | |
| | Hydraulic broom as per MoRD Specification Clause | | | | |
| - 7 | 503. | Sqm | 23750.00 | 12.00 | 285000.00 |
| 7 | Tack Coat | | | | |
| | Providing and applying tack coat with Bitumen | | | | |
| | emulsion (RS-1) using emulsion distributor at the rate | | | | |
| | of 0.25 to 0.30 kg per sqm on the prepared granular | | | | |
| | surfaces treated with primer & cleaned with Hydraulic | | | | |
| - | broom as per MoRD Specification Clause 503. | Sqm | 11875.00 | 12.00 | 142500.00 |
| 8 | Providing and laying dense graded bituminous | | | | |
| | macadam with 100-120 TPH batch type HMP | 1 | | | |
| | producing an average output of 75 tones per hour | | | | |
| | using crushed aggregates of specified grading, | | | | |
| | premixed with bituminous binder @ 4.0 to 4.5 per | | | | |
| | cent by weight of total mix and filler, transporting the | | | | |
| | hot mix to work site, laying with a hydrostatic paver | | | | |
| | finisher with sensor control to the required grade, | II | | | |
| | level and alignment, rolling with smooth wheeled. | | | | |
| | vibratory and tandem rollers to achieve the desired | | | | |
| | compaction as per MoRT&H Specifications Clause | | | | |
| | 507 complete in all respects. for Grading II (19 mm | | 1000 276 | 2025.00 | 1.15.102.62.10 |
| 9 | nominal size) Providing and laying bituminous concrete with 100- | - | 4809.376 | 3025.00 | 14548362.40 |
| , | 120 TPH batch type hot mix plant producing an | | | | |
| | average output of 75 tonnes per hour using crushed | 1 | | | |
| | aggregates of specified grading, premixed with | I | | | |
| | bituminous binder @ 5.4 to 5.6 per cent of mix and | | | | |
| | filler, transporting the hot mix to work site, laying | | | | |
| | with a hydrostatic paver finisher with sensor control to | | | | |
| | the required grade, level and alignment, rolling with | 1 | | | |
| | smooth wheeled, vibratory and tandem rollers to | 1 | | | |
| | achieve the desired compaction as per MoRT & H | | | | |
| | Specifications Clause 509 complete in all respects | | | | |
| | for grading -II (13 mm nominal size) Bitumen (VG- | | | | |
| | 30) | MT | 3277.500 | 3260.00 | 10684650.00 |

| S.N. | Item | Unit | Qty | Rate | Amount |
|------|--|-------|---------|---------|-----------|
| 10 | Dismantling of Cement Concrete Pavements as per | | | | |
| | MoRD Specification Clause 202. | | | | |
| | Dismantling of cement concrete pavements by | | | | |
| | mechanical means using pneumatic tools breaking to | | | | |
| | pieces not exceeding 0.02 cum in volume and stock | | | | |
| | piling at designated locations and disposal of | | | | |
| | | | | | |
| | dismantled materials upto a lead of 1000 m, stacking | | 505 000 | 525.00 | 200075 00 |
| 1.1 | serviceable and unserviceable materials separately | Cum | 525.000 | 535.00 | 280875.00 |
| 11 | Providing concrete for plain/reinforced concrete in | | | | |
| | open foundations complete as per drawings and | | | | |
| | MoRD specifications Clause 802, 803, 1202 & 1203 | | | | |
| | P.C.C grade M 10 | | | | |
| | (i) Nominal mix 1:3:6 | Cum | 292.500 | 2940.00 | 859950.00 |
| 12 | Granular sub-base/base/surface course with local | | | | |
| | materials (Table 400.13) by mix in place method | | | | |
| | normal Construction of granular sub-base by | | | | |
| | providing local material spreading in uniform layers | | | | |
| | with motor grader on prepared | | | | |
| | | | | | |
| | surface, mixing by mix in place method with rotavator | | | | |
| | at once and compacting with smooth wheel roller to | | | | |
| | achieve the desired density complete as per Clause | | | | |
| | 401.4 as per MoRD Specification Clause 408. | | | | |
| | Using naturally occuring gravel | Cum | 2250.00 | 400.00 | 900000.00 |
| 13 | Traffic Signs | | | | |
| | Retro-reflectorised Traffic Signs | | | | |
| | Providing and fixing of retro-reflectorised cautionary, | | | | |
| | mandatory and informatory sign as per IRC:67 made | | | | |
| | of encapsulated lens type reflective sheeting vide | | | | |
| | Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 | | | | |
| | mm x 75 mm x 6 mm firmly fixed to the ground by | | | | |
| | means of properly designed foundation with M15 | | | - 1 | |
| | grade cement concrete 450 mm x 450 mm x 600 mm, | | | | |
| | 600 mm below ground level as per drawings and | | | | |
| | MoRD Specification Clause 801 | | | | |
| | 900 mm equilateral triangle | Each | 12.00 | 4650.00 | 55800.00 |
| 14 | Kilometre Stone | | | | |
| | Reinforced cement concrete M15 grade kilometre | | | | |
| | stone/local stone of standard design as per IRC:8 | 1 | | | |
| | fixing in position including painting and printing, etc | | | | |
| | as per drawing and MoRD Specification Clause 1703 5th Kilometer Stone (Precast) | Each | 2.00 | 2295.00 | 4590.00 |
| 15 | Kilometer Stone (Frecast) | Edell | 2.00 | 2273.00 | 7370.00 |
| 4.47 | Reinforced cement concrete M15 grade kilometre | | | | |
| | stone/local stone of standard design as per IRC:8 | 1N 11 | | | |
| | fixing in position including painting and printing, etc | 1 | | | |
| | as per drawing and MoRD Specification Clause 1703 | | | | |
| | (ii) Ordinary Kilometer Stone (Precast) | Each | 3.00 | 1390.00 | 4170.00 |

| 110000 | Kilometre Stone | | | | |
|--------|--|---------------|---------|----------------|--|
| | | | | | |
| - 1 | Reinforced cement concrete M15 grade kilometre | 1 | | | |
| - 1 | stone/local stone of standard design as per IRC:8 | | | | |
| - 1 | fixing in position including painting and printing, etc | | | | |
| - 1 | as per drawing and MoRD Specification Clause 1703 | | | #1.VIW.1141411 | transport to the contract of t |
| | (iii) 200 m stone (precast) | Each | 16.00 | 340.00 | 5440.00 |
| 17 | Providing and Erecting typical Citizen's information | | | | |
| | Board as per approved drawing & specification of | | | | |
| | MORD made of two MS sheet of 1.6 mm thick each | | | | |
| | of size 900mm x 750mm stiffend by angle iron | | | | |
| | 25mmx25mm x 3mm all around the plate & plates | 1 1 | | | |
| | fixed on frame of 75mm dia pipe of 12 SWG sheet | 1 1 | | | |
| | (vertical post 3050 mm with angle holdfasts and | | | | |
| | horizontal member 900mm) to be joined by embedded | 1 1 | | | |
| | in cement concrete M-15 grade of block of 600mmx | 1 1 | | | |
| | 600mm x 750 mm size below ground level as per | 1 1 | | | |
| | enclosed drawings & as directed by Engineering | | | | |
| | incharge. All MS will be stove anmeled on both side | | | | |
| | lettering. Figuring and border will be with ready | | | | |
| | mixed synthethic enamel paint of superior quality in | | | | |
| | required shade and colour etc complete in all respect. | 1 1 | | | |
| | All sections of framed post and steel tube will be | | | | |
| | painted with primer and two coat of epoxy paint as per | 60-2 V | 5.00 | 7000.00 | 20500.00 |
| 1.0 | drawing and as per MoRD Specification | Each | 5.00 | 7900.00 | 39500.00 |
| 18 | Marking Centre Line and stop lines etc. on road as per | 1 1 | | | |
| | IRC pattern with thermoplastic paint of approved | | | | |
| | quality and make with 8% glass beads laid on the road | 1 1 | | | |
| | surface at temperature 160" C with a special | 1 1 | | | |
| | applicator machine complete with a special applicator | 1 1 | | | |
| | machine complete with labour material and traffic | - as - 1 | 1017.50 | 105.00 | 001107.50 |
| 1.0 | diversion arrangements. | Sqm | 1817.50 | 485.00 | 881487.50 |
| 19 | Supplying and fixing of Single Molded twin Shank | 1 1 | | | |
| | Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro | | | | |
| | prismatic lens capable of providing total internal | 1 1 | | | |
| | reflection of the light entering the lens face and shall | | | | |
| | support a load of 16000 kg tested in accordance | | | | |
| | to ASTM D 4280 Type H and complying to | | | | |
| | Specifications of Category A of MORTH Circular No | | | | |
| | RW/NH/33023/10-97-DO III Dt 11.06.1997. The | | | | |
| | height, width and length shall not exceed 50 mm, 100 | | | | |
| | mm and 100 mm and with minimum reflective area of | | | | |
| | 13 Sqcm on each side and the slope to the base shall | 1 | | | |
| | be 35+/-5 degree. The strength of detachment of | | | | |
| | theintegrated cylindrical shanks, (of diameter not less | 4 | | | |
| | than 19 +/- 2 mm and height not less than 30+/- 2 | | | | |
| | mm) from the body is to be a minimum value of 700 | | | | |
| | Kgf. Fixing will be by drilling holes on the road for | 10.0 | | | |
| | the shanks to go inside, without nails and using epoxy | In the second | | | |
| | resin based adhesive as per manufacturer's | | | | |
| | recommendation and complete as directed by the | | | | |
| | engineer.(manufactured from 3M, Avery or equivalent) | Each | 2167.00 | 183.00 | 396561.00 |

*

| S.N. | Item | Unit | Qty | Rate | Amount |
|-------|---|------|--------|-------------|------------|
| 20 | Construction reinforced-reinforced, dowel jointed, plain cement concrete pavement over a prepared subbase with 43 grade cement, coarse and fine aggregate conforming to IS 383, maximum size of coarse aggregate not exceeding 25 mm, replacing cement by fly ash to the extent of 15 per cent and sand by 10 per cent, mixed in a batching and mixing plant as per approved mix design, transported to site, laid with a fixed form or slip form paver, spread, compacted and finished in a continuous operation including provision of contraction, expansion, construction and longitudinal joints, joint filler, separation membrane, sealant primer, joint sealant, debonding strip, dowel bar, tie rod, admixtures as approved, curing compound, finishing to lines and grades as per drawing CC design mix grade M30 | | 562.50 | 5358.00 | 3013875.00 |
| Total | | | | 38366073.40 | |

Executive Engineer-14A
JDA, Jaipur

| I/We here by agree to execute the above work in% | (in |
|--|------------|
| Figures)% (in words) Above/below | G-Schedule |

Signature of Contractor With full address