जयपुर विकास प्राधिकरण, जयपुर

क्रमांकः जविप्रा / अधि.अभि.—11 / 2017—18 / डी— | ७ 🗸 ७ / ७ 🕥

दिनांक : 🌣 /५//﴾

बिड आमंत्रण सूचना

बिड संख्या— अधि.अमि.11 / 01-03 / 2017-18

जयपुर विकास प्राधिकरण में जोन—11 क्षेत्र में (1) सेज पुनर्वास योजना (शेष उपलब्ध भाग) में विभिन्न डिमार्केशन कार्य (दर संविदा) के लिए अनुमानित लागत 24.00 लाख रूपये, (2) कलवाड़ा व टीलावास स्कीम में 11/33 केवी जीएसएस कन्ट्रोल रूम का निर्माण कार्य के लिए अनुमानित लागत 60.00 लाख की निविदा डालने की अन्तिम तिथि दिनांक 01.05.2017 व जविप्रा में ऑन लाईन भुगतान की दिनांक 01.05.2017 को सांय 6:00 बजे तक किया जा सकता है, (3) खटवाड़ा गाँव से राष्ट्रीय राजमार्ग संख्या—8, डीपीएस के पास, सेज पुनर्वास योजना में 200 फीट चौड़ी सड़क का निर्माण कार्य (फेज—द्वितीय) (दर संविदा) के लिए अनुमानित लागत 450.00 लाख रूपये की निविदा डालने की अन्तिम तिथि दिनांक 10.05.2017 व जविप्रा में ऑन लाईन भुगतान की दिनांक 10.05.2017 को मांय 6:00 बजे तक किया जा सकता है, ऑन लाईन निविदा आमंत्रित की जाती हैं। विस्तृत विवरण, जो कि निविदा प्रपत्र में उपलब्ध है, अद्योहस्ताक्षरकर्ता के कार्यालय में अथवा राजस्थान सरकार के उपापन पोर्टल www.sppp.raj.nic.in व www.eproc.rajasthan.gov.in एवं जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर देखी जा सकती है।

निविदादाता को निविदा में भाग लेने हेतु आवश्यक है कि :-

- जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर पंजीकृत हो। निविदा शुल्क व आर.आई.एस.एल. प्रक्रिया शुल्क केवल ऑन लाईन ही देय होगी। बोली प्रतिभूति ऑनलाईन अथवा बैंक गारन्टी के द्वारा दी जा सकती है।
- 2. ऑन लाईन निविदा में भाग लेने हेतु राजस्थान सरकार के पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।

अधिशाषी अभियन्ता—11 जविप्रा, जयपुर

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. 121, Main Building, Ist floor Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302 004
Telephone: +91-141-2569696 e.mail: xxxxxxxx@jaipurjda.org

No.:-JDA/EE-11/2017-18/D- 102 To 105

Dated 3/4/12

NOTICE INVITING BID

NIB No.: EE-11/01-03/2017-18

Online Bids are invited up-to 6.00 PM of 01.05.2017 for (1) Demarcation work in Various SEZ Rehabilitation Scheme (Remaining Clear Part) in Zone-11 Area, JDA, Jaipur (Rate Contract)." Estimated cost of Rs. 24.00 Lacs (2) Construction of 33/11 KV GSS Control Room in Tilawas Scheme Zone-11, JDA, Jaipur. Estimated cost of Rs. 60.00 Lacs. The Last date of for applying bid and making online payment on JDA portal is up-to 6.00 PM of 01.05.2017 & (3) "Construction of 200 feet wide road from Khatwara Village to NH-8 Near DPS in SEZ Rehabilitation Scheme in Zone-11 Area, JDA, Jaipur (Phase-II) (Rate Contract)". Estimated cost of Rs. 450.00 Lacs. The Last date of for applying bid and making online payment on JDA portal is up-to 6.00 PM of 10.05.2017 Details may be seen in the Bidding Document at our office or the State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in

To participate in the bid, bidder has to be:

- Registered on JDA website <u>www.jda.urban.rajasthan.gov.in</u>
 For participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan ww.eproc.rajasthan.gov.in for online e-Bid submission.

(Rajandra Kumar Mathur) Executive Engineer-11

Copy to:-

01- PRO Cell, JDA, Jaipur for publication in News paper.

- (1) Job No. 438/2014-15
- (2) Jab No. 443/2014-15
- (3) Job No. 440/2014-15

(Rajandra Kumar Mathur) Executive Engineer-11

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. 121, Main Building, Ist floor Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302 004 Telephone: +91-141-2569696 e.mail: xxxxxxxx@jaipurjda.org

No.:-JDA/EE-11/2017-18/D- 104

Mentioned Below:

Dated 3.4.17

NOTICE INVITING BID NIB No. : EE-11/02/2017-18

Name & Address of the Procuring Entity	 Name: Executive Engineer-11, Jaipur Development Authority Address: Room No. MB-FF-121, , Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan) Email:- xxxxxxxxxx@jaipurjda.org
Subject Matter of Procurement	Construction of 33/11 KV GSS Control Room in Tilawas Scheme Zone-11, JDA, Jaipur
Bid Procedure	➤ Singal Stage tender (eg. Single -stage (envelope) open competitive) eBid procedure at http://www.eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	L1 (eg.Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	Websites: www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in, www.jda.urban.rajasthan.gov.in
Website for online Bid application participation and payment	 Website: www.jaipurjda.org For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit online only. Bidding document fee: Rs. 500/- (Rupees One Thousand only) RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only) Requisite Bid Security Deposit
Estimated Procurement Cost	➤ INR 60.00 Lacs (Rupees Sixty Lacs only)
Bid Security Deposit	Amount (INR): 2% (Rs. 1,20,000/-) (For A & AA class contractor registered in other department) of Estimated Procurement Cost, 0.5% of S.S.I. of Rajasthan, 0.5% (Rs. 30,000/-) (For Contractor registered in JDA) for Bidder registered as contractor in JDA, 1% for Sick Industries, other than S.S.I., whose cases are pending with Boara of Industrial & Financial Reconstruction
Date/Time/place of Pre-Bid	≻ N/A
Applying Bid and making online payment on JDA portal (www.jda.urban.rajasthan.gov.in)	 ➤ Start Date: 11.04.2017 from 11.00 AM onwards ➤ End Date: 01.05.2017 at 6.00 PM ➤ In case EMD in form BG original Bank Guarantee is to be submitted in Room No. MB-SF 225A (Room no. of DD (E&B) of Main Building, JDA Jaipur by 04.05.2017 up to 4.00 PM
Bid submission on e-Procurment Portal of GOR (WWW. Eproc.rajasthan.gov.in)	➤ Start Date: 11.04.2017 from 11.00 AM onwards ➤ End Date: 01.05.2017 at 6.00 PM
**Date/ Time/ Place of Technical Bid Opening	 05.05.2017 at 3.00 PM Address: 121, Main Building, JDA, Jaipur 302004 (Rajasthan)
Date/ Time/ Place of Financial Bid Opening	➤ N/A
Bid Validity	➤ 120 days from the bid submission deadline
Time Period	▶ 6 Months

* The amount is to be deposited online by bidder. In case the amount exceeds the online payment limit the payment may be made through RTGS/NEFT in ICICI BANK LTD Bank Account Number 675401700586 IFSC Code ICIC0006754. After successful payment, update the UTR/Instrument number on JDA Tender portal against the tender you want to participate. The amount deposited will be confirmed by JDA and will be updated online.

The bidder also have choice of depositing Bid security/ EMD through bank guarantee (BG) also. n case of bidder opting to submit bid security through BG in the format provided along with bid document, the bidder will be provide details of BG viz, bank guarantee no, issuing date, expiring date etc. on online tendering system of JDA. However, the tender fees and processing

charges of RISL continue to be paid through online mode only i.e. payment gateway of RTGS/NEFT.

A copy of the Bank Guarantee will be required to be attached with the bid submission document uploaded on e-Procurement portal of GOR.

The physical Bank Guarantee will be deposited in JDA

Only after schedule date & time of closing date for submission of bid on e-Procurement portal of GOR

The physical Bank Guarantee will be physically handed over to Nodal Office of online tendering system of JDA (Presently in Room No. MB-SF-225A of Main Building). After verification, original BG will be sent to respective procuring entity which will be refunded/returned by procuring entity as per rules.

Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal. Note:

In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid

To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safe crypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://eproc.rajasthan.gov.in(bidders already registered on http://eproc.rajasthan.gov.in_before 30-09-2011 must register again).

4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any

Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering

Training for the bidders on the usage of e-Tendering System (e-Procurement) is also being arranged by DolT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot. Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.

No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.

Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a

10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall

(Rajaendta Kumar Mathur) Executive Engineer-11

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal www.jaipurjda.org.

To participate in the bid, bidder has to be:

- Registered on JDA website <u>www.jda.urban.rajasthan.gov.in</u> (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
 For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

- Online through Internet Banking, Debit Card or Credit Card.
- ▶ In case the amount exceeds the online payment limit, the payment may be made through RTGS / NEFT / Transfer in Bank Account Number 675401700586 IFSC Code ICIC0006754 of ICICI BANK Limited, JDA Campus Jaipur.

In case of RTGS / NEFT / Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated whiling applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per Annexure-4. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jaipurjda.org under eServices>>JDA Tender

Bidder has to submitted as proof of deposited amount against the B-1 on eProcurement Protal

- Table 1 - Table 2 - Ta	evelopment Authcrity, Jaipur. d Participation Receipt					
Date & Time:-						
Bid Detail						
Bid ID:	Procurement Entity:-					
Bid Title:						
Bid Value:	Bid Opening Place:					
Bidder Detail						
Name of Entity:	Mobile No.:					
Registration Type:	Instrument Amount:					
Payment Mode:	Payment Channel:					
Instrument No.:	Instrument Date:					

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

Instrument Type			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit	9	
Issuer Detail: Jaipur De	velopment Authority	Challan Number	er:

OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SHEDULE AND SPECIFICATIONS

Name of work

Construction of 33/11 KV GSS Control Room in Kalwara and Tilawas Scheme Zone-11, JDA, Jaipur.

NIB No.

- EE-11/02/2017-18
- 3 Approximate cost
- Rs. 60.00 Lacs
- Cost of the tender documents
- Rs. 500.00 The Bidders are required to submitted Bid security, cost of Bid documents, Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fess the bid of respective bidder will be considered as non-responsive and shall be rejected.
- 5 **Bid Processing fees**
- Rs. 1000/- (In favour of M.D. R.I.S.L., Jaipur
- 6 Earnest Money (in favour of Secretary, JDA, Jaipur)
- Rs. @ 2% Rs. 1,20,000/- (For A & AA class contractor registered in other department and @ $\frac{1}{2}$ % Rs. 30,000/- (For contractor registered in JDA) through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date.

Bid Security (Earnest money) may be submitted online or by way of bank guarantee. In case bidder opt to submit bid security through bank guarantee, the bank guarantee should valid up to 09 Months from the date of opening of the bid in prescribed format.

- 7 Publishing date on SPPP Portal
- 11/04/2017 at 11.00 AM Onwards
- 8 Document sale/download/Bid participation amount deposit start date on JDA Portal
- : 11/04/2017 at 11.00 AM Onwards
- Bid Submission Start Date on eProc Portal of GOR
- 11/04/2017 at 11.00 AM Onwards
- 10 Document sale/download/Bid participation amount deposit End date on JDA Portal
- : 01/05/2017 at 06.00 PM
- 11 Bid Submission End Date on eProc Portal of GOR
- 01/05/2017 at 06.00 PM
- 12 Physical BG submission Start Date
- 02/05/2017 at 10.00 AM Onwards
- 13 Physical BG submission End Date
- 04/05/2017 at 4.00 PM
- 14 **Date/ Time/ Place of Bid
- Opening
- : 05/05/2017 at 3.00 PM 121, Main Building, JDA, Jaipur 302004 (Rajasthan)
- Completion period of work
- : 6 Month

SCHEDULE 'A': INFORMATION USEFUL FOR THE CONTRACTORS:

The Bidder should see the site and fully understand the condition of the site before bidding and include all lead, lifts etc. for the material in his item rate/percentage to be quoted on the rates as given in the schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

SCHEDULE 'B': LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

SCHEDULE 'C': LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after depositing necessary cost within JDA.

SCHEDULE 'D': TEST OF THE MATERIALS:

The test of the material and workmanship shall be conducted by the JDA staff as necessary, The result of such tests should confirm to the standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works Deptt, Proper quality control is required to be maintained by the contractor qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used by the contractor shall be deposited 7 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE 'F': TIME OF COMPLETION:

The work should start within stipulated period given in the work order and should be completed within the prescribed time period. In case of failure, the Contractor shall be liable for action under the conditions of agreement and special conditions of the tender.

SCHEDULE 'G': ATTACH SEPARATELY BASED ON BSR PWD, JAIPUR.

SCHEDULE 'H': SPECIAL CONDITION: ATTACHED SEPARATELY.

SCHEDULE -I Cost of bid documents, Processing Fees & Bid Security Deposit.

Date of submission of Bid Cost, Bid Processing fees & EMD upto 01/05/2017 upto 6.00 PM through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in portal. There should be a gap 3 working days between End date for Bid applying, Online payment & Bid submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected. If a bidder opt bid security to be deposited through bank guarantee, the bank guarantee should be valid for next 09 months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission document uploaded on E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of on-line tendering system of JDA i.e. D.D.(E&B) in room No. MB-SF 225A main building, JLN Marg, JDA, Jaipur, as per specified in bid documents.

Annexure A: Compliance with the code of Integrity and No Conflict of Interest

Annexure B: Declaration by the Bidder regarding Qualifications

Annexure C: Grievance Redressal during Procurement Process

Annexure D: Additional Conditions of Contract

SIGNATURE OF CONTRACTOR with full address & Mobile No. :

EXECUTIVE ENGINNER -11
Jaipur Development Authority,

Jaipur

SPECIAL CONDITIONS

SCHEDULE 'H'

Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost?

If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant 02.

BSR on which schedule 'G' has been prepared, shall prevail.

The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971. 03.

The JDA shall have right to cause on audit and technical examination of the work and the final bills 04. of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful ;for the JDA to recover such sum from him in ;the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid bay the JDA to the contractor.

The contractor shall not work after the sunset and before sunrise without specific permission of the 05.

authority Engineer.

Whenever any claim against the contractor for the payment of a sum of money arises out or under the contracts, the JDA shall be entered to recover the sum by appropriating in part or whole of the security deposit of the contractor. In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.

The rate quoted by the contractor shall remain valid for a period of 4(four) months from the date of 07. opening of the tenders.

By submission of this tender the contractor agree to abide with all printed conditions provided in 08. the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.

No conditions are to be added by the contractor and conditional tender is liable to be rejected. 09.

All transaction in the execution of this work and this tender will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.

If any tenderer withdraws his tender prior to expiry of said validity period given at S. No. 7 or 11. mutually extended prior or makes modifications in the rates, terms and conditions of the tender within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or dose not complete the work and the work has to be put to retendering, he shall stand debarred for six months from participating of tendering in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement

The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.

The contractor shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen 13. wherever supplied by the department.

Rules regarding enlistment of contractors provide that work ;upto five times limit for which they 14. are qualified for tendering can be allotted to them Therefore, before tender the contractors will keep this in mind, and submit the details of work. Tenders with incomplete or incorrect information are liable to be rejected.

Any material not conforming to the specifications collected at site shall have to be removed by the

15. contractor within a period of 3 days of the instructions, issued by the Engineer-Incharge in writing. Failing which, such material shall be removed by the Engineer-Incharge at risk and the contractor after expiry of 3 days period.

The material collected at site and paid provisionally shall remain under the watch and ward of the

contractor till it is consumed, fully on the work.

The rates provided in tender documents are inclusive of all Taxes royalty. 17.

For paver work at least 3 road rollers shall be simultaneously deployed. 18.

Bitumen for tack coat or any other purposes, shall be applied only be a bitumen sprayer of a mechanical pressure.

No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. 20. Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.

Undersigned has full right to reject any or all tenders without given any reasons. 21.

Mortar of Masonry work and lean concrete will be permitted mixer with hopper. 22.

As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."

Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works 24. costing Rs. 25.00 lacs and more shall be applicable.

The tenderer are required to submit copy of their enlistment as contractor.

25. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.

Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder 26. 27.

will be debarred from tendering for three months in JDA.

All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions 28. and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 2013, provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC and RULES, PROCUREMENT ACT, 2012 and RULES 2013 shall be applicable.

Signature of Contractor with full address & Mobile No. Executive Engineer -11 JDA, Jaipur.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Other Conditions

- The Contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
- DLP period of various nature of works amounting more than 25 Lacs has been revised. The time period as per order No.JDA/EX.En.(TA to DE-I)/2016/ D-29 dated 11.03.2016
- 3. निविदा में निर्धारित राशि से अधिक / कम Bid Security राशि बिडर द्वारा Online नहीं जमा कराई जावें, सिस्टम द्वारा भी कम / अधिक राशि बिड स्वीकार नहीं की जावेंगी।
- अलग–अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जावेगी।
- 5. एक यू.टी.आर. काम में लेने के पश्चात् पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नहीं किया जावें।

Signature of Contractor with full address & Mobile No.

Executive Engineer -11 JDA, Jaipur.

<u>Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works costing</u> Rs. 25.00 Lacs and more

1. ROAD WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per table-1. Road works executed by the Contracting agency shall be maintained by them at their own cost for Schedule as per table-1 (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, strengthening and renewal works.
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
- (i) Routine maintenance of Road Works,
- (ii) To remove the defect as & when appear in part and entire structure of Road Works, in specified time and keeping the Road Surface with good riding quality and
- (iii) Damages due to improper drainage / drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at completion of the construction work and ends after Schedule as per table-1.
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in manual for maintenance of roads of MoRTH and shall be carried out accordingly.

1.7 (a) The routine maintenance activities and their periodicity as per JDA Office order no: JDA/Ex.En.(TA to Dir Engg.-I)/2016/D-29 dated 11.03.2016

Table-I

S.No.	Type of work	DLP Period			
1	Bridge work	5 Years			
2	CD work	5 Years			
3	CC road, PQC work	5 Years			
4	CC tiles/Kerb/ Medians	5 Years			
5	Drains	3 Years			
6	Roads				
	(i) Two Layer WBM/GSB	6 Months or one full rainy season whichever is later			
	(ii) For Renewal/Strengthening				
	(a) BT upto 30 mm thickness	1 Year			
	(b) BT above 30 mm to upto 40 mm	2 Years			
	(c) BT above 40 mm to upto 90 mm	3 Years			
	(d) BT above 90 mm	5 Years			
	(iii) New roads				
	(a) BT upto 90 mm	3 Years			
	(b) BT more than 90 mm	5 Years			
7	Compound wall	3 Years			
8	Building work				
8	(i) Work pertaining to sanitary works electrical works, Joinery works and painting works.	2 Years			
	(ii) Work pertaining to building structure and other civil works.	5 Years			
9	Electric work except maintenance	3 Years			
10	Sewer/water supply all including STP and water supply related work except maintenance works	3 Years			

1.7 (b) The routine maintenance activities and their periodicity

S.No.	Name of Item/Activity	Frequency of operations in one year				
1	Restoration of rain cuts and dressing of berms.					
2	Making up of shoulders.	As and when required.				
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.				
4	Insurance of proper functioning of drains including civil maintenance and desilting of drains. (If constructed by the same Road agency or not)					
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting once in every one and half years.				
6	Road Marking, Kerb Stone/Dand. (If done by the same Road agency)	Thermoplastic Paint Maintenance as and when required. Repainting once in every one and half years. Ordinary Paint Maintenance as and when required. Repainting thrice in every years.				
7	Damages beyond control of agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by agency on the same rates of the contract agreement till DLP.				

2. General

2.1 Inspection of works during Defect Liability Period

- 2.1.1 The contracting agency shall undertake joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of emergency. The Contracting agency shall forward to the Engineer-in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particulars attention on those road sections, which are likely to be damaged during rainy season.
- 2.1.2 One register has to be maintained by every A.E.n for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions regarding Security Deposit

2.2.1 Security for DLP-

The contracting agency shall have to furnish security deposit (SD) in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 Refund of SD -

The release of SD amount shall be as following table:-

S. No.	Released SD DLP period	1st year	2 nd year	3rd year	5 th year
1	Upto 1 year	100 %	40 %	20 %	10 %
2	Upto 2 Year	1	60 %	20 %	10 %
3	Upto 3 Year			60 %	10 %
1	Upto 4 Year				20 %
5	Upto 5 Year				50 %

Various conditions for managing DLP are as under:-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC /tiles/drains etc (as per different categories in Table I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) Similarly for all new works, these components should be calculated at the time of TS itself, which should be made part of BID document.
- (iii) If any work, amount is less than Rs. 25 lakhs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lakhs, DLP shall be operative as per rule for each individual item.
- (iv) Similarly if any work is more than Rs. 25 lakhs but later finalization amount of work is less than Rs. 25 lakhs, DLP should be operative for six months or rainy season whichever is late.
- (v) During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted from JDA for three years as per RTPP Rule 2012 and 2013 where he defaults twice in a single agreement or in two different works.
- (vi) Quarterly inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vii) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En & TA to DE-I/2014-15/ D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 point no. 3
- (viii) In case JDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted.
 - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt. as per table III.

% recovery on withdrawal of DLP of work order		2 Year	3 Year	4 Year	5 Year
1 Year	1.12		72	-	<u>~</u>
2 Year	2.55	1.43	SEI .	-	-
3 Year	4.38	3.26	1.83	-	
5 Year	9.00	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than total retained amt. of SD, same shall be recovered from other works and as per PDR rules. The amount as per Table-III is also to be deducted in addition to this amount.
- (c) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE's after approval of these periods.

2.2.3 Force Majeure

The defect arises due to earthquake, cyclone, and natural calamities shall not be the responsibly of contracting agency.

Signature of Bidder with full address:

Executive Engineer-11 JDA, Jaipur

Annexure A: Compliance with the code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of Interest :-

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
 - a. Have controlling partners/shareholders in common; or
 - b. Receive or have received any direct or indirect subsidy from any of them; or
 - c. Have the same legal representative for purposes of the Bid; or
 - d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
 - e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
 - The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
 - Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted to	nder Section 7 of Rajasthan Transparency in
 I/We possess the necessary professional, technic competence required by the Bidding Document issue. I/We have fulfilled my/our obligation to pay such State Government or any local authority as specifie. I/We are not insolvent, in receivership, bankrupt administered by a court or a judicial officer, not he not the subject of legal proceeding for any of the fole. I/We do not have, and our directors and officers not related to my/our professional conduct or the material as to my/our qualifications to enter into a procure disqualified pursuant to debarment proceedings; I/We do not have a conflict of interest as specified which materially affects fair competition; 	ch of the taxes payable to the Union and the d in the Bidding Document; or being wound up, not have my/our affairs ave my/our business activities suspended ant regoing reasons; ot have, been convicted of any criminal offence aking of false statements or misrepresentations rement Contract within a period of three years ment process, or not have been otherwise
Date:	Signature of bidder
Place:	Name: Designation:
	Address:

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is IDC, IDA, Jaipur

The designation and address of the Second Appellate Authority is EC, JDA, Jaipur

Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued there under, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (1) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (2) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

(3) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

(4) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

(5) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

(6) Procedure for disposal of appeal

(a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.

(b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as

the case may be, shall,-

(i) Hear all the parties to appeal present before him; and

(ii) Peruse or inspect documents, relevant records or copies there of relating to the matter.

(c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass and order in writing and provide the copy of order to the parties to appeal free of cost.

(d) The order passed under sub-clause (c) above shall also be placed on the State Public

Procurement Portal.

FORM No. 1

[See Rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Арреа	1 No
1.	Particulars of appellant : Name of the appellant :
(ii)	Official address, if any:
(iii) Residential address :
2.	Name and address of the respondent (s):
	(i)
	(ii)
	(iii)
. 3.	Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
4.	If the Appellant proposes to be represented by a representative, the name and postal address of the representative:
5.	to the terminal to the desired to
6.	(Supported by an affidavit)
7.	Prayer:
Place	
Date	,

Appellant's Signature

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) It there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Validate Print Help

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of Work: Construction of 33/11 KV GSS Control Room in Kalwara and Tilawas Scheme Zone-11, JDA, Jaipur.

Contract No: NIB No- EE-11_02_2017-18

Bidder Name

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be

NUMBER #	TEXT #	NUMBER #	TEXT#	NUMBER	NUMBER #	TEXT #
SI. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT Without Taxes	TOTAL AMOUNT In Words
1	2	4	5	6	53	55
1.00	Earth work in excavation by mechanical means (Hydraulic Excavator)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including taking out the excavated soil and depositing and refilling of jhiri with watering	857,123	Cum	111.60	95654.93	INR Ninety Five Thousand Six Hundred & Fifty Four and Paise Ninety Three Only
2.00	Diluting and injection Chloropyrifos Emulsifiable concentrate 20% with 1% concentration for PRE-CONSTRUCTIONAL. Anti termite treatment as per IS 6313 part III as amended from time to time and creating a continuous chemical barrier under and around the column pits, wall trenches, basement excavation, top surface of plinth filling, junction of wall and floor along the external perimeter of building expansion joints, over the top surface of consolidated earth of which aproch is to be laid surrounding of pipes and conduits etc. complete as per specification (Plinth floor area only shall be measured for payment and excluding the cost of chemical emulsion)	167.400	Sqm	29.70	4971.78	INR Four Thousand Nine Hundred & Seventy One and Paise Seventy Eight Only
3.00	Supplying chemical emulsion in sealed containers including del Chlorpyriphos/ Lindane emulsifiable concentrate of 20%	60.000	litre	164.70	9882.00	INR Nine Thousand Eight Hundred & Eighty Two Only
4.00	Providing and laying in position cement concrete including curing, compaction etc, complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. 1:4:8 (1 cement: 4 coarse sand: 8 graded stone aggregate 40 mm nominal size).	112.238	Cum	2058.30	231019.48	INR Two Lakh Thirty One Thousan &Nineteen and Paise Forty Eight Only
5.00	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. 1:5:10 (1 cement: 5 coarse sand: 10 graded stone aggregate 40mm nominal size).	163.276	Cum	1842.30	300803.37	INR Three Lakh Eight Hundred & Three and Paise Thirty Seven Only
6.00	Providing and laying cement concrete including curing, compaction etc. complete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, levelling course etc up to floor five level excluding the cost of centering and shuttering, M15 grade Nominal Mix 1: 2: 4 (1 cement: 2 coarse sand: 4 graded stone aggregate (20mm nominal Size)	50.500	Cum	3186.90	160938.45	INR One Lakh Sixty Thousand Nin Hundred & Thirty Eight and Paise Forty Five Only
7.00	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:6 (1-Cement : 6-Sand).	663,921	Cum	1770.30	1175339.35	INR Eleven Lakh Seventy Five Thousand Three Hundred & Thirty Nine and Paise Thirty Five Only
8.00	Add extra for Random Rubble stone masonry with hard stone in Square or Rectangular pillars	0.470	Cum	135.00	63.45	INR Sixty Three and Paise Forty Five Only

9.00	Filling available excavated earth (excluding rock)		1			
	in trenches, plinth side of foundation etc. in layers not exceeding 20 cm. in depth, consolidating each deposited layer by ramming and watering including lead up to 50 meter and with all lift.	222.720	Cum	40.50	9020.16	INR Nine Thousand &Twenty and Paise Sixteen Only
10.00	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 6 (1 cement : 6 coarse sand)	125.276	Cum	2949.30	369476.51	INR Three Lakh Sixty Nine Thousand Four Hundred & Seventy Six and Paise Fifty One Only
11.00	Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers (if required) excluding the cost of centering, shuttering and reinforcement for Beams, Suspended floors, roofs, griders having slopes up to 15°, Landings, balconies, shelves, chajjas, lintels, bands, plain windows sills, staircases and spiral staircases etc. M20 grade Nominal Mix / Design Mix	102.508	Cum	3232.80	331387.86	INR Three Lakh Thirty One Thousand Three Hundred & Eighty Seven and Paise Eighty Six Only
12.00	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code)	4754.036	Kg	62.10	295225.64	INR Two Lakh Ninety Five Thousand Two Hundred & Twenty Five and Paise Sixty Four Only
13.00	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for :Suspended floors, roofs, landings, staircases, balconies, girders, cantilevers, bands, coping bed plates, anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.	618.752	Sqm	212.40	131422.92	INR One Lakh Thirty One Thousand Four Hundred & Twenty Two and Paise Ninety Two Only
14.00	Brick work in partition in super structure upto five storey 7cm, thick (brick on edges) using bricks of class designation 75 in : low cost Shree Binder & Sand mortar (1:2) (for non load bearing walls)	82.200	Sqm	217.80	17903.16	INR Seventeen Thousand Nine Hundred & Three and Paise Sixteen Only
15.00	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish: 20mm thick.	1942.484	Sqm	107,10	208040.04	INR Two Lakh Eight Thousand &Forty and Paise Four Only
16.00	6 mm thick cement plaster to ceiling of mix 1:3 (1cement: 3-fine sand)	245.500	Sqm	67.50	16571.25	INR Sixteen Thousand Five Hundred & Seventy One and Paise Twenty Five Only
17.00	Plaster on new surface on walls in cement sand mortar 1:6 including racking of joint etc. complete fine finish :20mm thick.	330.400	Sqm	92.70	30628.08	INR Thirty Thousand Six Hundred & Twenty Eight and Paise Eight Only
18.00	Kota stone slab flooring 25 mm thick over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1: 4 (1 cement: 4 coarse sand) For area of each slab from 2001 to 5000 Sq.Cm	243.208	Sqm	638.10	155191.02	INR One Lakh Fifty Five Thousand One Hundred & Ninety One and Paise Two Only
19.00	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete	798.650	Sqm	43.20	34501.68	INR Thirty Four Thousand Five Hundred & One and Paise Sixty Eight Only
20,00	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade including all scaffolding: New work (two or more coats) over and including scrapping and priming coat with cement primer.	1700,000	Sqm	46.80	79560.00	INR Seventy Nine Thousand Five Hundred & Sixty Only
21.00	Supplying and fixing fixed wire gauge of 14 mesh x 24 gauge to the metal frame of rolled section by metal beading 20x3mm with suitable screw at not exceeding 150mm distance.	90.240	Sqm	385.20	34760.45	INR Thirty Four Thousand Seven Hundred & Sixty and Paise Forty Five Only

-

22.00	Providing and fixing Square bars or other flat welded to window, ventilatiors etc.	350.000	Kg	55.80	19530.00	INR Nineteen Thousand Five Hundred & Thirty Only
	Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per annexure 'A' :30 mm thick . Commercial Veneer both side	21.840	Sqm	1106.10	24157.22	INR Twenty Four Thousand One Hundred & Fifty Seven and Paise Twenty Two Only
24,00	Extra for providing external lipping with 2nd class teak wood battens 6 mm minimum depth on all edges of shutters (over all area of door shutter to be measured) Over item no. 8.13.	21.840	Sqm	109.80	2398.03	INR Two Thousand Three Hundred & Ninety Eight and Paise Three Only
25.00	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding: New work (Two or more coats applied @ 3.84 kg/10 sqm).	1055.104	Sqm	33.30	35134.96	INR Thirty Five Thousand One Hundred & Thirty Four and Paise Ninety Six Only
26.00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work	520.000	Sqm	39.60	20592.00	INR Twenty Thousand Five Hundred & Ninety Two Only
27.00	Grading roof for water proofing treatement with water proffing compound Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	12.276	Cum	2934.00	36017.78	INR Thirty Six Thousand &Seventeen and Paise Seventy Eight Only
28.00	Providing gola 75x75 mm in cement concrete 1:2:4 (1cement : 2 coarse sand : 4 stone aggregate 10mm and down gauge) including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design :	130.000	Mtr	72.90	9477.00	INR Nine Thousand Four Hundred & Seventy Seven Only
29.00	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant.					
29.01	75 mm dia	60.000	Mtr	99.00	5940.00	INR Five Thousand Nine Hundred 8 Forty Only
29.02	160 mm dia	50.000	Mtr	250.00	12500.00	INR Twelve Thousand Five Hundred Only
30,00	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:					
30.01	(a) Plain Tee 110mm dia	10,000	Each	108.90	1089.00	INR One Thousand &Eighty Nine Only
30.02	(a) 160 mm dia	12,000	Each	118.80	1425.60	INR One Thousand Four Hundred Twenty Five and Paise Sixty Only
30.03	(b)Coupler (socket) 160 mm dia	6.000	Each	69.30	415.80	INR Four Hundred & Fifteen and Paise Eighty Only
30.04	(c) Door Tee 160 mm dia	8.000	Each	133.20	1065,60	INR One Thousand &Sixty Five and Paise Sixty Only
30.05	(d) Bend 45 160 mm dia	10.000	Each	83,70	837.00	INR Eight Hundred & Thirty Seven Only
30.06	(e) Bend 87.5 160 mm dia	12.000	Each	99.90	1198.80	INR One Thousand One Hundred Ninety Eight and Paise Eighty Onl
30.07	(f) Pipe Clip 160 mm dia	8.000	Each	30.60	244.80	INR .Two Hundred & Forty Four a Paise Eighty Only
31.00	Construction of soakage well in all type of soil with 300 mm thick dry masonry, top and bottom 300 mm course in CM 1:6, 80mm thick stone slab, jointing of slab in CM 1:3, Ralthal, Kharanja, 40 mm thick M-15 grade C.C flooring, earthwork complete as per approved drawing including disposal of earth within a lead of 50 mtr.:Size 300 Cm. dia outside & 240 Cm. Depth.		Each	14256.00	28512.00	INR Twenty Eight Thousand Five Hundred & Twelve Only

32.00	Construction of septic Tank in all types of soil with 40 Cm. thick masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C flooring & over stone slab covering ,80 mm thick slab ,jointing of slab in CM 1:3. Ralthal, Kharanja, 50 mm thick stone partition walls, 20 mm thick plaster in CM 1:6 finished with neat floating cement, 4 Nos C.I foot rests of approved design, two No. 450 mm dia each Ferro cement cover with frame, earth work etc. complete as per approved drawing including disposal of surplus earth within a lead of 50 intr:-Size 230 x110 x150 cm.(for 20 users)	2.000	Each	23715.00	47430.00	INR Forty Seven Thousand Four Hundred & Thirty Only
33.00	P & F European type white glazed vitreous china 1st quality W.C pan (IS: 2556 Mark) with P or S trap including cutting and making good the wall and floor.	2.000	Each	1165.50	2331.00	INR Two Thousand Three Hundred & Thirty One Only
34.00	P & F White glazed Conversion Bend for W.C. from P trap to S trap.	10.000	Each	109.80	1098.00	INR One Thousand &Ninety Eight Only
35.00	P & F vitreous china P trap of approved quality	8.000	Each	160,20	1281.60	INR One Thousand Two Hundred & Eighty One and Paise Sixty Only
36.00	P & F W.V.C. (IS: 2556 Mark) Squatting Urinal of standard make complete. Including cutting & making good the floor:Size 450x350mm	6.000	Each	558.00	3348.00	INR Three Thousand Three Hundred & Forty Eight Only
37.00	P & F C.P. Brass flush Valve with C.P. flush bend of approved make.Lever type with Elbow 32 mm dia	8.000	Each	1960.20	15681.60	INR Fifteen Thousand Six Hundred & Eighty One and Paise Sixty Only
38.00	P & F WVC wash basin (1st quality, I.S.: 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS: 8934 Mark) & 32 mm C.P. brass waste coupling of approved make, 25 mm G.I. waste pipe complete including cutting & making good the wall.:Size 510 mm x 400 mm	4.000	Each	1427,40	5709.60	INR Five Thousand Seven Hundred & Nine and Paise Sixty Only
39,00	P & F Soap Dish or Tray of approved quality/make C.P. brass heavy and superior quality.	4.000	Each	85.50	342.00	INR Three Hundred & Forty Two Only
40.00	Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades glazed tiles confirming to IS: 13753 & IS: 15622 of size 200mm x 300mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar).	50.000	Sqm	462.60	23130.00	INR Twenty Three Thousand One Hundred & Thirty Only
41,00	P & F G.I. pipes (Internal Work) with G.I. Fittings excluding union (IS:1239 Mark) & MS clamps including cutting and making good the walls and floors:Exposed on wall					
41.01	15 mm dia nominal bore 'B' Class	70.000	Mtr	121.50	8505.00	INR Eight Thousand Five Hundred & Five Only
41.02	25mm dia nominal bore 'B' Class	80.000	Mtr	207.00	16560.00	INR Sixteen Thousand Five Hundred & Sixty Only
42.00	P & F Ball Cock (IS :1703 Mark) with Rod & P.V.C. Ball complete:					
42.01	Brass wt.400 gm,15mm.	6.000	Each	183.60	1101.60	INR One Thousand One Hundred & One and Paise Sixty Only
42.02	Brass wt.1000 gm, 25mm.	8.000	Each	257.40	2059.20	INR Two Thousand &Fifty Nine and Paise Twenty Only
43.00	P & F Full-way Valve (IS:778 Mark) or wheel valve of approved make:					
43.01	Gun-metal 15mm nominal bore.	10.000	Each	223.20	2232.00	INR Two Thousand Two Hundred 8 Thirty Two Only
43.02	Gun-metal 25mm nominal bore.	8,000	Each	391.50	3132.00	INR Three Thousand One Hundred & Thirty Two Only
44.00	P & F foot valve of superior quality and approved make with fittings :Brass 25 mm.	6.000	Each	118.80	712.80	INR Seven Hundred & Twelve and Paise Eighty Only
	yan gusha a kalamana sasarin					

45.00	P & F PVC Storage Tank ISI Marked (IS: 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design:1000 litres capacity.	2.000	Each	5400.00	10800.00	INR Ten Thousand Eight Hundred Only
46.00	Supply & fixing G.I. Union ISI marked in G.I. pipe line as required complete in all respect of size :					
46.01	15mm dia nominal bore	8.000	Each	79.20	633.60	INR Six Hundred & Thirty Three and Paise Sixty Only
46.02	25mm dia nominal bore	10.000	Each	126,90	1269.00	INR One Thousand Two Hundred &
47.00	P & F Square-mouth gully trap 'A' grade (IS 651-1992 :marked) of approved make complete with C.I. grating, frame & Cover masonary chamber in C.M. 1:6, 100mm thick C.C. 1:5:10 base concrete, 40mm thick C.C.M-15 grade coping, 12mm thick cement plaster in CM 1:3 complete as per approved design & type.VTrap size 150 X 100mm, ferrow cement cover with frame, Internal Chamber size 300 X 300mm.	2.000	Each	752.40	1504.80	INR One Thousand Five Hundred & Four and Paise Eighty Only
48.00	Pointing on stone masonry in cement sand mortar 1:3 (1 cement: 3 sand): Raised and cut pointing.	280.000	Sqm	132.30	37044.00	INR Thirty Seven Thousand &Forty Four Only
49.00	Cement Concrete Pavement Construction of unreinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2 e M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and MoRD Specification Clause 1501 including vaccum dewatering process with all required equipments	170.000	Cum	5188.50	882045.00	INR Eight Lakh Eighty Two Thousand &Forty Five Only
20,00	Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement as per Clause 1501.2.2 M35 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a automatic concrete mixing plant, using approved mix design,transported in transit mixture from plant to work site, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the form work as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and Technical Specification Clause 1501 Including vacuum dewatering process with all required equipments	132.000	Cum	5310.00	700920.00	INR Seven Lakh Nine Hundred & Twenty Only
51.00	Add extra for Square or Rectangular Pillars in Superstructre brick work up to five storey Upto 45 cm length and two corners are free	12.150	Cum	107.10	1301.27	INR One Thousand Three Hundred & One and Paise Twenty Six Only

		INR Zero Only					
Quoted Rate in) Words		Select		0.0000	INR Zero Only	
Quoted Rate in	n Figures					Thousand Two Hundred & Ninety Six and Paise Two Only	
Total in Figures					5814296.02	INR Fifty Eight Lakh Fourteen	
33.00	Providing and fixing steel glazed doors windows and ventilator shutters of standard rolled steel section (IS 1038-1983) joints mitted and welded with steel lugs 13x3mm, 10cm. long embedded in cement concrete block 15x10x10cm. of 1:3:6 (Icement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) or with wooden plugs and screws or rawl plugs and screws with fixing clips or with bolts and nuts as required including providing and fixing of plain glass panes 4mm thick with cooper glazing clips and special metal sash putty of approved make or metal beading with screws complete including priming coat of approval steel primer, excluding the cost of metal beading and other fitting except necessary hinges of pivots steel handles peg stay etc. as required (Windows side hung /Ventilators top or centre hung (openable)	34.560	Sqm	2178.90	75302.78	INR Seventy Five Thousand Three Hundred & Two and Paise Seventy Eight Only	
53.00	Providing and fixing steel gate, grating, and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	1140.000	Kg	66.60	75924.00	INR Seventy Five Thousand Nine Hundred & Twenty Four Only	