

JAIPUR DEVELOPMENT AUTHORITY

Room No. CCC-TF-306, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur - 302004
Telephone: +91-141-2569696 e.mail: rameshwarlal.mathur@mailjda.org

NOTICE INVITING BID

NIB No. : EE-Garden-I/07/2017-18

Name & Address of the Procuring Entity	➤ Name: Executive Engineer-Garden-I, Jaipur Development Authority ➤ Address: Room No. CCC-TF-306, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur-302004 (Rajasthan) ➤ Email:- rameshwarlal.mathur@mailjda.org
Subject Matter of Procurement	➤ Installation of Open Air Gym Equipments in various parks of JDA region, Jaipur.
Period of work	➤ 06 Months
Bid Procedure	➤ Single stage open competitive bid (Financial Bid) through eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jda.urban.rajasthan.gov.in
Estimated Procurement Cost	➤ INR Rs. 148.96 Lacs (Rupees One crore forty eight lacs ninety six thousand only)
Website for online Bid application and <u>payment</u> *	➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee online only. Bid Security Deposit, may be deposited online or through bank guarantee method in prescribed format. ○ Bidding document fee: Rs. 1000/- (Rupees One Thousand only) ○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only)
Bid Security Deposit	➤ Amount (INR): 2% (Rs. 297920.00) of Estimated Procurement Cost (For A & AA class contractor registered in other department) ➤ Amount (INR): 0.5% (Rs. 74480.00) of Estimated Procurement Cost for Contractor registered in JDA & 1% for sick industries other than S.S.I. of Rajasthan whose cases are pending with Board of Industrial & Financial Reconstruction (BIFR). ➤ In case bidder opts to submit bid security through bank guarantee, the bank guarantee should valid up to 120 days from the date of opening of the bid.
Publishing Date on SPP Portal	➤ Start Date: 31.10.2017 at 4:00 PM
Document Sale/Download/Bid Participation Amount Deposit Start Date on JDA Portal	➤ Start Date: 08.11.2017 at 4:30 PM
Bid Submission Start Date on e Proc Portal of GOR	➤ Start Date: 08.11.2017 at 4:30 PM
Document Sale/Download/Bid Participation Amount Deposit End Date on JDA Portal	➤ End Date: 07.12.2017 at 6:00 PM
Bid Submission End Date on e Proc Portal of GOR	➤ End Date: 07.12.2017 at 6:00 PM
Physical Bank Guarantee (BG) Submission Start Date (In case bidder opts BG for Bid Security)	➤ Start Date: 08.12.2017 at 10:00 AM ➤ Place of physical BG submission: Nodal officer, Room No. MB-SF-225A of Main Building, JDA, Jaipur.

Physical Bank Guarantee (BG) Submission Closing Date	➤ Closing Date: 12.12.2017 upto 6:00 PM
**Bid Opening Date on e Proc Portal of GOR	➤ Date 13.12.2017 at 11:30 AM ➤ Room No. CCC-TF-306, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur-302004 (Rajasthan)
Bid Validity	➤ 120 days from the bid submission deadline.
*The amount is to be deposited online by bidder online or through RTGS/NEFT in ICICI BANK LTD Bank Account Number 675401700586 IFSC Code ICIC0006754. After successful payment, update the UTR/Instrument number on JDA Tender portal against the tender you want to participate. The amount deposited will be confirmed by JDA and will be updated online. The bidder will also have choice of submitting bid security deposit (BSD) through Bank Guarantee (BG) also. In case the bidder opt to submit bid security through BG, the bidder will provide details of BG viz. Bank guarantee No, issuing date, expiring date etc. on online tendering system of JDA. However the tender fees and processing charges of RISL continue to be paid through online mode only i.e. Payment Gateway or RTGS/NEFT. A copy of bank guarantee will be required to be attached with the bid submission document uploaded on e-procurement portal of GoR. The original Bank Guarantee will be physically handed over only after schedule date and time of closing for submission of bid on e-procurement portal of GoR to Nodal Officer of online tendering system of JDA (Presently in Room No. MB-SF-225A of Main Building). After verification, original BG will be sent to respective procuring entity which will be refunded/ returned by procuring entity as per rules. ** There should be a gap of 3 working days BETWEEN End Date for Bid Applying, Online Payment & Bid Submission AND Bid opening date.	
Note: - Bidder (authorised signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal. - In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted. - To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://eproc.rajasthan.gov.in (bidders already registered on http://eproc.rajasthan.gov.in before 30-09-2011 must register again). - JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems. - Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process. - Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoI T&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot. Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur - The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids. - No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder. - Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal. - The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPPA Act 2012 and Rules thereto, the later shall prevail.	


 Executive Engineer (Garden-I)

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal www.jda.urban.rajasthan.gov.in

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jda.urban.rajasthan.gov.in (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).

Registered on JDA website www.jda.urban.rajasthan.gov.in for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee and RISL Processing Fee online on website www.jda.urban.rajasthan.gov.in only. Bid Security Deposit may be deposited online or through bank guarantee in the manner prescribed in bid document.

2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

- Online through Internet Banking, Debit Card or Credit Card.
- In case the amount exceeds the online payment limit, the payment may be made through RTGS / NEFT / Transfer in Bank Account Number 675401700586 IFSC Code ICIC0006754 of ICICI BANK Limited, JDA Campus Jaipur.

In case of RTGS / NEFT / Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated while applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per **Annexure-4**. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in under [eServices](#)>>JDA Tender

Bidder has to submitted as proof of deposited amount against the Bid on eProcurement Portal

Jaipur Development Authority, Jaipur.			
Bid Participation Receipt			
		Date & Time:-	
Bid Detail			
Bid ID:		Procurement Entity:-	
Bid Title:			
Bid Value:		Bid Opening Place:	
Bidder Detail			
Name of Entity:		Mobile No.:	
Registration Type:		Instrument Amount:	
Payment Mode:		Payment Channel:	
Instrument No.:		Instrument Date:	

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

Specific Instrument for eProc Rajasthan			
Instrument Type			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SCHEDULE AND SPECIFICATIONS

Name of work: Installation of Open Air Gym Equipments in various parks of JDA region, Jaipur.

SCHEDULE 'A' : INFORMATION USEFUL FOR THE CONTRACTORS :

The tenderer should see the site and fully understand the condition of the site before tending & should include all leads, lifts etc. for the material in his item rate for the items as given in the Schedule-G. Then work shall be carried out in accordance with the B.I.S./ IRC/ MORT&H/ IS/ Rajasthan PWD/ JDA detailed specification and to the entire satisfaction of Engineer-in-charge of the work.

SCHEDULE – 'B' : LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawings may be seen in the office of under signed.

SCHEDULE – 'C' : LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor is Nil.

SCHEDULE – 'D' : TEST OF THE MATERIALS :

The test of the material and working and workmanship shall be conducted by the Engineer-in-charge of work and quality control cell as per norms. The result of such tests should confirm to the standard laid down in the Indian Standard, the detailed specification of the B.I.S./ IRC/MORT&H/IS/ Public Works Department, Rajasthan. Proper quality control is required to be maintained by the Contractor. Qualified personnel as required under the contractor enlistment's rules shall have to be engaged at site by the Contractor. In case of failure, the department reserves the right to engage such staff and to recover wages from the Contractor. The contractor shall provide facility of each test at site. The expenses shall be recovered from the contractor in case of his failure to do so.

SCHEDULE – 'E' : SAMPLES OF THE MATERIALS :

The samples of the material to be used by the contractor shall be deposited 15 days in advance with the Engineer In-charge and should be got approved by him before use.

SCHEDULE – 'F' : TIME OF COMPLETION :

The work should start within 10 days of issue of work order and complete within the prescribed time period. In case of failure, the contractor shall be liable for action under the conditions of agreement and special conditions of the tender.

SCHEDULE – 'G' : BILL OF QUANTITIES : Attached separately.

SCHEDULE - 'H' : SPECIAL CONDITON : Attached separately.

SCHEDULE – 'I' : LIST OF THE MATERIAL TO BE SUPPLIED BY THE DEPTT :

No material will be supplied by the JDA. Contractor has to arrange all the materials at his own cost.

SCHEDULE – 'J' : COST OF BID DOCUMENTS, PROCESSING FEES & BID SECURITY:

As per details given in Annexure -2

SCHEDULE – 'K' : OTHER SPECIAL TERMS & CONDITIONS (PART OF CONTRACT AGREEMENT) : Attached separately.

SCHEDULE – 'L' : SPECIFICATION OF THE MATERIAL USED FOR GYM EQUIPMENT TO BE SUPPLIED BY BIDDER : Attached separately.

Signature of the Bidder
With full address


Executive Engineer (Garden-I)
JDA, Jaipur

SPECIAL CONDITIONS

SCHEDULE 'H'

1. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost.
2. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
3. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule 1971.
4. The JDA shall have right to cause an audit technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
5. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
6. Wherever any claim against the contractor for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor, In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
7. The rate quoted by the contractor shall remain valid for a period of 4 (Four) months from the date of opening of the tenders.
8. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
9. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
10. All transaction in this execution of this work and this tender will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
11. If any tenderer withdraws his tender prior to expiry of said validity period given at S.No. 7 or mutually extended period or makes modifications in the rate, terms and conditions of the tendered within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or does not complete the work and the work has to be put to retendering he will stand debarred from participating in tendering in JDA for six months in addition to forfeiture of Earnest Money / Security Deposit / Performance Guarantee and other action under agreement

12. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
13. The contractor shall arrange his own storage tanks upto 10 Tonnes capacity for storing bulk bitumen wherever supplied by the department.
14. Rules regarding enlistment of contractor provide that work up to the times limit for which they are qualified for tendering can be allotted to them. Therefore, before tendering the contractor will keep this in mind, and submit the details of the work. Tenders with incomplete or incorrect information are liable to be rejected.
15. Any material not conforming to the specifications collected at site have to be removed by the contractor within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period.
16. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
17. The rates provided in tender documents are inclusive of all Taxes and royalty.
18. For paver work at least 3 road rollers shall be simultaneously deployed.
19. Bitumen for tack coat or any other purposes, shall be applied only by a bitumen sprayer of a mechanical pressure.
20. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
21. Undersigned has full right to reject any or all tenders without given any reasons.
22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act.
24. Special Conditions of Contract regarding Defect Liability Period (DLP) for roads works costing Rs. 25.00 lacs and more shall be applicable.
25. The tenderer are required to submit copy of their enlistment as contractor.
26. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
27. Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from tendering for three months in JDA.
28. Bid security shall be 0.50% of value of bid (only registered bidder in JDA) and shall remain valid 120 days beyond the original or extended validity period of the bid.
29. Performance security shall be 10 % of the amount of work order performance security shall remain valid for a period of 60 days beyond the date of completion of all contractual obligation of the bidder including warranty obligation and maintenance and object liability period.
30. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall be applicable.

SIGNATURE OF CONTRACTOR
With full address & Mobile No.


Executive Engineer (Garden-I)
JDA, Jaipur

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

(i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted tofor procurement ofin response to their Notice inviting Bids No.....Dated.....I/wehereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name :

Designation :

Address :

Annexure C : Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is JDC, JDA, Jaipur
The designation and address of the Second Appellate Authority is E.C. JDA, Jaipur

(1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or through registered post or authorised representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority or second appellate authority, as the case may be shall-
 - (i) hear all the parties to appeal present before him; and
 - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Annexure D :Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

FORM No. 1
[see rule 83]

**Memorandum of Appeal under the Rajasthan
Transparency in Public procurement Act, 2012**

Appeal No.....ofBefore
the.....(First/Second Appellate authority)

- 1- Particulars of appellant :
(i) Name of the appellant :
(ii) Official address, if any:
(iii) Residential address :
- 2- Name and address of the respondent(s):
(i)
(ii)
(iii)
- 3- Number and date of the order appealed
against and name and designation of the
office/ authority who passed the order
(enclose copy), or a statement of a decision,
action or omission of the procuring Entity
in contravention to the provisions of the Act
by which the appellant is aggrieved:
- 4- If the Appellant propose to be represented by
a representative the name and postal address
of the representative:
- 5- Number of affidavits and documents enclosed
with the appeal:
- 6- Grounds of appeal :
(Supported by an affidavit)
- 7- Prayer :

Place :

Date :

Appellant's Signature

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR
OTHER SPECIAL TERMS & CONDITIONS (PART OF CONTRACT
AGREEMENT)

**NAME OF WORK: OPEN AIR GYM EQUIPMENTS IN VARIOUS PARKS OF JDA REGION,
JAIPUR.**

1. The work should start immediately after issue of work order & be completed within prescribed time period. In case of failure, work shall be got executed from other tenderer as per clause 2 & 3 of the contract agreement.
2. The contractor shall ensure all safety precautions during execution of work without fail. If any casualty occurs, contractor himself will be responsible.
3. "JDA at work" Boards shall be installed by the contractor at his own cost during execution of work as directed by Engineer-In -Charge.
4. Any equipment/ material collected at site not confirming to specification shall have to be removed by the contractor within 24 hours of the written instruction given by Engineer –In-Charge failing which such equipment/ material shall be removed by the Engineer-In-Charge at risk & cost of contractor after expiry of 24 hrs.
5. Action in case of Disproportionate progress/in case extremely poor progress of the work at any stage, which in the opinion of the Engineer-In-Charge cannot be made good by contractor considering his available resources, the Engineer-In-Charge will get it accelerated to make up the loss of time through any other agency & recover the additional cost incurred if any, in getting the work done from the other contractor after informing him in writing, stating reasons, about the action envisaged by him.
6. Safety of men/ material will be responsibilities of the contractor up to completion of work at site in all respect.
7. The contractor should ensure safe and sound installation of Open Air Gym equipments.
8. The agency will be responsible for all safety and security of whole system and also for Theft, Fire, Accident, Anti-Social Activity or any natural hazards.
9. The contractor shall be responsible for any mishappening caused due to the defect in equipments during the use of the Open Air Gym equipments.
10. The agency should take care not to cause any damage to the existing structure in the park. If any damage occurs he has to repair and restore it at his own cost.
11. The paid Annual operation and maintenance contract (Paid AOMC) period will be for Three (03) years after one (01) year free operation and maintenance period. The annual operation and maintenance charges will be inclusive of all material and taxes and his security deposit money will be refundable after satisfactory completion of a period of 04 years.

12. The agency should submit quarterly certificate that all equipments of open air gym installed by him are in good condition in first week of next month during the whole period of operation and maintenance period for Four years.
13. The replacement of the damage part will be in accordance to the specification mentioned in bid document.
14. The factory visit may be done by the Sr. Officers of JDA to confirm the Infrastructure & the process adhered by the manufactures on the cost of agency but the agency shall get the equipments approved at Jaipur before installation at site.
15. At any time, JDA will be free to terminate/ end the paid annual operation and maintenance contract without assigning any reason with one-month notice and no claim/compensation will be payable on this account. In case the paid AOMC is terminated before schedule time, Security Deposit will be released after the termination of paid AOMC after adjusting the dues if any as per norms.
16. Rate quoted by the contractor should include all taxes, excise duty, carriage, installation charges, VAT etc. in his rates for installation and paid AOMC.
17. The agency will be responsible for the daily maintenance schedules and operations required for smooth & uninterrupted performance of the Gym equipments.
18. The agency will rectify any defect within 48Hrs to 72Hrs from the time of occurrence of the same. In case the defects are not rectified within 72 hrs of the receipt of the complaint by the contractor, JDA shall have full liberty to restore the equipment in working condition. The expenditure so occurred, JDA shall be deducted from the contractor pending claims, security deposit or in other law full manner.
19. After completion of Warranty period (i.e.1 Year) the agency shall maintain all the parts, equipment etc during further 3 years period of AOMC and no payment shall be made by JDA for such defective/ damaged/ nonfunctional parts/ equipments.
20. After successful completion of paid maintenance all the installed open air gym equipments will be handed over to the Engineer-in-charge in working conditions.



Executive Engineer
(Garden-I)
JDA, Jaipur

Signature of Bidder
With full name, address & phone.


**SPECIFICATION OF THE MATERIAL USED FOR GYM EQUIPMENT TO BE
SUPPLIED BY BIDDER**

01. MATERIALS: All materials shall be of first grade quality as per specified standards. The manufacturing company from where raw material is procured, must be at least ISO approved or possess IS standard for raw materials manufactured or supplied by them.
02. G.I. PIPES : The GI pipe quality and approved make of Tata / Jindal /Swastik/ Zenith/ Siddharth or equivalent standard make confirming ISI 1239 (Part I) 1979.
03. M.S. ANGLE: All M.S angle are as per IS No.226 of 1975 (latest) approved make.
04. CLAMPS for Multi-activity Play Systems : Good quality clamps will be used for assembly of the MULTI-ACTIVITY Play Systems. The Clamps are Made from nylon grade 6 plastic and are fitted with SS 304 non rusting nut-bolts conforming to ASTM E-1086: 1994.
05. MIG WELDING RODS: Electrical welding wires shall be manufactured by standard company. The welding wire shall not be kept in open environment much before in use as it may get affected by water vapour from the air, which may result in priority defect in the weld. Thus reduces the welding strength.
06. NUT BOLTS & OTHER FASTENERS: The galvanized iron (minimum) nuts, bolts, and other fasteners must be used for all moving and non-moving type of play equipments. All the fasteners used are of standard ones.
07. WELDING: The joining work shall be done by Metal Inert Gas (MIG) welding process where carbon dioxide (CO₂) is used as the inert gas. There shall not be any longitudinal joint to make up the length in any member of the apparatus, unless otherwise stated or permitted. The welded joints shall be ground with electric surface grinder and finally polished the ground surface are then finished with epoxy sealant of M-seal brand. Utmost care is taken while welding to ensure that won't be any under cuts or foreign particles entrapment or hydrogen embrittlement in the welded joints.
08. BENDING: During bending operation it is ensured that there won't be any deformations in the diameter of the pipe more than 1.2 times the dia. This shall be achieved by use of slip gauges, and the usage of special bending dies suitable for different diameters. All the bending are done by using mechanical bending equipment, to give the perfect curves. Other non-standard and complicated curves shall be formed manually by using special pipe holding fixtures which should be capable enough to give a wide range of shapes to the pipes.
09. DRILLING: All the holes shall be drilled by the use of specially designed hardened drilling fixtures to ensure repeatability and interchangeability of the components.
10. CUTTING: All the cutting shall be done by the use of bend saw equipment and cross cutting equipments to ensure linearity in cutting and exact length .
11. PLATING: All the plated parts are hot dipped galvanized or electro galvanized which shall be passivated and thicknesses of all plating are ensured to be a minimum of 10 microns.
12. F.R.P PROCESS: All the fiber reinforced plastic (FRP) materials shall be processed by the hand laid process.
13. PAINTING PROCESS of Steel Structures: All the steel items that shall be painted, shall be first made free from: -Any burn and welding spots are grounded to finish and cleaned. -With degreasing chemical solutions and phosphate is done and all the welded joints are applied with epoxy sealant. -Exposure to atmosphere so that further corrosion should not going to take place besides, the scaling process a parts smooth and better aesthetics to the product. -The powder is sprayed onto the substrate by means of suitable static electric gun to ensure uniform powder thickness all over. The thickness maintained shall be minimum of 60 to 80 microns. (Dry films thickness). -The coated product shall be then cured in oven at 200 degree Celsius for sufficient time for better cool or strength.
14. INSPECTION (Internal checking process to be adopted by Manufacturer) all the raw materials and parts shall be inspected for any defects like scratches, dents, cracks and similar shortcomings. The in-process parts shall be inspected while working on them by the skilled operators themselves and b) the supervisors for matching ability and conformance to the desired dimensions. The company carries out

- 100 inspection of the final goods produced for the conformation with specifications All the part assemblies are checked for their matching with corresponding parts and their interchange ability
15. PACKING: All the equipment manufactured, painted and tested for quality and then packed to make them ready for dispatch. Packing shall be used to wrap and tie the product in order to provide dirt and scratch proofing.
 16. SWING SEATS: - It shall be made of synthetic rubber reinforced with heavy duty canvas 6: has" chequered non-skid top. The rubber seat shall be affixed on 6mm thick GI chair which is rubber dipped to prevent figure entrapment the seal shall be fixed with tool, of dia 8 mm & triangular hook of grade SS 304.
 17. BEARINGS:- All bearings shall be of reputed make (like SKF /FAG/ NBC or equivalent) S: press fitted for smooth rotation with lubricant and water silence.
 18. FASTENERS:- All bolts & nuts shall be totally galvanized.
 19. FABRICATION:- All steel components shall be welded by electric shall be welding using the best quality welding rods confirming to IS: 814. All welded joints are properly rounded & coated with an epoxy sealant for rust resistance. All sheet metal components are galvanized for rust resistance. The coated product shall be then cured in oven at 200 degree Celsius.
 20. INFORMATION FOR GROUTING: The fixing shall be clamp deep pit or as per the site requirements. All required safety system mechanism should be provided in built. Party has to submit the latest test certificate/report for where ever necessary for such equipments along with its technical bid.
 21. Tenderer has to furnish the following details : -
 1. Model design, dimensions of the area required for normal installation drawing, layout etc.
 2. Tenderer has to submit the list of their authorized service centers and other technical details.



Executive Engineer (Garden-I)
JDA, Jaipur

Signature of Contractor with seal



SURFING BOARD


Photo No. 1



CROSS TRAINER


Photo No. 2

10/11/19
J. En (G.D.)



THAI-CHI SPINNER (2 WHEEL)


Photo No. 3



SEATED PULLER


Photo No. 4

*10/11/19
J.Eh.(G-E)*



LEG PRESS


Photo No. 5



SIT UP BOARD DOUBLE


Photo No. 6

*LDuty
J.En (G-D)*



CHEST PRESS

Photo No. 7



POMMEL HORSE


Photo No. 8

10/04/19
J. En. (G. I.)



DOUBLE STANDING TWISTER

Photo No. 9



STANDING SEATING TWISTER


Photo No. 10

*U. S. S. S. R.
J. E. N. (G. I.)*



CHEST CUM SHOULDER PRESS

Photo No. 11



PUSH UP BAR

Photo No. 12

10/04/19
J.En (G-5)

94-28

Photograph no. 13



10/1/19
JEN (G-5)

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of work:- Installation of Open Air Gym Equipments in various parks of JDA region, Jaipur.

'G Schedule'

2016 JDA BSR (Building Works) 2015-2016
Non BSR Item

S.No.	Item	Quantity	Unit	Rate	Amount
Part A:BSR Items					
1	Earth work in excavation by mechanical means (Hydraulic Excavator)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including taking out the excavated soil and depositing and refilling of jhiri with watering & ramming and disposal of surplus excavated soil as directed with in a lead of 50 meter.	50.00	Cum	111.60	5580.00
2	Providing and laying cement concrete including curing,compaction etc. complete in retaining walls, return walls, walls(any thickness) including attached pilasters, columns, piers,abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, levelling course etc up to floor five level excluding the cost of centering and shuttering. M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size).	50.00	Cum	3186.90	159345.00
Part B:Non BSR Items					
1	<u>SURFING BOARD</u> Providing and fixing of Surfing Board of size not less than 1000mm (Length) x 600mm (Width) x 1400mm (Height), to build up the muscle groups of the waist, enhance the body coordination and flexibility. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The footrests shall be made from high quality fiber reinforced plastic material. High tensile steel with galvanized nut bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powder of Ackzonoble/ Berger/ Nerolac with minimum 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fullfil the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 1 . (The cement concrete and excavation work shall be paid separately).	16	Each	47338.00	757408.00
2	<u>CROSS TRAINER</u> Providing and fixing of Cross trainer of size not less than 1320mm (Length) x 600mm (Width) x 1750mm. (Height), to enhance the mobility of upper and lower limbs and improve the flexibility of joints. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The Handle Frame shall be made up of atleast 25NB "C" Class G.I. Pipe. The footrests shall be made from Aluminum casting material of size not less than 130 mm X 310mmX5mm thickness and mounted on M.S. Plate of Size 130mmx310mmx3mm thick. High tensile steel with galvanized nuts and bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powders of Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 Micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fullfil	16	Each	62040.00	992640.00
3	<u>THAI-CHI SPINNER (2 WHEEL)</u> Providing and fixing of Thi-Chi spinner (2 Wheel) of size not less than 700mm (Length) x 1000mm (Width) x 1280mm (Height), to increase mobility of shoulder -elbow and hip-knee. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. High tensile S.S. nut bolts shall be used for assembly. The powder coating shall be done with pure Polyester powders from Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fullfil the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 3. (The cement concrete and excavation work shall be paid separately).	16	Each	34761.00	556176.00

S.No.	Item	Quantity	Unit	Rate	Amount
4	<u>SEATED PULLER</u> Providing and fixing of Seated Puller of size not less than 1900mm (Length) x 740mm (Width) x 1920mm. (Height), to enhance the strength of upper limbs and the muscles in chest and back and promote cardio-pulmonary function. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The handle frame shall be minimum of 32NB "C" class G.I. pipe. The seat frame minimum of 32NB "C" class G.I. pipe, Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nuts & bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powders of Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fullfil the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 4. (The cement concrete and excavation work shall be paid separately).	16	Each	86160.00	1378560.00
5	<u>LEG PRESS</u> Providing and fixing of Leg Press of size not less than 1840mm (Length) x 360mm (Width) x 1560mm. (Height), to build up the muscles of thigh and enhance the strength of waist. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The Sleeve frame minimum of 100 OD and of M.S. Seamless Pipe with thickness 5mm. This sleeve should be disassembled from main frame. The footrests shall be made from casted Aluminum material, having sizes minimum of 130mm X 310mm X 5mm thick. Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nut bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powder of Ackzonoble/ Berger/ Nerolac with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fullfil the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 5. (The cement concrete and excavation work shall be paid separately).	16	Each	60474.00	967584.00
6	<u>SIT UP BOARD DOUBLE</u> Providing and fixing of Sit up Board double of size not less than 1760mm (Length) x 1140mm (Width) x 660mm (Height), to enhance the flexibility of whole body. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The remaining frame of the sit up board minimum of 32mm NB shall be made from "C" class GI pipe. The powder coating shall be done with Pure Polyester powder Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fullfil the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 6. (The cement concrete and excavation work shall be paid separately).	16	Each	42520.00	680320.00
7	<u>CHEST PRESS</u> Providing and fixing of Chest Press of size not less than 2000mm (Length) x 710mm (Width) x 2200mm. (Height), to enhance the strength of upper limbs and the muscles in chest & back and promote cardio pulmonary function. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The handle frame shall be made up from atleast 32NB "C" class G.I. pipe. The seats and Back rests to be fitted on the outer frames shall be made up of M.S. Sheet of size not less than 330mm X 300 mmX2mm thickness. Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nuts & bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powders from Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fullfil the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 7. (The cement concrete and excavation work shall be paid separately).	16	Each	89617.00	1433872.00

S.No.	Item	Quantity	Unit	Rate	Amount
8	<u>POMMEL HORSE</u> Providing and fixing of Pommel Horse of size not less than 2150mm (Length) x 800mm (Width) x 800mm. (Height), to enhance the flexibility of lower limbs, waist and abdomen. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The handle frame be minimum of 32NB shall be made from "C" Class G.I. pipe. Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nuts and bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powder Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fulfill the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 8. (The cement concrete and excavation work shall be paid separately).	16	Each	79767.00	1276272.00
9	<u>DOUBLE STANDING TWISTER</u> Providing and fixing of Double Twister Standing of size not less than 1500mm (Length) x 600mm (Width) x 1300mm. (Height), to enhance flexibility of waist. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The handle frame is minimum of 25NB shall be made from "C" class G.I. pipe. The Twister plate to be fitted on the bottom frame shall be made up of M.S. Round Plate of minimum size Ø300mm and 10mm thick. Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nuts and bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powders from Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fulfill the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 9. (The cement concrete and excavation work shall be paid separately)	16	Each	79960.00	1279360.00
10	<u>STANDING SEATING TWISTER</u> Providing and fixing of Seating & Standing Twister of size not less than 1700mm (Length) x 540mm (Width) x 1250mm. (Height), to enhance flexibility of waist. suitable for people of different ages except children. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The bottom frame of the Seating & Standing twister be atleast of 32 NB, 50 NB, and 25 NB shall be made from "C" class G.I. pipe. The handle frame of Seating & Standing twister of minimum 25 NB & Foot resting frame of seating side shall be made from "C" class G.I. pipe minimum of 25mm NB. The Twister plate to be fitted on the bottom frame shall be made up of M.S. Round Plate of minimum size 300mm diameter and 10mm thickness. Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nuts & bolts shall be used for assembly. The powder coating shall be done by Pure Polyester powder of Ackzonoble/ Berger/ Nerolac Paint with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fulfill the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 10. (Thecement concrete and excavation work shall be paid separate	16	Each	80484.00	1287744.00
11	<u>CHEST CUM SHOULDER PRESS</u> Providing and fixing of Chest Press Cum Seated Puller of size not less than 2000mm Length) x 710mm (Width) x 2200mm (Height), to enhance the strength of upper limbs and the muscles in chest and shoulder.The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate atleast Ø250 mm & 10mm thick. The seats and Back rests to be fitted on the outer frames shall be made up minimum of M.S. Sheet of size 330 mm X 300 mmX2mm thickness. Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nuts & bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powders from Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fulfill the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 11. (The cement concrete and excavation work shall be paid separately).	16	Each	70568.00	1129088.00

S.No.	Item	Quantity	Unit	Rate	Amount
12	<u>PUSH UP BARS</u> Providing and fixing of Push Up Bars of size not less than 1220mm (Length) x 550mm (Width) x 1700mm. (Height), To enhance the strength and stamina of the body. The main structure frame shall be made from G.I. pipe minimum of 80NB "C" class welded with M.S. round base plate at least Ø250 mm & 10mm thick. The handle frame minimum of 25 NB shall be made from "C" Class G.I. pipe. Closing Caps shall be made up of high quality Fiber reinforced Plastic material. High tensile steel with galvanized nuts & bolts shall be used for assembly. The powder coating shall be done with Pure Polyester powders of Ackzonoble/ Berger/ Nerolac Paints with 60 to 70 micron thickness, complete in all respect including fixing the M.S. holdfast in cement concrete to hold the whole structure, under the directions of Engineer-in-charge to fulfill the functional requirement. The indicative Design/Photo is as per enclosed Photo no. 12. (The cement concrete and excavation work shall be paid separately).	16	Each	75962.00	1215392.00
13.01	Annual Maintenance of all open air gym equipments fixed at various parks in Jaipur for a period of 3 years (After one year free maintenance) including replacing of any or all damaged parts and running satisfactory in all respect. Maintenance payments shall be made proportionately for each quarter. For First Year (3% of total cost of equipments which is 12954416.00)	1	%	388632.48	388632.48
13.02	Annual Maintenance of all open air gym equipments fixed at various parks in Jaipur for a period of 3 years (After one year free maintenance) including replacing of any or all damaged parts and running satisfactory in all respect. Maintenance payments shall be made proportionately for each quarter. For Second year (3.5% of total cost of equipments which is 12954416.00).	1	%	453404.56	453404.56
13.03	Annual Maintenance of all open air gym equipments fixed at various parks in Jaipur for a period of 3 years (After one year free maintenance) including replacing of any or all damaged parts and running satisfactory in all respect. Maintenance payments shall be made proportionately for each quarter. For third year (4% of total cost of equipments which is 12954416.00).	1	%	518176.64	518176.64
14	Supply and fixing of Instruction board of size 4'x 6' made of digital vinyl print with gloss lamination & pasted on 3mm ACP sheet fixed over 2.0 mm thick MS sheet, framed on 32 mm dia MS pipe, supported on 50mm dia MS pipe which goes 600mm below ground level with hold fast including welding and painting. Design and drawing as per photograph no. 13, all complete under directions of Engineer-in-charge. (The cement concrete and excavation work shall be paid separately).	16	Each	26051.00	416816.00
Total					14896370.68


 Executive Engineer (Garden-I)
 JDA, Jaipur

1. I/We do hereby agree to do above work @ _____ % above/below (In Figures) Schedule "G" Amount.

2. I/We do hereby agree to do above work @ _____ above/below
(In Words) Schedule "G" Amount.

Signature of Contractor with full Address and Mobile No.