

जयपुर विकास प्राधिकरण, जयपुर।

इन्दिरा सर्किल, जवाहर लाल नेहरू मार्ग, जयपुर।

क्रमांक:-जविप्रा/अधि.अभि.-1/2018-19/डी-216

दिनांक:- 28.06.2018

अल्पकालीन एवं पूर्णकालीन बिड सूचना संख्या-अधि.अभि.-1/09-11/2018-19

जयपुर विकास प्राधिकरण जोन -1 क्षेत्र में (1) "मिसलेनियस रिपेयर का कार्य (दर संविदा) " के लिये स्वीकृत राशि रू0 145.00 लाख (2) " पेन्टिंग एवं थर्मोप्लास्टिक पेन्ट का कार्य (दर संविदा) " के लिये स्वीकृत राशि रू0 95.00 लाख की निविदा दिनांक 13.07.2018 (3) "एस.एम.एस स्टेडियम के बाहरी गेट टॉक रोड पर अर्जुन स्कल्पचर एवं अन्य खेलों के मान्यमेन्ट की साफ सफाई एवं मैन्टीनेस का कार्य " के लिये स्वीकृत राशि 15.00 लाख की निविदा दिनांक 19.07.2018 सांय 6.00 बजे तक ऑन लाईन निविदा आमंत्रित की जाती है। विस्तृत विवरण जो कि निविदा प्रपत्र में उपलब्ध है, अधोहस्ताक्षकर्ता के कार्यालय में अथवा राजस्थान सरकार के उपापन पोर्टल www.sppp.rajasthan.gov.in or www.eproc.rajasthan.gov.in एवं जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर देखी जा सकती है।

निविदा दाताओं को निविदा में भाग लेने हेतु आवश्यक है कि :-

1. निविदादाता जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर पंजीकृत हो एवं निविदा में भाग लेने के लिये बोलीदाता को कार्य के लिये आवेदन करने पर दस्तावेज शुल्क, अमानत राशि, आर.आई.एस.एल, प्रोसेसिंग शुल्क ऑनलाईन प्रस्तुत करनी होगी।
2. ऑनलाईन निविदा प्रस्तुत करने के लिये निविदा दाताओं का राजस्थान सरकार के ई-प्रोक्यूरमेंट पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।

अधिशायी अभियन्ता-1

जविप्रा, जयपुर।

JAIPUR DEVELOPMENT AUTHORITY

Room No. 102, Is Floor, Main Building, Ram Kishore Vyas Bhavan, Indira Circle,
JawaharLal Nehru Marg, Jaipur - 302004
Telephone: +91-141-2569696

No:- JDA/EE-1/2018-19/D-216

Dated: 28-06-2018

SHORT & FULL TERM NOTICE INVITING NIB No. : JDA/EE-1/09-10/2018-19

Online Bids are invited for **1. " Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC) "** Estimated cost of 145.00 Lacs **2. " Painting and Thermoplastic Paint in Zone-1 area JDA Jaipur (ARC) "** Estimated cost of 95.00 Lacs upto 13.07.2018 & **3. " General Cleaning and Maintenance of Arjun Sculpture & sports monuments of outside SMS Stadium Gate Tonk road under Zone-1 JDA Jaipur "** Estimated cost of 15.00 Lacs upto 19.07.2018. Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.Jda.urban.rajasthan.gov.in.

To participate in the bid, bidder has to be:

- 1- Registered on JDA website www.jda.urban.rajasthan.gov.in for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
- 2- Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Executive Engineer-1

Detail NIB for uploading on SPP Portal, e-Procurement, JDA Portal & as part of NIB Document

JAIPUR DEVELOPMENT AUTHORITY

(Main Block, First Floor, (MB-FF), NBFF-105, Vistar Building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan) Telephone: +91-141-2569696

Bid No:- JDA/EE-1/2018-19/D- 216

Dated: 28-06-2018

SHORT TERM NOTICE INVITING NIB No. : EE-1/09/2018-19

Name & Address of the Procuring Entity	➤ Name: Executive Engineer-1, Jaipur Development Authority Address: (NB-FF--105, Vistar Building) Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Subject Matter of Procurement	➤ Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC) ➤ Job No : JDA/EE Zone 1 /A&F/2018-19/JUN/075 Dtd 22.06.2018
Bid Procedure	➤ Single stage tender (eg. Single-stage Two part (envelope) open competitive) eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jda.urban.rajasthan.gov.in
Website for online Bid application and payment *	➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. ○ Bidding document fee: Rs. 1000/- (Rupees One Thousand only) ○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only) Requisite Bid Security Deposit
Estimated Procurement Cost	➤ INR 145.00 Lacs (Rupees One Crore Forty Five Lacs only)
Bid Security Deposit	➤ Amount (INR) : 290000.00* 2% of Estimated Procurement Cost, 72500.00*0.5% (* 2% for Bidder who is a A and AA class contractor registered in other Government Department/0.5%/ for Bidder registered as contractor AA, A,B, C in JDA)
Date/Time/place of Pre-Bid	➤ N/A ➤ Last date of submitting of clarifications requests by the bidder <Date and Time> Addressed to the procurement Entity at <Address of Procurement entity>
Applying Bid and making Online Payment on JDA Portal (www.jda.urban.rajasthan.gov.in)	➤ Start Date: 29.06.2018 at 9.30 AM onwards ➤ End Date: 13.07.2018 up to 6.00 PM ➤ In case EMD in from BG Original Bank Guarantee is to be submitted in Room No. MBSF 225A, DD (E&B)} of main building Jaipur development Authority by 17.07.2018 upto 12.00 AM
Bid Submission on e-procurement Portal of GOR (www.eproc.rajasthan.gov.in)	➤ Start Date: 29.06.2018 at 9.30 AM onwards ➤ End Date: 13.07.2018 up to 6.00 PM
**Date/Time/ Place of technical Bid Opening	➤ N/A
Date/ Time/ Place of Financial Bid Opening	➤ 18.07.2018 at 1.00 PM ➤ Executive Engineer-1,(NB-FF--105, Vistar Building) Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Bid Validity	➤ 120 days from the bid submission deadline
Time period	➤ 12 Months

*Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL processing fee online through JDA Portal, The bid security options available in tender for participants area as mentioned below :-

* There should be a gap of 3 working days BETWEEN End Date for Bid Applying online payment & Bid Submission AND Bid opening date.

Note:

1. Bidder (authorised signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safe crypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
6. Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot.
Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in
Address : e-Procurement Cell, JDA, YojanaBhawan, Tilak Marg, C-Scheme, Jaipur
7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPPA Act 2012 and Rules thereto, the later shall prevail.

Executive Engineer-1
JDA Jaipur

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR
SCHEDULE AND SPECIFICATIONS

Name of work :- Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC)

SHORT TERM NOTICE INVITING NIB No. : EE-1/09/2018-19

Name & Address of the Procuring Entity	➤ Name: Executive Engineer-1, Jaipur Development Authority Address: (NB-FF--105, Vistar Building) Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Subject Matter of Procurement	➤ Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC) ➤ Job No : JDA/EE Zone 1 /A&F/2018-19/JUN/075 Dtd 22.06.2018
Bid Procedure	➤ Single stage tender (eg. Single-stage Two part (envelope) open competitive) eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost Based Selection (LCBS)-L1)
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jda.urdan.rajasthan.gov.in
Website for online Bid application and payment *	➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. ○ Bidding document fee: Rs. 1000/- (Rupees One Thousand only) ○ RISL Processing Fee: Rs. 1000/- (Rupees One Thousand only) Requisite Bid Security Deposit
Estimated Procurement Cost	➤ INR 145.00 Lacs (Rupees One Crore Forty Five Lacs only)
Bid Security Deposit	➤ Amount (INR) : 290000.00* 2% of Estimated Procurement Cost, 72500.00 *0.5% (* 2% for Bidder who is a A and AA class contractor registered in other Government Department/0.5%/ for Bidder registered as contractor AA, A,B, C in JDA)
Date/Time/place of Pre-Bid	➤ N/A ➤ Last date of submitting of clarifications requests by the bidder <Date and Time> Addressed to the procurement Entity at <Address of Procurement entity>
Applying Bid and making Online Payment on JDA Portal (www.jda.urban.rajasthan.gov.in)	➤ Start Date: 29.06.2018 at 9.30 AM onwards ➤ End Date: 13.07.2018 up to 6.00 PM ➤ In case EMD in from BG Original Bank Guarantee is to be submitted in Room No. MBSF 225A, DD (E&B)} of main building Jaipur development Authority by 17.07.2018 upto 12.00 AM
Bid Submission on e-procurement Portal of GOR (www.eproc.rajasthan.gov.in)	➤ Start Date: 29.06.2018 at 9.30 AM onwards ➤ End Date: 13.07.2018 up to 6.00 PM
**Date/Time/ Place of technical Bid Opening	➤ N/A
Date/ Time/ Place of Financial Bid Opening	➤ 18.07.2018 at 1.00 PM ➤ Executive Engineer-1,(NB-FF--105, Vistar Building) Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Bid Validity	➤ 120 days from the bid submission deadline
Time period	➤ 12 Months

SCHEDULE - A: INFORMATION USEFUL FOR THE BIDDERS:

The Bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates give in the Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In-Charge of the work.

SCHEDULE - B: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

The drawing may be seen in office of the undersigned.

SCHEDULE - C: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

List of the drawing to be supplied by the bidder NIL. But the bidder shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standard & or the standers laid down in the detailed specification of the Public by the bidder qualified personnel as required under the bidder enlistment rules duly approved by the department shall have to be engaged at site by the Bidder. The department reserves the right to engage such staff and recover the expenses from the bidder on such account in case of his failure to do so.

SCHEDULE - E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the bidder shall be deposited 15 days in advance with the Engineer In charge and be got approval by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within _____ 7 _____ days of issue of work order and complete within time limit.

SCHEDULE - G: ATTACHED SEPARATELY BASED ON BSR PWD, JAIPUR.**SCHEDULE - H: SPECIAL CONDITION:**

Attached Separately.

SCHEDULE - I: LIST OF MATERIAL TO BE SUPPLIED BY THE DEPARTMENT:

Cement if available in JDA store shall be issued @ the prevailing stores issue rate of JDA + 5% storage charges at the time of issue of cement.

Material if available time JDA store shall be issued @ the prevailing stores rate of JDA + 5% storage charges.

SCHEDULE - J: COST OF BID DOCUMENTS, PROCESSING FEES & EARNEST MONEY.

Date of submission of Bid Cost, Process Cost & EMD through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in/e-services/e-tender portal. There should be a gap 3 working days between End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected.

Signature of the Bidder
With full Address

Executive Engineer-1
JDA, Jaipur.

SPECIAL CONDITIONS

SCHEDULE 'H'

01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the bidder at his own level/cost?
02. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which schedule 'G' has been prepared, shall prevail.
03. The bidder shall follow the bidder labour regulation and abolition Act 1970 & Rule 1971.
04. The JDA shall have right to cause on audit and technical examination of the work and the final bills of the bidder including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed the bidder shall be liable to refund such amount and it shall be lawful ;for the JDA to recover such sum from him in ;the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid bay the JDA to the bidder.
05. The bidder shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
06. Whenever any claim against the bidder for the payment of a sum of money arises out or under the contracts, the JDA shall be entered to recover the sum by appropriating in part or whole of the security deposit of the bidder. In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
07. The rate quoted by the bidder shall remain valid for a period of 4(four) months from the date of opening of the bids.
08. By submission of this bid the bidder agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
09. No conditions are to be added by the bidder and conditional bid is liable to be rejected.
10. All transaction in the execution of this work and this bid will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
11. If any bidder withdraws his bid prior to expiry of said validity period given at S.No. 9 or mutually extended prior or makes modifications in the rates, terms and conditions of the bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any bidder, who having submitted a bid does not execute the agreement or start the work or dose not complete the work and the work has to be put to rebidding, he shall stand debarred for six months from participating of bidding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement
12. The bidder shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
13. The bidder shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen wherever supplied by the department.
14. Rules regarding enlistment of bidders provide that work; upto five times limit for which they are qualified for bidding can be allotted to them Therefore, before bid the bidders will keep this in mind, and submit the details of work. Bids with incomplete or incorrect information are liable to be rejected.
15. Any material not conforming to the specifications collected at site shall have to be removed by the bidder within a period of 3 days of the instructions, issued by the Engineer-In-charge in writing. Failing which, such material shall be removed by the Engineer-In-charge at risk and the bidder after expiry of 3 days period.
16. The material collected at site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed, fully on the work.
17. **The rates provided in bid documents are inclusive of all Taxes royalty. Bidder will be responsible for compliance of GST Act/Rule 2017**
18. For paver work at least 3 road rollers shall be simultaneously deployed.
19. Bitumen for tack coat or any other purposes, shall be applied only be a bitumen sprayer of a mechanical pressure.

20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Bidder at his own cost.
21. Undersigned has full right to reject any or all bids without given any reasons.
22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
24. **Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable.**
25. The bidders are required to submit copy of their enlistment as bidder.
26. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
27. Any bid received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from bidding for three months in JDA.
28. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradiction in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 shall be applicable.
29. निविदा में निर्धारित राशि से अधिक/कम Bid Security राशि बिडर द्वारा Online नहीं जमा कराई जावे, सिस्टम द्वारा भी कम/अधिक राशि बिड स्वीकार नहीं की जावेगी।
30. अलग-अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जावेगी।
31. एक यू.टी.आर. काम में लेने के पश्चात् पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नहीं किया जावे।

Signature of Bidder
with full address & Mobile No.

Executive Engineer-1
JDA, Jaipur

General Term & Condition

1. Quantities shown in Schedule-G, are tentative and can be increase or decrease as per the site requirement under the provisions of RTPP ACT-2012.
2. Individual Work Order shall be issued time to time as per the requirement & agency shall attend office of under signed with a Non-Judicial stamp in accordance to amount of individual Work Order as per RTPP rule-2013. The same shall be signed by the authorized signatory to execute the contract. All tender formalities should be completed at the time of issuance of individual Work Order; failing which suitable action will be taken.
3. There may be situation when, no work is awarded to the Bidder during stipulated time period of the rate contract; No compensation or claim shall be payable to agency.
4. The work completion period for individual work order may be allocated as per the necessity & urgency of the work and may be directed to start work within 24 hours; The agency shall have to mobilize resources accordingly & no claim/excuse on such account will be entertained. If agency fails to start or complete the work in specified time period, work may be got executed on the risk & cost of the agency & action such as de-barring/black listing etc. may be initiated as per contract agreement
5. The bid is for Rate contract; therefore performance during any emergency/urgency is essence of the contract, which may please be noted before bidding..

**Signature of Bidder
with full address & Mobile No.**

**Executive Engineer-1
JDA, Jaipur**

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
 - (a) Have controlling partners/shareholders in common; or
 - (b) Receive or have received any direct or indirect subsidy from any of them; or
 - (c) Have the same legal representative for purposes of the bid; or
 - (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
 - (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same sub bidder, not otherwise participating as a bidder, in more than one bid; or
 - (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
 - (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted tofor procurement ofin response to their Notice inviting Bids No.....Dated..... I/wehereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Signature of bidder

Place :

Name:-.....

Designation:-.....

Address:-

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is **JDC**

The designation and address of the Second Appellate Authority is **EC**

(1) Filing an appeal:-

If any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) From of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority or second appellate authority, as the case may be shall-
 - (i) Hear all the parties to appeal present before him; and
 - (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

FORM No. 1
[see rule 83]

**Memorandum of Appeal under the Rajasthan
Transparency in Public procurement Act, 2012**

Appeal No..... of Before the
..... (First/Second Appellate authority)

- 1- Particulars of appellant :
 - (i) Name of the appellant :
 - (ii) Official address, if any:
 - (iii) Residential address:
- 2- Name and address of the respondent(s):
 - (i)
 - (ii)
 - (iii)
- 3- Number and date of the order appealed against and name and designation of the office/ authority who passed the order (enclose copy), or a statement of a decision, action or omission of the procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
- 4- If the Appellant propose to be represented by a representative the name and postal address of the representative:
- 5- Number of affidavits and documents enclosed with the appeal:
- 6 Grounds of appeal:
(Supported by an affidavit)
- 7- Prayer :

Place :.....

Date :

Appellant's Signature

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

[Validate](#)[Print](#)[Help](#)

Percentage BoQ

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR.

Name of work :- Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC)

Contract No: JDA/EE-1/09/2018-19

Bidder Name :

PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
	Part 'A' BSR					
	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sun on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed: All kinds of soil	1000.00	Cum	109.80	109800.00	INR One Lakh Nine Thousand Eight Hundred Only
	Carriage of earth, Sand, Lime, Morrum manure or sludge. For 10 Km	750.00	Cum	67.05	50287.50	INR Fifty Thousand Two Hundred & Eighty Seven and Paise Fifty Only
	Building Rubbish Stone metal (Grit and ballast etc.) For 10 Km	750.00	Cum	72.45	54337.50	INR Fifty Four Thousand Three Hundred & Thirty Seven and Paise Fifty Only
	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 4 (1 cement : 4 coarse sand)	75.00	Cum	3112.20	233415.00	INR Two Lakh Thirty Three Thousand Four Hundred & Fifteen Only
	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:4 (1-Cement: 4-Sand).	75.00	Cum	1984.50	148837.50	INR One Lakh Forty Eight Thousand Eight Hundred & Thirty Seven and Paise Fifty Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish : 20 mm thick	250.00	Sqm	107.10	26775.00	INR Twenty Six Thousand Seven Hundred & Seventy Five Only
	Repair to stone masonry in cement sand mortar 1:6 with old and new stone.	200.00	Sqm	165.60	33120.00	INR Thirty Three Thousand One Hundred & Twenty Only
	Providing and fixing of precast concrete interlocking blocks of M 30 grade 60mm thick manufactured from fully computerised automatic stationery hydraulic vibropressed machine and fully computerised automatic batching plant of class A1/A2 as per BS 6717:2001. The CC interlocking paving blocks be laid on average 50mm. thick bed of coarse sand and the joint is to be filled with fine sand. Laying procedure on compacted sub-base as defined. Complete job is to be executed as per the instruction of Engineer incharge. The rates to be inclusive of all lead, Lifts and taxes. General specification of blocks: 1) Shape as defined by Engineer incharge 2) Tensile splitting strength and braking load as per BS 6717:2001 3) Color: Grey cement natural colour 4) Variation in dimension: Less than 1.6mm. 5) Variation in thickness: Less than 3.2mm 6) Abrasion: As per BS: 6717:2001	7500.00	Sqm	337.50	2531250.00	INR Twenty Five Lakh Thirty One Thousand Two Hundred & Fifty Only
	Providing and fixing designer cement concrete polished tiles over 20mm average thick base of CM 1 : 4 (1 Cement : 4 sand) jointing with cement mortar 1 : 2 (1cement : 2 sand) with pigment to match the shade of the tiles complete with all respect.	500.00	Sqm	967.50	483750.00	INR Four Lakh Eighty Three Thousand Seven Hundred & Fifty Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Fine dressed & machine cut edges 30-35 mm thick sand stone flooring over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) jointed grey cement slurry mixed with pigment to match the shade of stone complete as per design drawing and instruction of EI. Red sand stone (Karauli stone)	250.00	Sqm	482.40	120600.00	INR One Lakh Twenty Thousand Six Hundred Only
	Chequerred precast cement concrete tiles 22 mm thick in footpath & courtyard jointed with neat cement slurry mixed with pigment to match the shade of tiles including rubbing and cleaning etc. complete on 20 mm thick bed of cement mortar 1:4 (1 cement : 4 coarse sand) Light shade using shade cement.	200.00	Sqm	356.40	71280.00	INR Seventy One Thousand Two Hundred & Eighty Only
	Rough Chisel dressed Kota stone 35 mm thick flooring of approved shade set in pattern over 20mm thick base of cement mortar 1:6 (1 cement : 6 coarse sand) and pointing with cement sand mortar 1:3 with pigment to match the shade of stone with joint thickness up to 15 mm complete in all respects :	1000.00	Sqm	391.50	391500.00	INR Three Lakh Ninety One Thousand Five Hundred Only
	Filling available excavated earth (excluding rock) in trenches plinth side of foundation etc. in layers not exceeding 20 cm. in depth, consolidating each deposited layer by ramming and watering including lead up to 50 meter and with all lift.	500.00	Cum	40.50	20250.00	INR Twenty Thousand Two Hundred & Fifty Only
	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level.					
	M20 grade Nominal Mix 1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size).	80.00	Cum	3246.30	259704.00	INR Two Lakh Fifty Nine Thousand Seven Hundred & Four Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	210.00	Cum	2398.50	503685.00	INR Five Lakh Three Thousand Six Hundred & Eighty Five Only
	Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft , bases of columns etc.	75.00	Sqm	99.00	7425.00	INR Seven Thousand Four Hundred & Twenty Five Only
	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Hot rolled deformed bars (IS : 1139).	500.00	Kg	61.20	30600.00	INR Thirty Thousand Six Hundred Only
	Stone work (machine cut edges) for Wall cladding/Veneering work up to 10m height with 20 to 30 mm thick Red Sand Stone (Karauli) and backing filled with a grout of 12mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : (To be secured to the backing by means of cramps which shall be paid separately) Exposed face machine cut	100.00	Sqm	1732.00	173200.00	INR One Lakh Seventy Three Thousand Two Hundred Only
	Supplying and fixing machine cut fine dressed Red/Pink sand stone dasa or coping, with full moulding if required laid on cement mortar 1:4 including pointing with admixture of pigment matching with the stone shade. 50 mm thick	50.00	Sqm	1010.00	50500.00	INR Fifty Thousand Five Hundred Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Providing and fixing Stone jali 40mm thick Red/Pink sand stone throughout in cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment, matching the stone shade, jali patterns to be cut square to jali slab without any chamfers etc:	50.00	Sqm	5439.00	271950.00	INR Two Lakh Seventy One Thousand Nine Hundred & Fifty Only
	Providing, hoisting and fixing up to floor five level precast cement concrete jali 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6mm nominal size) reinforced with 1.6 mm dia Mild steel wire including centing and shuttering, roughening cleaning, fixing and finishing in cement mortar 1 : 3 (1 cement : 3 fine sand) etc complete as per approved design excluding plastering of jambs, sills and soffits 50mm thick	50.00	Sqm	393.30	19665.00	INR Nineteen Thousand Six Hundred & Sixty Five Only
	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats, or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	5000.00	Kg	66.60	333000.00	INR Three Lakh Thirty Three Thousand Only
	Stone slab roofing on ground floor with fine grained stone slab from approved quarry including filling of joints of parapet and slab on both sides in cement sand mortar 1:4, with ceiling pointing in cement sand mortar 1 : 3 complete as per specification and instruction of Engineer In Charge	50.00	Sqm	1079.10	53955.00	INR Fifty Three Thousand Nine Hundred & Fifty Four and Paise One Hundred Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Supply of 'L' type Bollard made out of 1.25 mm thick M.S. sheet height 134 cm, welded in circular type ring section having upper dia 15 cm. and lower dia 21 cm with another attachment of 15x15 cm circular section with 15 cm. face plate and hold fast at bottom, whole body is processed in white stoving enamel and red reflective 3 hands, each of 7.5 cm end one reflective sheet of 15 cm. dia provided to it complete in all respect.	50.00	Each	1435.50	71775.00	INR Seventy One Thousand Seven Hundred & Seventy Five Only
	Supply of Swiss type of Hazard marker, made out of 2 mm thick M.S. sheet size of box is 15x15 cm with hold fast at bottom, the body is painted in orange stoving enamel paint with white/high intensity grade micro-prismatic type sheeting, on all four side.	250.00	Each	787.50	196875.00	INR One Lakh Ninety Six Thousand Eight Hundred & Seventy Five Only
	Providing and fixing of Reinforced Ferro cement Drain cover designed for class "AA" loading duly marked on cover with adequate steel reinforcement having thickness 75 mm to 150 mm anti-corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks admixture like plasticizer bond improving compound shrinkage resistance compound abrasion resistant complete as per approved design etc.					
	for drain Opening Size 451 to 700 mm Standard Drain Cover Size 1000mm x 800mm x 100mm	50.00	Sqm	1579.50	78975.00	INR Seventy Eight Thousand Nine Hundred & Seventy Five Only
	for drain Opening Size 701 to 1200 mm Standard Drain Cover Size 1500mm x 600mm x 125mm	75.00	Sqm	2011.50	150862.50	INR One Lakh Fifty Thousand Eight Hundred & Sixty Two and Paise Fifty Only
	for drain Opening Size 1201 to 1500 mm Standard Drain Cover Size 2100mm x 500mm x 150mm	75.00	Sqm	2871.00	215325.00	INR Two Lakh Fifteen Thousand Three Hundred & Twenty Five Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Supply &fixing of Fiber reinforced Ferro cement drain cover (light duty) designed for side drain for class "B" Road loading duly marked on cover with adequate steel reinforcement having thickness 50 mm to 75 mm anti corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks additives & admixture like plasticizer shrinkage resistance compound abrasion resistant as per approved drawing and design complete in all respect.					
	for drain Opeining Size 300 to 450 mm Standard Drain Cover Size 600mm x 1200mm x 50mm	50.00	Sqm	540.00	27000.00	INR Twenty Seven Thousand Only
	Providing and fixing reinforced concrete precast kerb stone or dand R.Mltr of M-20 grade cement concrete 120 cm long having 4 Nos. bars of 8 mm dia hysd and stirrups 6 Nos of 6 mm dia as per IS with in built provision of interlocking of jointing and lifting compaction of reinforced concrete by mechanical and table vibrators jointing at site with cement mortar 1:4 complete in all respect as directed by Engineer incharge on: 100 mm thick cement concrete 1:4:8 (1 Cement : 4 Coarse sand : 8 stone aggregate 20 mm thick nominal size) including excavation of earth and cutting of BT road cutting of WBM road etc. and disposal of surplus material with all lead and lift. The size of kerb shall be (11.5+16.5)/2*30+(16.5*7.5)	50.00	P.Rmt	617.00	30850.00	INR Thirty Thousand Eight Hundred & Fifty Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	P/F precast RCC pole (bollard) 2.00 M height as per approved design and drawing by JDA for chain link in M-20 grade including handling carriage complete with synthetic paint of approved brand to give an even shade two or more coats with providing and fixing M.S flats for locking arrangement for M.S chain made of 2 Nos M.S Flats 25×8 mm and 15 cm length with 2 Nos holes in each flats and clamping with nut and bolts of size 50×6 mm dia complete in all respect as per the approval of Engineer in-charge.	25.00	Each	3652.00	91300.00	INR Ninety One Thousand Three Hundred Only
	Fabricating, providing and fixing M.S chain consisting of CL square pyramids on both sides having central base of size 25×25mm duly engraved JDA-(year of fabrication) and having a groove on two sides in the middle portion. The overall height on the pyramid should be 100 mm (the total weight should not be less than 270 gms) and housed in M.S ring of 16 mm dia M.S round bars having cut length of 300 mm the weight of chain should not be less than 14.4 Kg per m length including priming with Zinc cromate of approved quality as per the direction of engineer in-charge and as per approved pattern.	3500.00	Kg	115.00	402500.00	INR Four Lakh Two Thousand Five Hundred Only
	Removing & Refixing of precast concrete interlocking paving blocks recovered item from site 60 mm to 100 mm thick laid on average 50 mm thick bed of coarse sand joint be filled with fine sand laying procedure on compacted sub base as define etc. complete as per direction of Engineer-in-charge with all lead and lift.	4000.00	Sqm	60.00	240000.00	INR Two Lakh Forty Thousand Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Removing and Refixing of Pre cast Kerb stone obtained from site and fixing at as per direction of engineer-in-charge over 100 mm thick C.C. 1:4:8 and jointing of kerbs with cement mortar 1:4 including cost of loading unloading transporting and curing complete in all respect as per direction of Engineer-in-charge.	4000.00	Rmtr	40.00	160000.00	INR One Lakh Sixty Thousand Only
	P & F of cement concrete precast kerb or dand of M-20 grade upto 60 cm length over 20 mm thick base of cement mortar 1:6 including earth work, cutting of B/T road, cutting of WBM road etc. & jointing with cement mortar 1:4 grouted 125 mm in ground of hape as approved by Engineer-in-charge. The rates are inclusive of providing, laying and compacting base concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate of 20 mm thick nominal size) 100 mm thick below dand/kerb complete in all respect. The size of kerb be 15 cm x 32.5 cm with round at top.	4000.00	Rmt	106.00	424000.00	INR Four Lakh Twenty Four Thousand Only
	Raising/lowering of masonry manhole chamber of sewer system including lifting the R.C.C. roof slab dismantling/increasing the height or masonry wall with cement mortar 1:4, replacing back the displace R.C.C. roof slab in position including repining of join to the entire satisfaction to Engineer-in-charge. The work includes providing barricading during construction, putting sign board/caution board for safety purpose, providing material like cement, land required stone and all human masonry where ever required and all machinery like crane, tools and plants required for the job in all respect work also includes curing where ever required and site clearance.	50.00	Nos	1500.00	75000.00	INR Seventy Five Thousand Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Demolishing CC/R.C.C. work by mechanical power driven means and stockpiling at designated locations and disposal of dismantled material up to lead of 50 m, stacking serviceable and unserviceable material seperately including cutting reinforcement bars	50.00	Cum	612.90	30645.00	INR Thirty Thousand Six Hundred & Forty Five Only
	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in-charge. 1: 3: 6 or richer mix.	50.00	Cum	397.80	19890.00	INR Nineteen Thousand Eight Hundred & Ninety Only
	Dismantling of Flexible Pavements and disposal of dismantled materials upto a lead of 100 m, stacking serviceable and unserviceable materials separately as per MoRD Specification By Manual Means	50.00	Cum	279.00	13950.00	INR Thirteen Thousand Nine Hundred & Fifty Only
	Cement Concrete Pavement Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and MoRD Specification Clause 1501 including vacuum dewatering process with all required equipments	75.00	Cum	5188.50	389137.50	INR Three Lakh Eighty Nine Thousand One Hundred & Thirty Seven and Paise Fifty Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Supply of JCB (excavator cum loader) Type 3D on hire including POL & driver at different sites as Directed by Engineer in charge.	350.00	Per Hour	745.00	260750.00	INR Two Lakh Sixty Thousand Seven Hundred & Fifty Only
	Supplying of 35 HP Diesel Tractor Trolly with hydraulic lift Trolley on hire with driver, cleaner and POL at different sites of JDA region as Directed by Engineer in charge.	500.00	Per Shift of 8 hrs	1290.00	645000.00	INR Six Lakh Forty Five Thousand Only
	Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely.	150.00	Hour	2500.00	375000.00	INR Three Lakh Seventy Five Thousand Only
	Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge.	150.00	Per Shift of 8 hrs	1050.00	157500.00	INR One Lakh Fifty Seven Thousand Five Hundred Only
	Supply of Dumpers on hire charges with driver, cleaner and POL different sites of JDA region as Directed by Engineer in charge.	250.00	Per Shift of 8 hrs	2680.00	670000.00	INR Six Lakh Seventy Thousand Only
	Beldar	5000.00	Per Day	153.00	765000.00	INR Seven Lakh Sixty Five Thousand Only
	Providing and laying rounded hump type speed breakers for crossing speed 25 km/h as per IRC design including providing and applying bitumen emulsion tack coat, making speed breaker in designed profile with bituminous macadam,providing seal coat type B for sealing the voids and marking chequered pattern with thermoplastic paint complete as per IRC : 99-1988					
	3.70 meter wide and 10 cm high for general traffic	20.00	Rmtr	2439.00	48780.00	INR Forty Eight Thousand Seven Hundred & Eighty Only
	5.0 meter wide and 10 cm high for heavy truck and bus traffic	20.00	Rmtr	3145.50	62910.00	INR Sixty Two Thousand Nine Hundred & Ten Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Refebrication work with existing steel work including cutting, welding & refebrication as per requirement with fixing at site complete as per direction of Engineer In charge	10000.00	Kg	21.60	216000.00	INR Two Lakh Sixteen Thousand Only
	Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 1.5 mm thick supported on GI pipe 50 mm dia firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and MoRD Specification Clause 1701					
	600 mm equilateral triangle	15.00	Each	2430.00	36450.00	INR Thirty Six Thousand Four Hundred & Fifty Only
	600 mm circular	15.00	Each	3330.00	49950.00	INR Forty Nine Thousand Nine Hundred & Fifty Only
	800 mm x 600 mm rectangular	15.00	Each	4770.00	71550.00	INR Seventy One Thousand Five Hundred & Fifty Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Providing and laying Precast reinforced cement concrete Box culvert section of M-40 grade designed for 'AA' class loading as per IRC specifications including to effect of impact, EQ etc. complete on form base of 200mm thick lean concrete of M-10 grade with aggregate of size 40mm nominal of following internal size the work includes required safety measures construction of drain for diversion of flowing water cost of design of RCC Precast Box and its proof checking from IIT/MNIT Jaipur complete in all respect as per specifications Size 1.00 M x 1.00 M	15.00	Rmtr	15457.00	231855.00	INR Two Lakh Thirty One Thousand Eight Hundred & Fifty Five Only
	Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plasterers(if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix	50.00	Cum	2961.00	148050.00	INR One Lakh Forty Eight Thousand & Fifty Only
	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding; New work (Two or more coats applied @ 3.84 kg/10 sqm).	1000.00	Sqm	33.30	33300.00	INR Thirty Three Thousand Three Hundred Only
	Old work (One or more coats).	10000.00	Sqm	13.50	135000.00	INR One Lakh Thirty Five Thousand Only
	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	1000.00	Sqm	39.60	39600.00	INR Thirty Nine Thousand Six Hundred Only
	One or more coats on old work.	15000.00	Sqm	18.00	270000.00	INR Two Lakh Seventy Thousand Only

Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160" C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements.	1000.00	Sqm	436.50	436500.00	INR Four Lakh Thirty Six Thousand Five Hundred Only
Total in Figures					13250166.50	INR One Crore Thirty Two Lakh Fifty Thousand One Hundred & Sixty Six and Paise Fifty Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				

Item Rate BoQ

Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR.

Name of work :- Misc. Civil repair work in Zone-1 area JDA Jaipur (ARC)

Contract No: JDA/EE-1/09/2018-19

Bidder Name :	
---------------	--

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

Sl. No.	Item Description	Quantity	Units	BASIC RATE In Figures To be entered by the Bidder Rs. P	TOTAL AMOUNT	TOTAL AMOUNT In Words
	Part "B" Non BSR					
	Making Gola garden, Kangooro and ornamental lining work as per approved Jaipur style pattern on wall surface etc. Including all material, scaffolding, T&P etc.	11000.00	Sqm		0.00	INR Zero Only
	Hiring charges of Lokhanda including diesel , operational staff, Mobil oil spares and lubricants etc. as per direction of Engineer-in-charge.	250.00	Per Hours		0.00	INR Zero Only
	Providing and fixing in the carriageway 100 mm thick interlocking concrete of shape as directed by engineer incharge pavers (monolithic signle layer precast concrete blocks) of grey cement colour having average crushing strength 50N/sq mm as per technical specifications placed on average compacted thickness of 40 mm uniformly graded river sand cushioning with proper compacting with mechanical compactor with the proper level grade and camber etc. complete as specified and as directed by the engineer	1000.00	Sqm		0.00	INR Zero Only
Total in Figures					0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				