JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No. CCC-TF-313, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004 Telephone: +91-141-2569696 e.mail: xen.g1jda@gmail.com

No.: JDA/EE(Garden-I)/2021/D-515 Dated: 03.08.2021

NOTICE INVITING BID

NIB NO :JDA/EE (Garden-I)/05,06,07/2021-22

Online Bid are invited up-to 6.00 PM of 16.08.2021for Providing and fixing Bench and Dustbin at different Parks in Garden-I area, JDA, Jaipur (ARC) estimated cost of Rs24.19Lacs, "Renovation and Improvement Work in Jaldhara JLN Marg, JDA Jaipur" estimated cost of Rs96.08Lacs and "Installation of Open Air Gym Equipments in various parks of JDA region, Jaipur (ARC)." estimated cost of Rs46.87Lacs The last date for applying bid and making online payment on JDA portal is up to 6.00 PM of 16.08.2021 Details may be seen in the Bidding Document at our office or the state Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in andwww.jda.urban.rajasthan.gov.in

UBN No .:-

UBN No .:-

UBN No .:-

To participate in the bid, bidder has to be:

- 1. Registered on JDA website www.jda.urban.rajasthan.gov.in, for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid security Deposit, online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Executive Engineer (Garden-I), JDA, Jaipur

JAIPUR DEVELOPMENT AUTHORITY

Room No. CCC-TF-313, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004 Telephone: +91-141-2569696 e.mail: xen.g1jda@gmail.com

NOTICE INVITING BID

NIB No.: EE-Garden-I/06/2021-22

NIB No. : EE-Garden-I/ 06/2021-22						
	Detailed NIB					
Name & Address of the Procuring Entity	 Name: Executive Engineer (Garden-I), Jaipur Development Authority Address: Room No. CCC-TF-313, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan) Email:-: xen.gljda@gmail.com 					
Subject Matter of Procurement	 "Renovation and Improvement Work in Jaldhara JLN Marg, JDA Jaipur" Job No.: 248/2020-21 					
Bid Procedure	Single Stage tender open competitive (Financial Bid)eBid procedure at http://eproc.rajastha.gov.in					
Bid evaluation Criteria (Selection Method)	➤ L1 (eg. Least Cost based Selection (LCBS)-L1)					
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	Websites:www.sppp.rajasthan.gov.in,www.eproc.rajasthan.gov.in, www.jda.urban.rajasthan.gov.in					
Website for online Bid application and payment	 Website: www.jda.urban.rajasthan.gov.in For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid security deposit online only. Bidding Document fee: Rs 1000/- (Rupees One Thousand only) RISL Processing Fee: Rs 1000/- (Rupees One Thousand only) Requisite Bid Security Deposit: 					
Estimated Procurement Cost	INR9608740.00 (Rs. Ninety SixLacsEight Thousand Seven Hundred Forty only)					
Bid Security Deposit	 All the eligible contractors should be submit bid security declaration on non-judicial stamp of Rs. 50/- as par order issued by finance department (GF&AR) Gor. Dated 23.12.2020 (Declaration form attached with tender document. It is mandatory to submitted bid security declaration in prescribed format along with bid. Bidder who is A and AA Class contractor registered in other Govt. Department and Bidder registered as contractor in AA, A, B & C in JDA. 					
Date/Time/Place of Pre-Bid	> NA					
Applying Bid and making Online Payment on JDA Portal (www.Jda.urban.rajasthan.gov.in)	 Start Date: 04.08.2021 from 11.00 AM onwards End date: 16.08.2021 up to 6.00 PM 					
Bid submission on E-Procurement Portal	> Start Date: 04.08.2021 from 11.00 AM onwards					
of GOR (www.eproc.rajasthan.gov.in)	> End date: 16.08.2021 up to 6.00 PM					
Date/Time? Place of Technical Bid Opening	> NA					
Date/Time/Place of Bid Opening	 17.08.2021 at 11.30 AM Room No. CCC-TF-313 IIIrd floor, CCC building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur- 302004 (Rajasthan) 					
Bid Validity	> 120 days from the bid submission deadline					
Time period	> 6Months					
* Jainur Davolanment Authority has decide	ed to receive Farnest Manay Danasit (FMD) (Pid Socurity). Tandar Foo and PISI					

^{*} Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL Processing fee online through JDA Portal. The bid Security options available in tender for participants are as mentioned below:

A. Payment options:

Option-1 Bank Guarantee (BG) against EMD/Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on JDA Portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT/RTGS) will be available.

Option – 2 : Electronic Fund Transfer (EFT/NEFT/RTGS)

If the bidder selects payments mode as EFT (NEFT/RTGS), "Paying slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

Option – 3: Payment Gateway (Aggregator)
 This facility to make payment through Debit Card, Credit Card, Net banking etc, will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.

B. Bid participation Receipt

After confirming payment, the bidder will get Bid participation Receipt on the basis of which user will gat the payment details along with other details for bidding on E-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through payment Gateway, on Successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through payment Gateway, on Successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on Confirmation of payment from ICICI bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA Portal.

Note:-

- 1. Bidder (authorized Signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
- 2. In case, any of the bidders fails to pay tender Fee, BSD, and RISL Processing Fee, Online (Subject to Confirmation) its Bid shall not be accepted.
- 3. To participate in online bidding process, bidders must procure a digital signature Certificate (TypeIII) as per information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCs safe crypt, Ncode etc. Bidders who already have a valid Digital signature Certificate (DSC) need not procure a new DSC. Also bidders must register on http://eproc.rajasthan.gov.in (Bidders already registered on http://eproc.rajasthan.gov.in before 30.09.2011 must register again).
- 4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11 th hour issues like slow speed: chocking of web site due to heavy load or any other unforeseen problems.
- 5. Bidders are also advised to refer "Bidders Manual Kit" available at eproc website for further details about the e-tendering process.
- 6. Training for the bidders on the usage of e-tendering system (procurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-procurement Cell, DoIT&C for booking the training slot. Contact No.: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@ rajasthan.gov.in.

Address: E-Procurement Cell, JDA YojanaBhawan, Tilak Marg, C-Scheme, Jaipur.

- 7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the bids.
- 8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9. Procurement entity disclaims any factual/ or other errors in the bidding documents (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10. The provisions of RTPPA Act 2012 and Rules 2013 thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Deposit (BSD) through online mode only for which the bidder has to get registered himself on JDA portal

www.jda.urban.rajasthan.gov.in.

To participate in the bid, bidder has to be:

- 1. Registered on JDA website www.jda.urban.rajasthan.gov.in (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
 - For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

Option-1: Bank Guarantee (BG) against EMD / Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT / RTGS) will be available.

Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.

C. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.

In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per Bid Participation Receipt (Sample Enclosed). The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

Jaipur Development Authority, Jaipur.						
Bid Participation Receipt						
	Date & Time:-					
Bid Detail						
Bid ID:	Procurement Entity:-					
Bid Title:						
Bid Value: Bid Opening Place:						
Bidder Detail						
Name of Entity: Mobile No.:						
Registration Type:	Instrument Amount:					
Payment Mode:	Payment Channel:					
Instrument No.:	Instrument Date:					

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	

Specific Instrument for eProc Rajasthan					
Instrument Type					
Instrument Number	Head Name	Amount	Date		
RISL Processing Fee					
Bid Security Deposit					
Issuer Detail: Jaipur Dev	velopment Authority	Challan Number:	•		

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SCHEDULE AND SPECIFICATIONS

Name of work: "Renovation and Improvement Work in Jaldhara JLN Marg, JDA Jaipur"

SCHEDULE 'A': INFORMATION USEFUL FOR THE CONTRACTORS:

The tenderer should see the site and fully understand the condition of the site before tending & should include all leads, lifts etc. for the material in his item rate for the items as given in the Schedule-G. Then work shall be carried out in accordance with the B.I.S./ IRC/ MORT&H/ IS/ Rajasthan PWD/ JDA detailed specification and to the entire satisfaction of Engineer-in-charge of the work.

SCHEDULE - 'B': LIST OF THE DRAWING TO BE SUPPLED BY THE DEPARTMENT:

The drawings may be seen in the office of under signed.

SCHEDULE - 'C': LIST OF THE DRAWING TO BE SUPPLED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor is Nil.

SCHEDULE - 'D': TEST OF THE MATERIALS:

The test of the material and working and workmanship shall be conducted by the Engineer-in-charge of work and quality control cell as per norms. The result of such tests should confirm to the standard laid down in the Indian Standard, the detailed specification of the B.I.S./ IRC/MORT&H/IS/ Public Works Department, Rajasthan. Proper quality control is required to be maintained by the Contractor. Qualified personnel as required under the contractor enlistment's rules shall have to be engaged at site by the Contractor. In case of failure, the department reserves the right to engage such staff and to recover wages from the Contractor. The contractor shall provide facility of each test at site. The expenses shall be recovered from the contractor in case of his failure to do so.

SCHEDULE - 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used by the contractor shall be deposited 15 days in advance with the Engineer In-charge and should be got approved by him before use.

SCHEDULE - 'F': TIME OF COMPLETION:

The work should start within 10 days of issue of work order and complete within the prescribed time period. In case of failure, the contractor shall be liable for action under the conditions of agreement and special conditions of the tender.

SCHEDULE – 'G': BILL OF QUANTITIES: Attached separately.

SCHEDULE - `H': SPECIAL CONDITON: Attached separately.

SCHEDULE - 'I': LIST OF THE MATERIAL TO BE SUPPLIED BY THE DEPTT:

No material will be supplied by the JDA. Contractor has to arrange all the materials at his own cost.

SCHEDULE - 'J': COST OF BID DOCUMENTS, PROCESSING FEES & BID SECURITY:

As per details given in Annexure -2

SCHEDULE – 'K': SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP): Attached separately.

Signature of the Bidder With full address

Executive Engineer (Garden-I) JDA, Jaipur

SPECIAL CONDITIONS

SCHEDULE 'H'

- 1. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the contractor at his own level/cost
- 2. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
- 3. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule1971.
- 4. The JDA shall have right to cause an audit technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
- 5. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
- 6. Wherever any claim against the contractor for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor, In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
- 7. The rate quoted by the contractor shall remain valid for a period of 4 (Four) months from the date of opening of the tenders.
- 8. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
- 9. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
- 10. All transaction in this execution of this work and this tender will be liable to GST.
- 11. If any tenderer withdraws his tender prior to expiry of said validity period given at S.No. 7 or mutually extended period or makes modifications in the rate, terms and conditions of the tended within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or dose not complete the work and the work has to be put to retendering he will stand debarred from participating in tendering in JDA for six months in addition to forfeiture of Earnest Money / Security Deposit / Performance Guarantee and other action under agreement
- 12. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver road roller, Tarboiler, sprayer etc.
- 13. The contractor shall arrange his own storage tanks upto 10 Tonnes capacity for storing bulk bitumen wherever supplied by the department.
- 14. Rules regarding enlistment of contractor provide that work up to the times limit for which they are qualified for tendering can be allotted to them, Therefore, before tendering the contractor will keep this in mind, and submit the details of the work. Tenders with incomplete or incorrect information are liable to be rejected.

- 15. Any material not conforming to the specifications collected at site have to be removed by the contractor within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period.
- 16. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
- 17. The rates provided in tender documents are inclusive of all Taxes and royalty.
- 18. For paver work at least 3 road rollers shall be simultaneously deployed.
- 19. Bitumen for tack coat or any other purposes, shall be applied only by a bitumen sprayer of a mechanical pressure.
- 20. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
- 21. Undersigned has full right to reject any or all tenders without given any reasons.
- 22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
- 23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act.
- 24. Special Conditions of Contract regarding Defect Liability Period (DLP) for roads works costing Rs. 25.00 lacs and more shall be applicable.
- 25. The tenderer are required to submit copy of their enlistment as contractor.
- 26. Conditions of RPWA-100 will be mandatory & acceptable to the contractor.
- 27. Any tender received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from tendering for three months in JDA.
- 28. Bid security shall be 0.50% of value of bid (only registered bidder in JDA) and shall remain valid 120 days beyond the original or extended validity period of the bid.
- 29. Performance security shall be 10 % of the amount of work order performance security shall remain valid for a period of 60 days beyond the date of completion of all contractual obligation of the bidder including warranty obligation and maintenance and object liability period.
- 30. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall be applicable.
- 31. "If any bidder quotes a rate below than the schedule "G" rates, i.e rates below than "at par", then the bidder has to deposit the difference amount i.e difference amount of the rates as per "at par" and quoted "below", as "Work Performance Guarantee". This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G/FDR/NSC. The validity of these shall be for a period three months beyond the stipulated date for completion/ actual date of completion and shall have to be extended time to time up to actual completion of work as per requirement. In case of non-deposition of the same in specified period, the Bid Security will be forfeited. In case work is not completed satisfactorily, the "Work Performance Guarantee" will be forfeited and other action will be taken as per Contract Agreement."

SIGNATURE OF CONTRACTOR With full address & Mobile No.

Executive Engineer (Garden-I) JDA, Jaipur

SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP)

As per the decision taken in the 201st meeting of Executive Committee held on 23.02.2016 w.r.t. agenda no. 201:22, DLP period of various natures of works amounting more than Rs. 25 lakhs has been revised as per following time periods based on nature of works.

This order will supersede the earlier orders issued in this regard i.e. order No. JDA/TA to D(E)/2010-11/D-317 dated 28.04.2011 including Special Condition No. 2.2.2 & 2.2.3 of Annexure-I related to SD refund & forfeiture (other Special Condition of annexure-I of this order will remain valid) and order No. JDA/Ex.En.(Pr.-5 & TA)/2013/D-43 dated 27.02.2013 and also all pertaining orders, in contract agreements or in PWF&AR having DLP period different than what is being enforced through this present order for concerned type of work.

Table-I

S.No.	Type of work	Existing DLP	As per approved in E.C.
		Period	held on 23.02.2016
1.	Bridge Work	3 years	5 Years
2.	CD Work	3 years	5 Years
3.	CC Road. PQC Work	3 years	5 Years
4.	CC tiles/Kerbs/medians	3 years	5 Years
5.	Drains	6 Months	3 Years
6.	Roads		
	(i) Two layer WBM/GSB	3 years	6 months or one full rainy season which ever
			is later
	(ii) For Renewal/Strengthening		
	(a) BT upto 30 mm thichness	3 years	1 Years
	(b) BT above 30 mm to upto 40 mm	3 years	2 Years
	(c) BT above 40 mm to upto 90 mm	3 years	3 Years
	(d) BT above 90 mm thickness	3 years	5 Years
	(iii) New Roads		
	(a) BT upto 90 mm	3 years	3 Years
	(b) BT more than 90 mm	3 years	5 Years
7.	Compound wall	6 Months	3 Years
8.	Building Work		
	(i) Work pertaining to Sanitary work	6 Months	2 Years
	electrical works, Joinery works and		
	painting works.		
	(ii) Work pertaining to Building structure	6 Months	5 Years
	and other civil works		
9.	Electric work except maintenance	6 Months	3 years
10.	Sewer/Water supply all including STP	6 Months	3 Years
	and water supply related work except		
	maintenance works.		

The release of SD amount shall be as per following table:-

Table-II

S.No.	DLP Period Released SD	1 Year	2 Years	3 Years	5 Years
1.	Upto 1 year	100%	40%	20%	10%
2.	Upto 2 year		60%	20%	10%
3.	Upto 3 year			60%	10%
4.	Upto 4 year				20%
5.	Upto 5 year				50%

Various condition for managing DLP are as under :-

- (i) At the time of completion of work, final componnt shall be worked out for each individual item like BT/CC/tiles/ drains etc (as per different categories in Table-I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) Similarly for all new works, these components should be calculated at the time of TS itself, which should be made part of BID document.
- (iii) If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work cresses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual items.
- (iv) Similarly if any work is more than Rs. 25 lacs but after finalization amount or work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is late.
- (v) During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted. From JDA for three years as per RTPP rule 2012 and 2013 where he defaults twice in a single agreement or in two different works.
- (vi) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vii) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En. & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRULAR 2006/D-115 dated 04.05.2006 Point no. 3.
- (viii) In case JDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted:
 - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt. as per table III

Table-III

% Recovery on withdrawal of DLP of work order	1 Year	2 Year	3 Year	4 Year	5 Year
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than total retained amt. of SD same shall be recovered from other works and as per PDR rules. The amount as per Table III is also to be deducted in addition to this amount.
- (ix) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE"s after approval of these periods.

This order shall come in force with immediate effect and will be applicable on all new works whose NIB is to be called.

Signature of contractor with Full address.

Executive Engineer (Garden-I) JDA, Jaipur.

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must no have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

	relation to my/our Bid submitted toin response to their Notice inviting I	-
	hereby declare under Section 7 of rocurement Act, 2012 that :	
1.	I/we possess the necessary professional, technical and competence required by the Bidding Document	<u> </u>
2.	1 1 2	of the taxes payble to the union and
3.	I/we are not insolvent, in receivership, bankrumy/our affairs administered by a court or a judici activities suspended and not the subject of legal preasons;	al officer, not have my/our business
4.	I/we do not have, and our directors and office criminal offence related to my/our professional statements or misrepresentations as to my/our procurement contract within a period of three year this procurement process, or not have been debarment proceedings;	al conduct or the making of false our qualifications to enter into a ars preceding the commencement of
5.	1 0 '	e
Dat	Pate:	Signature of bidder
Plac	lace:	Name :
	Ι	Designation :
	A	Address:

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is <u>IDC, JDA, Jaipur</u>
The designation and address of the Second Appellate Authority is <u>E.C. JDA, Jaipur</u>

(1) Filing an appeal:-

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavor to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or though registered post or authorised representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority of second appellate authority, as the case may be shall-
 - (i) hear all the parties to appeal present before him; and
 - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the biding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. It the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

FORM No. 1 [see rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public procurement Act, 2012

Appea	
the	(First/Second Appellate authority)
1-	Particulars of appellant : (i) Name of the appellant : (ii) Official address, if any: (iii) Residential address :
2-	Name and address of the respondent(s): (i) (ii) (iii)
3-	Number and date of the order appealed against and name and designation of the office/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
4-	If the Appellant propose to be represented by a representative the name and postal address of the representative:
5-	Number of affidavits and documents enclosed with the appeal:
6-	Grounds of appeal :
7-	Prayer:
Place	
Date :	Appellant's Signature
	Appenant s dignature

Name of Work : Renovation and Improvement Work In Jaldhara JLN Marg, JDA Jaipur

Bidder Name :						
Name.	p _T	RICE SCHEI	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
1.00	Earth work in excavation by mechanical means (Hydraulic Excavator)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including taking out the excavated soil and depositing and refilling of jhiri with watering & ramming and disposal of surplus excavated soil as directed with in a lead of 50 meter. All kinds of soils	117.225	cum	111.60	13082.31	INR Thirteen Thousand &Eighty Two and Paise Thirty One Only
2.00	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M20 grade Nominal Mix 1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size).	16.055	cum	3246.30	52119.35	INR Fifty Two Thousand One Hundred & Nineteen and Paise Thirty Five Only
3.00	M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	132.980	cum	2398.50	318952.53	INR Three Lakh Eighteen Thousand Nine Hundred & Fifty Two and Paise Fifty Three Only
4.00	Excavation in Soil using Hydraulic Excavator and Tippers with disposal upto 1000 m Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and lead upto 1000 m as per MoRD Specification Clause 302.3	800.000	cum	26.10	20880.00	INR Twenty Thousand Eight Hundred & Eighty Only
5.00	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in: Cement Mortar 1:6 (1-Cement: 6-Sand).	35.680	cum	1770.30	63164.30	INR Sixty Three Thousand One Hundred & Sixty Four and Paise Thirty Only
6.00	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	9000.000	Kg	66.60	599400.00	INR Five Lakh Ninety Nine Thousand Four Hundred Only
7.00	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work	2344.500	sqm	39.60	92842.20	INR Ninety Two Thousand Eight Hundred & Forty Two and Paise Twenty Only
8.00	Kota stone slab flooring 25 mm thick over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) 1 For area of each slab from 901 to 2000 Sq.Cm :	20.000	sqm	593.10	11862.00	INR Eleven Thousand Eight Hundred & Sixty Two Only

Name of Work : Renovation and Improvement Work In Jaldhara JLN Marg, JDA Jaipur

Bidder Name :							
	PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words	
9.00	Supplying and fixing of chain link fencing with angle iron posts $50x50x6mm$ placed at every 3 Mtr. apart 30cm in ground embedded in cement concrete 1:3:6 ($30x30x45cm$) corner and every tenth post to be strutted with ($50 \times 50 \times 6cm$) angle iron provided and fixed and fitted with posts including earth work in excavation etc. complete with chain link size. $50mm \times 50mm \times 3.15mm$	240 000	sqm	392.40	94176.00	INR Ninety Four Thousand One Hundred & Seventy Six Only	
10.00	Providing and fixing of Reinforced Ferro cement Drain cover designed for class "AA" loading duly marked on cover with adequate steel reinforcement having thickness 75 mm to 150 mm anti- corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks admixture like plasticizer bond improving compound shrinkage resistance compound abrasion resistant complete as per approved design etc. for drain Opeining Size 701 to 1200 mm Standard Drain Cover Size 1500mm x 600mm x 125mm	18.000	sqm	2011.50	36207.00	INR Thirty Six Thousand Two Hundred & Seven Only	
11.00	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: a) first layer of slurry of cement @ 0.488 kg/sqm mixed with water proffing cement compound @0.253 kg//sqm .This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proffing cement compound @ 0.126 kg/sqm This layer will be allowed to air cure for 4 hours followed by water curing for 48 hours. The rates includes preparation of surface treatment & sealing of all joints ,corners, junction with polymer mixed slurry.	2880.000	sqm	158.40	456192.00	INR Four Lakh Fifty Six Thousand One Hundred & Ninety Two Only	
12.00	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement in position to the required line, level and curvature jointed with cement mortar 1:3 (1 cement : 3 coarse sand) including making joints with without grooves (thickness of joints except at sharp curve shall not to more than 5mm) including making drainage opening wherever required complete including painting etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineerin-charge).	5.000	cum	4104.00	20520.00	INR Twenty Thousand Five Hundred & Twenty Only	
12.10	Random rubble dry stone Kharanja under floor.	10.752	cum	581.40	6251,21	INR Six Thousand Two Hundred & Fifty One and Paise Twenty One Only	

Name of Work : Renovation and Improvement Work In Jaldhara JLN Marg, JDA Jaipur

Bidder Name :								
	PRICE SCHEDULE							
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
13.00	Providing & laying chokha red stone flooring using average stone size 1000x400x50 mm with in 110.000 sqm approved pattern & design laid over 20 mm thick of CM 1:4 with grooved joint as per e in required slope including raking & finishing of joints etc complete in all respect & as directed by Engineer incharge	1620.000	sqm	1267.00	2052540.00	INR Twenty Lakh Fifty Two Thousand Five Hundred & Forty Only		
14.00	SITC of radial / mixed flow submersible motor pump sets ISI marked (IS:8034-1989) of approved make with required accessories including making connection suitable for T.W./ D.C.B./ Open well. The job includes lowering of riser pipe, G.I./ H.D.P.E. pipe with rope, cables, installation of complete fitting and accessories, jointing of electrical cables up to switch board. All labour for testing of submersible pumps set and supply of water to water mains, complete in all respect. Complete Rate Group-I							
14.10	5.0 HP, 3-Ø, (55-150)Mtr, (166-60)LPM Complete Rate Group-I	2.000	Each	23184.00	46368.00	INR Forty Six Thousand Three Hundred & Sixty Eight Only		
14.20	150 mm diameter Submersible pump shall have following HP Rating, phase, Head, minimum Discharge respectively. Complete Rate Group-I		Each	23184.00	46368.00	INR Forty Six Thousand Three Hundred & Sixty Eight Only		
14.30	10.0 HP, 3-Ø, (64-104)Mtr, (400-167)LPM Complete Rate Group-I	1.000	Each	26904.00	26904.00	INR Twenty Six Thousand Nine Hundred & Four Only		
15.00	Stone work (machine cut edges) for Wall cladding/ Veneering work up to 10m height with 20 to 30 mm thick Red Sand Stone (Karauli) and backing filled with a grout of 12mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade: (To be secured to the backing by means of cramps which shall be paid separately) Exposed face machine cut	50.000	sqm	1558.80	77940.00	INR Seventy Seven Thousand Nine Hundred & Forty Only		
16.00	Brick work in Super Structure for wall with Special hand made brick of size 230x112x75 mm (Pioneer make), having compresive strength > 400 Kg/cm2 & Water absorption < 8%, as per approved sample in CM 1:4 including making horizontal & vertical grooves 10 mm wide complete in all respec as per specification & as directed by Engineer in charge. at all levels.	81.981	cum	20789.00	1704303.01	INR Seventeen Lakh Four Thousand Three Hundred & Three and Paise One Only		
17.00	Providing and fixing GUIDE MAP of size 1850 x 1250mm board size 2300x1400mm surrounded with 65x25x3mm MS box section frame on vertical post of 65x25mmx3mm MS box section frame 3mm thick MS plate per Drawing complet in all respect & as directed by Engineer incharge	3.000	Each	18636.00	55908.00	INR Fifty Five Thousand Nine Hundred & Eight Only		

Name of Work : Renovation and Improvement Work In Jaldhara JLN Marg, JDA Jaipur

Bidder Name :									
Name .	PRICE SCHEDULE								
Sl.	Item Description	Quantity	Units	Estimated	TOTAL	TOTAL AMOUNT			
No.		2		Rate	AMOUNT	In Words			
18.00	Supply and fixing of 3mm thick transparanet ACRYLIC ORRUGATED SHEET for coverd of butterfly museam including cutting with laser machine in proper size and shape etc complete in all respect as per direction of Engineer in charge.		sqm	2345.00	50652.00	INR Fifty Thousand Six Hundred & Fifty Two Only			
19.00	Supply and Fixing of signage board having Digital Vinyl Print with gloss lamination & pasted on 3mm ACP sheet and with instalation and transportatin complete in all respect as per direction of Engineer in charge.		sqm	8448.00	168960.00	INR One Lakh Sixty Eight Thousand Nine Hundred & Sixty Only			
20.00	P/F 25 mm dia Bamboo Railling fixed on side , clamps & hooks & other necessary fixing arrangement , in required pattern , finishing with Paint etc complete in all respect, at all levels as per direction of engineer incharge.	300 000	sqm	2088.00	626400.00	INR Six Lakh Twenty Six Thousand Four Hundred Only			
21.00	P & F European type white glazed vitreous china 1st quality Double syphonic W.C (IS :2556 Mark) with P or S trap including cutting and making good the wall and floor		Each	3423.60	13694.40	INR Thirteen Thousand Six Hundred & Ninety Four and Paise Forty Only			
21.10	P & F water closet Seat Covers with brass hinges complete: Solid PVC (IS 2548 marked) grade-I White for EWC.		Each	289.80	1159.20	INR One Thousand One Hundred & Fifty Nine and Paise Twenty Only			
21.20	P & F C.P. lugs for toilet seat cover.	8.000	pair	60.30	482.40	INR Four Hundred & Eighty Two and Paise Forty Only			
21.30	Labour charges for removing W.C. pan (any type) of all sizes with care including all necessary fittings P or S trap.		Each	156.60	469.80	INR Four Hundred & Sixty Nine and Paise Eighty Only			
21.40	$P \ \& \ F \ White \ glazed \ Conversion \ Bend \ for \ W.C. \ from \ P \ trap \ to \ S \ trap.$.	4.000	Each	109.80	439.20	INR Four Hundred & Thirty Nine and Paise Twenty Only			
21.50	P & F vitreous china P trap of approved quality	4.000	Each	160.20	640.80	INR Six Hundred & Forty and Paise Eighty Only			
22.00	Add extra over item No. 1.15, 1.19, 1.22, 1.23 for using approved dark coloured vitreous china ware i.e. Cherry Red, Dark blue, Jet black, Magenta, Burgandy instead of white vitreous chinawares. P & F Low level Flushing Cistern of 10 litres capacity (IS: 2556mark). Of approved make with complete fittings C.I. brackets duly painted, brass ball cock with ball, (IS: 1703 mark) complete including cutting and making good the wall: WVC with C.P. brass bend.	4.000	Each	1000.94	4003.76	INR Four Thousand &Three and Paise Seventy Six Only			
23.00	P & F WVC wash basin (1st quality, I.S.: 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS: 8934 Mark) & 32 mm C.P. brass waste coupling of approved make, 25 mm G.I. waste pipe complete including cutting & making good the wall.: Size 550 mm x 400 mm dia for counter top	2 000	Each	1827.00	3654.00	INR Three Thousand Six Hundred & Fifty Four Only			

 $Name\ of\ Work: Renovation\ and\ Improvement\ Work\ In\ Jaldhara\ JLN\ Marg,\ JDA\ Jaipur$

Bidder Name :								
vame:	PRICE SCHEDULE							
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
24.00	COCKS, MIXERS, DIVERTORS & VALVES Note: (a) The rates are for ISI marked item. (b) If the items are Non-ISI marked, reduce the rate by 25%. P & F Bib Cock (IS: 8931 Mark), Superior quality of approved make: C.P. Brass Long nose, 15mm nominal bore weight not less than 810 gm	4.000	Each	738.90	2955.60	INR Two Thousand Nine Hundred & Fifty Five and Paise Sixty Only		
25.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. (Internal work Exposed on wall) 20mm nominal outer dia pipes	50.000	R.Mtr	118.80	5940.00	INR Five Thousand Nine Hundred & Forty Only		
26.00	P & F PVC Storage Tank ISI Marked (IS: 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design: 1000 litres capacity.		Each	5400.00	27000.00	INR Twenty Seven Thousand Only		
27.00	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade including all scaffolding: Two or more coats on new work including prepartion of base with primer, putty, lippy etc complete in all respect.		sqm	45.90	9180.00	INR Nine Thousand One Hundred & Eighty Only		
28.00	Earth, Sand, Lime, Morrum manure or sludge For 10 Km.	917.225	cum	67.05	61499.94	INR Sixty One Thousand Four Hundred & Ninety Nine and Paise Ninety Four Only		
29.00	Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, making channels, 80mm thick stone slab covering with 40mm thick M-15 grade C.C. flooring, Cement cover with frame of 450mm dia, earthwork etc. complete as per design including disposal of surplus earth within 50 mtr. lead.		Each	3600.00	14400.00	INR Fourteen Thousand Four Hundred Only		

Name of Work : Renovation and Improvement Work In Jaldhara JLN Marg, JDA Jaipur

Bidder Name :									
	PRICE SCHEDULE								
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words			
30.00	Construction of chamber in all type of soil with 300 mm thick masonry in CM 1:6 m,10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring , earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr. Inside size 600 x 450 mm depth upto 0.5 M Cement cover with frame.	4.000	Each	2142.00	8568.00	INR Eight Thousand Five Hundred & Sixty Eight Only			
31.00	Providing and fixing aluminum work for doors ,windows, ventilators and partition with extruded built up standard tubular / appropriate Z sections and other sections of approved make conforming to IS:733 and IS:1285, fixed with rawl plugs and screws or with fixing clips ,or with expansion hold fasteners including necessary filling up of gap. at junctions, at top ,bottom and sides with required PVC/neoprene felt etc. Aluminium section shall be smooth,rust free, straight ,mitered and jointed mechanically wherever required including cleat angle Aluminium snap beading for glazing /paneling , C.P. brass/ stainless steel screws Al. Tower bolt & Al. handle & Al. Aldrop etc.,all complete as per architectural drawings and the directions of Engineer- in – charge .(Glazing and paneling to be paid for separately). Polyester Powder coating aluminum (minimum thickness of powder coating 50 micron)	160.000	Kg	294.30	47088.00	INR Forty Seven Thousand &Eighty Eight Only			
32.00	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for: Suspended floors, roofs, landings, staircases, balconies, girders, cantilevers, bands, coping bed plates, anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.	6.992	sqm	212.40	1485.10	INR One Thousand Four Hundred & Eighty Five and Paise Ten Only			
33.00	Providing and fixing glazing in aluminium door, window ,ventilator shutters and partitions etc. with PVS / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer in-charge.(Cost of aluminium snap beading shall be paid in basic item.) With float glass panes of 5.0 mm thickness (weight not less than 13.50 kg/sqm)	4.320	sqm	613.80	2651.62	INR Two Thousand Six Hundred & Fifty One and Paise Sixty Two Only			
34.00	Filling the gap upto 5 mm depth and 5 mm width in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.	16.000	R.Mtr	53.10	849.60	INR Eight Hundred & Forty Nine and Paise Sixty Only			
35.00	Providing and applying white cement based putty over plastered surface to prepare the surface even and smooth complete		sqm	64.80	12960.00	INR Twelve Thousand Nine Hundred & Sixty Only			

 $Name\ of\ Work: Renovation\ and\ Improvement\ Work\ In\ Jaldhara\ JLN\ Marg,\ JDA\ Jaipur$

Bidder									
Name :	PRICE SCHEDULE								
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words			
36.00	Supplying and fixing rolling shutters of approved make, made of 80 x 1.25mm. M.S. laths interlocked together through their entire length and jointed together at the end by end locks mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete including cost of spring hooks, providing and fixing necessary 25.3cm. long wire springs grade No. 2 and M.S. top cover 1.25mm thick for rolling shutters as per design & IS 6248- 1979. (Clear openable area to be measured for payment).		sqm	1293.30	14484.96	INR Fourteen Thousand Four Hundred & Eighty Four and Paise Ninety Six Only			
37.00	Providing & fixing ball bearing for rolling shutters	8.000	Each	377.10	3016.80	INR Three Thousand &Sixteen and Paise Eighty Only			
38.00	Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades glazed tiles confirming to IS: 13753 & IS:15622 of size 200mm x 300mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar).	24.000	sqm	462.60	11102.40	INR Eleven Thousand One Hundred & Two and Paise Forty Only			
39.00	Providing and fixing 1st quality MAT finished ceremic tile size 300x300mm confirming to IS: 13755 and IS: 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4).	60.800	sqm	506.70	30807.36	INR Thirty Thousand Eight Hundred & Seven and Paise Thirty Six Only			
40.00	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting (height upto 10 m), fixing in position and applying a priming coat of approved steel primer all complete:		Kg	59.40	29700.00	INR Twenty Nine Thousand Seven Hundred Only			
41.00	Providing & fixing UV stabilised fiberglass reinforced plastic sheet roofing upto any pitch including fixing with polymer coated 'J' or 'L' hooks, bolts & nuts 8mm dia. G.I plain/bitumen washers complete but excluding the cost of purlins, rafters, trusses etc. The sheets shall be manufactured out of 2400 TEX panel rovigs incorporating minimum 0.3% Ultra-voilet stabiliser in resin system under approximately 2400 psi and hot cured. They shall be of uniform pigmentation and thickness without air pockets and shall confoim to IS 10192 and IS 12866.The sheets shall be opaque or translucent, clear or pigmented, textured or smooth as specified. 5.0mm thick (Wt. 8.4 Kg./Mtr. Sq.)	50.000	sqm	1348.20	67410.00	INR Sixty Seven Thousand Four Hundred & Ten Only			

 $Name\ of\ Work: Renovation\ and\ Improvement\ Work\ In\ Jaldhara\ JLN\ Marg,\ JDA\ Jaipur$

Bidder								
Name :	PRICE SCHEDULE							
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
42.00	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead and including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/ vertical or curved surfaces) excluding the cost of purlins, rafters and trusses and including cutting to size and shape whenever required. 1.00 mm thick with zinc coating not less than 275 gm/m2	65.280	sqm	592.20	38658.82	INR Thirty Eight Thousand Six Hundred & Fifty Eight and Paise Eighty Two Only		
43.00	Interlocking Concrete Block Pavement with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks (measurments shall be made inner to inner side of edge blocks) Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 60 mm as per drawings and MoRD Specification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks. Category 'A': Dentated units to key into each other on all four faces Zigzag shape as per IRC:SP:63-2004	100.000	sqm	625.50	62550.00	INR Sixty Two Thousand Five Hundred & Fifty Only		
44.00	Random Rubble stone masonry with hard stone in superstructure above plinth level and upto five level above 30cm. thick walls in : Cement Mortar 1:6 (1-Cement : 6-Sand).	27.756	cum	2169.90	60227.74	INR Sixty Thousand Two Hundred & Twenty Seven and Paise Seventy Four Only		
45.00	Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement for Beams, suspended floors, roofs, griders having slopes up to 15°, landings, balconies, shelves, chajjas, lintels, bands, plain windows sills, staircases and spiral staircases etc. M20 grade Nominal Mix / Design Mix	1 398	cum	3232.80	4519.45	INR Four Thousand Five Hundred & Nineteen and Paise Forty Five Only		

 $Name\ of\ Work: Renovation\ and\ Improvement\ Work\ In\ Jaldhara\ JLN\ Marg,\ JDA\ Jaipur$

Bidder						
Name :	nr.	DICE COLLE	DITE			
Sl.	Item Description	Quantity	Units	Estimated	TOTAL	TOTAL AMOUNT
No.	item Description	Qualitity	Cities	Rate	AMOUNT	In Words
46.00	Providing, Laying & Jointing in standard lengths HDPE PE-80 PN-6 pipes conforming to IS-4984:1995 (UP TO DATE) with necessary jointing material like mechanical connection i.e. thread/insert/quick release coupler joint/compression fitting joint of flanged joint and specials jointing pipe by butt fusion welding method, including all taxes (central and local), transportation and freight charges inspection charges loading/unloading charges, stacking the same in closed shade duly protecting from sunray and rain including cost of labour and material, specials (Tees, bend etc.) and also including the excavation of trench up to 1.5 Meter depth in all type of soil cutting of road surface pavement where required lift up to 1.5- Mt. stacking the soil clear from the edge of excavation and refilling of soil after laying and jointing of pipe line with proper compaction and disposing of all surplus soil as directed with in lead of 50 Meter with satisfactory, hydraulic testing etc. complete as per technical specifications and direction of Engineer-in-charge. (supply up to 90 mm dia. Coil & above 90 mm dia straight length in 6.0 M)	500.000	R.Mtr	318.00	159000.00	INR One Lakh Fifty Nine Thousand Only
47.00	Supply, Installation, commissioning and testing of 15 HP Monoblock submersible pump of Kirloske, AC 3 phase 380/440 Volt, 50 cycle, each supply with foundation bolt, suction stainless steel mesh filter cover with 10 Mtr. Of 2.5 sq mm submersible cable duly insulated.(Head 22-32m and Discharge 3.5-7.8 LPS	2.000	Nos	54500.00	109000.00	INR One Lakh Nine Thousand Only
48.00	Providing and fixing sculpture Sports monuments casted in bronze with copper content 80% and other metal content 20% of zinc. Lead and tin as per requirement. The sculpture shall have to be prepared as per the sketch provided and then finalized including making of clay model for initial approval followed by rectification, if any incorporating all the details duly approved at the level of clay model by committee of JDA. Casting of the final statue will be done including polishing finishing transportation (All T&P), erecting and mouting of statue at site. Hight of statue Varies from 3 feet to 4 feet as per sketch of sports monuments.	900.000	Kg	1728.00	1555200.00	INR Fifteen Lakh Fifty Five Thousand Two Hundred Only
49.00	Providing and fixing of self closing spring loaded quick coupling 1- 1/2" hydrant; made of Aluminium alloy doly procted ints main parts by brass stainless steel and techno polymors & having self closing thermoplastic hinged lid for Gear driven Rain Gun Sprinkler (Excluding Fixing Shaddel)	75 000	Each	4534.00	340050.00	INR Three Lakh Forty Thousand &Fifty Only
50.00	Supply of Beldar or un-skilled labour for flood relief work	900.000	per Shift of 8 hrs	213.00	191700.00	INR One Lakh Ninety One Thousand Seven Hundred Only

 $Name\ of\ Work: Renovation\ and\ Improvement\ Work\ In\ Jaldhara\ JLN\ Marg,\ JDA\ Jaipur$

Bidder								
Name :								
PRICE SCHEDULE								
S1.	Item Description	Quantity	Units	Estimated	TOTAL	TOTAL AMOUNT		
No.				Rate	AMOUNT	In Words		
51.00	Finishing walls with Acrylic Smooth exterior paint of required shade including all scaffolding. New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including base coat of water proofing cement paint applied @ 2.20 kg/ 10 sqm).		sqm	54.00	70200.00	INR Seventy Thousand Two Hundred Only		
Total in Figures					9608740.86	INR Ninety Six Lakh Eight Thousand Seven Hundred & Forty and Paise Eighty Six Only		
Quoted Rate in Figures			Select		0.00	INR Zero Only		
Quoted Rate in Words				IN	R Zero Only			