जयपुर विकास प्राधिकरण, जयपुर

इन्दिरा सर्किल, जे.एल.एन. मार्ग, जयपुर

क्रमांक / जविप्रा / अधि.अभि.-ROB/RUB-V / 2021-22 / डी-154

दिनांकः 13.08.2021

बिड आमंत्रण सूचना

बिड संख्या—अधि.अभि.(ROB/RUB-V)/03/2021-22

जयपुर विकास प्राधिकरण द्वारा जिवप्रा "राव शेखाजी सर्किल से रोड़ नं0—14, सी—जोन बाईपास, सीकर रोड़ तक बी.आर.टी.एस. कॉरिडोर, एम.वी. लेन और सर्विस रोड़ के पेच रिपेरिंग एवं अन्य मरम्मत का कार्य, जिंवपा, जयपुर" जिसकी अनुमानित लागत रूपये 184.37 लाख के लिए ऑन लाईन निविदा दिनांक 26.08.2021 सांय 6.00 बजे तक आमंत्रित की जाती है। निविदा बोली का ऑनलाईन आवेदन व भुगतान जविप्रा पोर्टल पर करने की अन्तिम तिथि दिनांक 26.08.2021 को सांय 6.00 बजे तक है। निविदा बोली के दस्तावेजों का विस्तृत विवरण www.sppp.raj.gov.in व www.eproc.rajasthan.gov.in एवं www.jda.urban.rajasthan.gov.in पर देखा जा सकता है। (UBN No. JDA-------

निविदा में भाग लेने वालो को निम्न शर्ती की पूर्ति करनी होगी :--

- 1. निविदादाता जयपुर विकास प्राधिकरण की वेबसाइट <u>www.jda.urban.rajasthan.gov.in</u> पर पंजीकृत हो। निविदा शुल्क व आर.आई.एस.एल. प्रक्रिया शुल्क केवल ऑनलाईन ही देय होगी।
- 2. ऑनलाईन निविदा प्रस्तुत करने के लिए निविदादाताओं का राजस्थान सरकार के ई—प्राक्यूमेंट पोर्टल www.eproc.rajasthan.gov.in पर पंजीकृत हो।

अधिशाषी अभियन्ता— ROB/RUB-V जविप्रा, जयपुर।

Dated: 13.08.2021

JAIPUR DEVELOPMENT AUTHORITY

Office of EE (ROB/RUB-V) Room No. 104, F.F., Judiciary Block, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004

Telephone: +91-141-2569696 EPABX 1137 email: - ajayrathore@gmail.com

No:- JDA/EE-ROB/RUB-V/2021-22/D-154

NOTICE INVITING BID

NIB No.: JDA/EE-ROB/RUB-V/03/2021-22

Online Bids are invited up-to 6.00 PM of 26.08.2021 for "Patch Repairing and other Repairing works of BRTS Corridor, M.V. lane & Service Road along B.R.T.S. Corridor from Rao Shekhaji Circle To Road No.-14, C-Zone Bye pass, Sikar Road, JDA, Jaipur" estimated cost of Rs. 184.37 Lacs. The last date for applying Bid and making online payment on JDA portal is up to 6.00 PM dated 26.08.2021. Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in

To participate in the bid, bidder has to be:

- 1. Registered on JDA website www.jaipurjda.org for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan. gov. in for online e- Bid submission.

Executive Engineer- **ROB/RUB-V** JDA, Jaipur

Dated: 13.08.2021

JAIPUR DEVELOPMENT AUTHORITY

EE (ROB/RUB-V) Room No. 104, F.F., Judiciary Block, JDA, Indira Circle, Jawahar Lal Nehru Marg, Jaipur — 302004
Telephone: +91-141-2569696 EPABX 1137 email: - ajayrathore@gmail.com

No:- JDA/EE-ROB/RUB-V/2021-22/D-154

NOTICE INVITING BID

NIB No. : JDA/EE-ROB/RUB-V/03 /2021-22 Job No. 91/2021-22

| Name & Address of the Procuring Entity | Name: Executive Engineer ROB/RUB-V, Jaipur Development Authority Address: Room No. 304, F.F., Judiciary Block, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan |
|---|---|
| Subject Matter of Procurement | ➤ "Patch Repairing and other Repairing works of BRTS Corridor, M.V. lane & Service Road along B.R.T.S. Corridor from Rao Shekhaji Circle To Road No14, C-Zone Bye pass, Sikar Road, JDA, Jaipur " |
| Bid Procedure | ➤ Single Stage tender (eg. Single-stage Two part (envelope) open competitive) eBid procedure at http://eproc.rajasthan.gov.in |
| Bid Evaluation Criteria (Selection Method) | ➤ L1 (eg.Least Cost Based Selection (LCBS)-L1) |
| Websites for downloading Bidding Document, Corrigendum's, Addendums, etc. | ➤ Websites: www.sppp.rajasthan.gov.in , |

| Bid Validity | ➤ 120 days from the bid submission deadline |
|---------------------------|---|
| Completion period of work | ➤ 24 Months |

^{*} Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL Processing fee online through JDA Portal.

Note:

- 1. Bidder (authorised signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
- 2. In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://eproc.rajasthan.gov.in (bidders already registered on <a href="http://eproc.rajasthan.go
- 4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5. Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
- 6. Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training slot.
 - Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in Address: e-Procurement Cell, JDA, YojanaBhawan, Tilak Marg, C-Scheme, Jaipur
- 7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9. Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10. The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

Process for Participation & Depositing Payment Online

JAIPUR DEVELOPMENT AUTHORITY, has decided to receive Bidding document fee, RISL Processing Fee and Bid Security Declaration form through online mode only for which the bidder has to get registered himself on JDA portal www.jaipurjda.org.

To participate in the bid, bidder has to be:

- 1. Registered on JDA website <u>www.jda.urban.rajasthan.gov.in</u> (by depositing Rs. 500.00 online, the validity of which remains 3 (three) years).
 - For participating in the Bid, the Bidder has to apply for this Bid and pay the Bid Document Fee, RISL Processing Fee and Bid Security Deposit, online only.
- 2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

Methods for depositing on line amount

Online through Internet Banking, Debit Card or Credit Card.

In case of RTGS /NEFT /Transfer the bidder is required to deposit the requisite amount in the dedicated bank account number as mentioned above and has to get the UTR / Reference number from the bank. This number requires to be updated whiling applying the bid on JDA portal.

While participation in the bid, a receipt will be generated through the system showing the submission details as per **Annexure-4**. The bidder is required to fill the instrument numbers for various heads on e-Procurement portal www.eproc.rajasthan.gov.in as mentioned in the receipt.

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jaipurjda.org under <u>eServices</u>>>JDA Tender

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR SCHEDULE AND SPECIFICATIONS

Name of Work:- Patch Repairing and other Repairing works of BRTS Corridor, M.V. lane & Service Road along B.R.T.S. Corridor from Rao Shekhaji Circle To Road No.-14, C-Zone Bye pass, Sikar Road, JDA, Jaipur

1. NIB No. : EE-ROB/RUB-V/03/2021-22

2. Approximate cost : Rs. 184.37 Lacs

3. Cost of the bid document : Rs. 1000/- The Bidders are required to submit Bid

security declaration form, cost of Bid documents, Bid processing fees through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in/e-services/e-tender portal. In the absence of such fees the bid of respective bidder will

be considered as non-responsive and shall be rejected.

4. Bid Processing fees : Rs. 1000/- (In favour of M.D. R.I.S.L., Jaipur.)

5. Earnest Money (In favour of of Secretary, JDA, Jaipur.)

All the eligible contractors should be submit Bid security declaration on non-judicial stamp of Rs-50/-as per office order issued by finance department (GF&AR) GoR dated 23.12.2020. (Declaration form attached with tender document). It is mandatory to submit bid security declaration in prescribed format along with the bid.

Eligibility:-Bidder who is A and AA Class contractor registered in other Government Department and Bidder registered as contractor AA, A and B in JDA.

6. Sale of bid document Online : 16.08.2021 to 26.08.2021 up to 6.00 PM

7. Date & Time of receiving

tender Online

8. Date of submission of Bid Cost, Process Cost & Bid Security declaration form

Online

: 16.08.2021 to 26.08.2021 up to 6.00 PM

16.08.2021 to 26.08.2021 up to 6.00 PM

through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in/e-services/e-tender portal.

9. Date of opening of Tender : 27.08.2021 at 11:30 AM

Office of Executive Engineer (ROB/RUB-V), 104, F.F.. Judiciary Block, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal

Nehru Marg, Jaipur - 302004 (Rajasthan)

10. Completion period of work : 24 (Twenty Four) Months

SCHEDULE - A: INFORMATION USEFUL FOR THE BIDDERS:

The Bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates give in the Schedule 'G'. The work shall be carried out in with the IRC/MORTH/MORD/IS and other relevant code in practice and to the entire satisfaction of the Engineer-In-Charge of the work.

SCHEDULE - B: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

The drawing may be seen in office of the undersigned.

SCHEDULE - C: LIST OF THE DRAWING TO BE SUPPLIED BY THE BIDDER:

List of the drawing to be supplied by the bidder NIL. But the bidder shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standard & or the standers laid down in the detailed specification of the Public by the bidder qualified personnel as required under the bidder enlistment rules duly approved by the department shall have to be engaged at site by the Bidder. The department reserves the right to engage such staff and recover the expenses from the bidder on such account in case of his failure to do so.

SCHEDULE - E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the bidder shall be deposited 15 days in advance with the Engineer In charge and be got approval by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of issue of work order and complete within time limit.

SCHEDULE - G: ATTACHED SEPARATELY BASED ON BSR PWD, JAIPUR.

SCHEDULE - H: SPECIAL CONDITION:

Attached Separately.

SCHEDULE - I: LIST OF MATERIAL TO BE SUPPLIED BY THE DEPARTMENT:

NII.

SCHEDULE - J: COST OF BID DOCUMENTS, PROCESSING FEES & EARNEST MONEY.

Date of submission of Bid Cost, Process Cost & Bid Declaration form from 16.08.2021 to 26.08.2021 up to 6.00 PM through online payment after registering with JDA on www.jda.urban.rajasthan.gov.in/e-services/e-tender portal. In the absence of such fees the bid of respective bidder will be considered as non-responsive and shall be rejected. All the eligible contractors should be submit Bid security declaration on non-judicial stamp of Rs-50/-as per office order issued by finance department (GF&AR) GoR dated 23.12.2020. (Declaration form attached with tender document). It is mandatory to submit bid security declaration in prescribed format along with the bid.

Signature of the Bidder With full Address

Executive Engineer-ROB/RUB-V JDA, Jaipur.

SPECIAL CONDITIONS

SCHEDULE 'H'

- 1. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the bidder at his own level/cost.
- 2. If there is any typographical error or otherwise in the 'G' Schedule the rates given in the relevant BSR on which schedule 'G' has been prepared, shall prevail.
- 3. The bidder shall follow the bidder labour regulation and abolition Act 1970 & Rule 1971.
- 4. The JDA shall have right to cause on audit and technical examination of the work and the final bills of the bidder including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid/excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed the bidder shall be liable to refund such amount and it shall be lawful; for the JDA to recover such sum from him in; the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less then that was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be paid by the JDA to the bidder.
- 5. The bidder shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
- 6. Whenever any claim against the bidder for the payment of a sum of money arises out or under the contracts, the JDA shall be **entered** to recover the sum by appropriating in part or whole of the security deposit of the bidder. In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which a any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable, the bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to effect such recoveries under P.D.R. Act.
- 7. The rate quoted by the bidder shall remain valid for a period of **Four Months** from the date of opening of the bids.
- 8. By submission of this bid the bidder agree to abide with all printed conditions provided in the PWD manual form 64 (Chapter 3-para 36) and subsequent modification.
- 9. No conditions are to be added by the bidder and conditional bid is liable to be rejected.
- 10. All transaction in the execution of this work and this bid will be liable to sale-tax vide section 2(B) read with sub clause (4) Sale-tax Rule, 1954.
- 11. If any bidder withdraws his bid prior to expiry of said validity period given at S.No. 7 or mutually extended prior or makes modifications in the rates, terms and conditions of the bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any bidder, who having submitted a bid does not execute the agreement or start the work or dose not complete the work and the work has to be put to rebidding, he shall stand debarred for six months from participating of biding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement
- 12. The bidder shall arrange his own machinery required for the work such as Bitumen Mixer, Batch Mix plants and paver, road roller, Tarboiler, sprayer etc.
- 13. The bidder shall arrange his own storage tanks upto 10 Tones capacity for storing bulk bitumen wherever supplied by the department.
- 14. Rules regarding enlistment of bidders provide that work; upto five times limit for which they are qualified for biding can be allotted to them Therefore, before bid the bidders will keep this in mind, and submit the details of work. Bids with incomplete or incorrect information are liable to be rejected.
- 15. Any material not conforming to the specifications collected at site shall have to be removed by the bidder within a period of 3 days of the instructions, issued by the Engineer-In-charge in writing. Failing which, such material shall be removed by the Engineer-In-charge at risk and the bidder after expiry of 3 days period.
- 16. The material collected at site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed, fully on the work.
- 17. The rates provided in bid documents are inclusive of all Taxes royalty.
- 18. For paver work at least 3 road rollers shall be simultaneously deployed.
- 19. Bitumen for tack coat or any other purposes, shall be applied only be a bitumen sprayer of a mechanical pressure.

- 20. No extra lead of earth/material shall be paid over and above as specified in 'G' schedule. Source/borrow pit area for earth shall have to be arranged by the Bidder at his own cost.
- 21. Undersigned has full right to reject any or all bids without given any reasons.
- 22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
- 23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act."
- 24. Special Conditions of Contract regarding Defect Liability Period (DLP) for Various works costing Rs. 25.00 lacs and more shall be applicable.
- 25. The bidders are required to submit copy of their enlistment as bidder.
- 26. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
- 27. Any bid received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from bidding for three months in JDA.
- 28. The bidder will have to install display boards at site of work as directed by Engineer In Charge. Failing which penalty of Rs. 5000/- day will be imposed.
- 29. All the provisions of THE RAJASTHAN TRANPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradiction in existing special conditions and provisions of THE RAJASTHAN TRANPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 provisions of THE RAJASTHAN TRANPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 shall be applicable.
- 30. If any bidder quotes a rate below than the schedule "G" rates, i.e. rates below than "at par", then the bidder has to deposit the difference amount i.e. difference amount of the rates as per "at par" and quoted "below", as "Work Performance Guarantee". This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G./FDR/NSC. The validity of these shall be for a period three months beyond the stipulated date for completion/actual date of completion and shall have to be extended time to time up to actual completion of work as per requirement. In case of non deposition of the same in specified period, the Bid Secuirty will be forfeited. In case work is not completed satisfactorily, the "Work Performance Guarantee" will be forfeited and other action will be taken as per Contract Agreement."

Signature of Bidder with full address & Mobile No.

Executive Engineer-ROB/RUB-V JDA, Jaipur

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

OTHER CONDITIONS

- 1. The Contractor will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
- 2. DLP period of various nature of works amounting more than 25 Lacs has been revised. The time period & Conditions as per order No. D-29 dated 11.03.2016
- 3. निविदा में निर्धारित राशि से अधिक / कम Bid Security राशि बिडर द्वारा Online नहीं जमा कराई जावें, सिस्टम द्वारा भी कम / अधिक राशि बिड स्वीकार नहीं की जावेंगी।
- 4. अलग—अलग समय में जमा कराई गई राशि सिस्टम द्वारा जोडकर एक बिड में स्वीकार नहीं की जावेगी।
- 5. एक यू.टी.आर. काम में लेने के पश्चात् पुनः उसी नम्बर का यू.टी.आर. सिस्टम द्वारा दूसरी बिड में प्रयुक्त नही किया जावें।

Signature of Contractor with full address & Mobile No.

Executive Engineer -ROB/RUB-V JDA, Jaipur.

Annexure A: Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not include in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest.-

The Bidder participating in a bidding process must no have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- (i) A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:
- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same sub bidder, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Annexure B: Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

| | In relation to my/our Bid submitted to | I/we | | | | |
|---------|---|----------|--|--|--|--|
| that: | hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Ac | x, 2012 | | | | |
| 1. | I/we possess the necessary professional, technical, financial and managerial resource competence required by the Bidding Document issued by the Procuring Entry; | es and | | | | |
| 2. | I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and t government or any local authority as specified in the Bidding Document. | he state | | | | |
| 3. | I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affair administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons; | | | | | |
| 4. | I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings; | | | | | |
| 5. | I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Doc which materially affects fair competition; | ument, | | | | |
| Date : | : Signature of bidder | | | | | |
| Place : | : Name: | | | | | |
| | Designation: | | | | | |

Address:-....

Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is <u>JDC</u>, <u>JDA</u>, <u>Jaipur</u> The designation and address of the Second Appellate Authority is <u>EC</u>, <u>JDA</u>, <u>Jaipur</u>.

(1) Filing an appeal:-

If any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases:-

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) From of Appeals:-

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or though registered post or authorized representative.

(6) Fee for filing Appeal:-

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

(7) Procedure for disposal of Appeal:-

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority of second appellate authority, as the case may be shall-
- (i) Hear all the parties to appeal present before him; and
- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

FORM No. 1 [see rule 83]

Memorandum of Appeal under the Rajasthan Transparency in Public procurement Act, 2012

| Appe | | | of | Before | the |
|-------|---|-------------|---|--------|-----|
| 1- | Pa | rticulars o | of appellant : | | |
| | (i) | Name of t | the appellant : | | |
| | (ii) | Official a | ddress, if any: | | |
| | (iii | i) Resident | tial address: | | |
| 2- | Na | ame and ac | ddress of the respondent(s): | | |
| | (i) | | | | |
| | (ii) |) | | | |
| | (iii | i) | | | |
| 3- | Nι | amber and | d date of the order appealed against and name | | |
| | an | d designa | tion of the office/ authority who passed the | | |
| | ore | der (enclos | se copy), or a statement of a decision, action or | | |
| | on | nission of | the procuring Entity in contravention to the | | |
| | pro | ovisions of | f the Act by which the appellant is aggrieved: | | |
| 4- | If | the App | pellant propose to be represented by a | | |
| | rep | presentativ | ve the name and postal address of the | | |
| | rep | presentativ | ve: | | |
| 5- | Nι | amber of | affidavits and documents enclosed with the | | |
| | ap | peal: | | | |
| 6 | Gr | ounds of a | ppeal: | | |
| | (Sı | upported b | by an affidavit) | | |
| 7- | Pra | ayer: | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Place | : | | | | |
| Date | | | | | |
| Date. | • | •••••••••• | Appellant's Signature | | |

Annexure D: Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed Fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the biding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. It the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Form of Bid-Securing Declaration

| Date | : |
|--------|--|
| Bid N | lo.: |
| Alter | native No.: |
| To: | |
| 55 | |
| | |
| We, t | he undersigned, declare that: |
| We u | nderstand that, according to your conditions, bids must be supported by a Bid-Securing Declaration. |
| | ccept that we are required to pay the bid security amount specified in the Term and Condition of Bid, following cases, namely:- |
| (a) | when we withdraw or modify our bid after opening of bids; |
| (b) | when we do not execute the agreement, if any, after placement of supply/work order within the specified period; |
| (c) | when we fail to commence the supply of the goods or service or execute work as per supply/work order within the time specified; |
| (d) | when we do not deposit the performance security within specified period after the supply/work order is placed; and |
| (e) | if we breach any provision of code of integrity prescribed for bidding specified in the Act and Chapter VI of these rules. |
| under | dition to above, the State Government shall debar us from participating in any procurement process taken for a period not exceeding three years in case where the entire bid security or any part thereof uired to be forfeited by procuring entity. |
| We u | nderstand this Bid Securing Declaration shall expire if:- |
| (i) | we are not the successful Bidder; |
| (ii) | the execution of agreement for procurement and performance security is furnished by us in case we are successful bidder; |
| (iii) | thirty days after the expiration of our Bid. |
| (iv) | the cancellation of the procurement process; or |
| (y) | the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted. |
| Signe | d: |
| Name | *************************************** |
| In the | capacity of: |
| Duly | authorized to sign the bid for and on behalf of: |
| Date: | l on day of prate Seal |
| | |

[Note: In case of a Joint Venture, the Bid Securing Declaration must be signed in name of all partners of the Joint Venture that is submitting the bid.]

Careda,

Percentage BoQ

Tender Inviting Authority: Jaipur Development Authority, Jaipur

Name of Work:- Patch Repairing and other Repairing works of BRTS Corridor, M.V. lane & Service Road along B.R.T.S. Corridor from Rao Shekaji Circle To Road No-14, C-Zone Bye pass, Sikar Road, JDA, Jaipur

Contract No:- EE-ROB/RUB-V/03/2021-22

| Bidder Name | |
|-------------|--|
| • | |

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender.

Bidders are allowed to enter the Bidder Name and Values only)

| Sl. No. | Item Description | Quantity 3 | Units 4 | Estimated Rate 5 | TOTAL AMOUNT 6 | TOTAL AMOUNT In Words |
|------------|---|---------------|---------|------------------|-----------------|---|
| 1 | Wet Mix Macadam Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc as per Tables 400.11 & 400.12 and MoRD Specification Clause 406. By Mechanical Means with all lead | 444.375 | cum | 1071.00 | 475925.63 | INR Four Lakh Seventy Five Thousand Nine Hundred & Twenty Five and Paise Sixty Two Only |
| 2.0 | Prime Coat Low porosity Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502 | | sqm | 31.50 | 149310.00 | INR One Lakh Forty Nine Thousand Three Hundred & Ten Only |

| S1. | Item Description | Quantity | Units | Estimated Rate | TOTAL AMOUNT | TOTAL AMOUNT |
|-----|---|-----------|-------|-----------------------|--------------|--|
| No. | + | | 4 | _ | | In Words |
| 1 | Z Tack Coat | 3 | 4 | 5 | 6 | 7 |
| 3.1 | Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503. | 4740.000 | sqm | 9.00 | 42660.00 | INR Forty Two Thousand Six Hundred & Sixty Only |
| 3.2 | Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg persqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503. | 18960.000 | sqm | 10.80 | 204768.00 | INR Two Lakh Four Thousand Seven Hundred & Sixty Eight Only |
| 3.3 | Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MoRD Specification Clause 503. | 4740.000 | sqm | 10.80 | 51192.00 | INR Fifty One Thousand One Hundred & Ninety Two Only |
| 4.0 | Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT & H Specifications Clause 509 complete in all respects | | | | | |
| 4.1 | for Grading-I (19 mm nominal size) Bitumen (VG-30) | 545.100 | P.MT | 2952.00 | 1609135.20 | INR Sixteen Lakh Nine Thousand One Hundred & Thirty Five and Paise Twenty Only |
| 4.2 | for Grading-II (13 mm nominal size) Bitumen (VG-30) | 2180.400 | P.MT | 2934.00 | 6397293.60 | INR Sixty Three Lakh Ninety Seven Thousand Two Hundred & Ninety Three and Paise Sixty Only |

| Sl. | Item Description | Quantity | Units | Estimated Rate | TOTAL AMOUNT | TOTAL AMOUNT |
|-----|---|----------|-------|----------------|----------------|--|
| No. | | | | _ | | In Words |
| 5.0 | Direction and Place Identification signs upto 0.9 sqm size board Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on 2 inch dia GI Pipe firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 x 450 x 600 mm, 600 mm below ground level as per approved drawing and Tehnical Specification Clause 1701. | 20.000 | sqm | 8235.00 | 6 164700.00 | 7 INR One Lakh Sixty Four Thousand Seven Hundred Only |
| 6.0 | Direction and Place Identification signs with size more than 0.9 sqm size board Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro-reflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area exceeding 0.9 sqm supported on dia GI Pipe firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per approved drawing and MoRD Specification Clause 1701 | 15.000 | sqm | 9180.00 | 137700.00 | INR One Lakh Thirty Seven Thousand Seven Hundred Only |
| 7.0 | Painting Two Coats on New Concrete Surfaces Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and MoRD Specification Clause 1701 | 8852.000 | sqm | 52.20 | 462074.40 | INR Four Lakh Sixty Two Thousand &Seventy Four and Paise Forty Only |
| 8.0 | Painting on Steel Surfaces Providing and applying two coats of ready mix paint including primer coat of approved brand on steel surface after through cleaning of surface to give an even shade as per drawing and MoRD Specification Clause 1701 | 2625.000 | sqm | 52.20 | 137025.00 | INR One Lakh Thirty Seven Thousand &Twenty Five Only |

| S1. No. | Item Description | Quantity | Units | Estimated Rate | TOTAL AMOUNT | TOTAL AMOUNT In Words |
|------------|--|-----------|-------|-----------------------|--------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 9.0 | Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160" C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements. | 9076.000 | sqm | 436.50 | 3961674.00 | INR Thirty Nine Lakh Sixty One Thousand Six Hundred & Seventy Four Only |
| 10.0 | Supply of 'L' type Bollard made out of 1.25 mm thick M.S. sheet height 134 cm, welded in circular type ring section having upper dia 15 cm. and lower dia 21 cm with another attachment of 15x15 cm circular section with 15 cm. face plate and hold fast at bottom, whole body is processed in white stoving enamel and red reflective 3 hands, each of 7.5 cm end one reflective sheet of 15 cm. dia provided to it complete in all respect. | 28.000 | Each | 1435.50 | 40194.00 | INR Forty Thousand One Hundred & Ninety Four Only |
| 11.0 | CAST-IN-SITU CONCRETE Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix | 75.200 | cum | 2961.00 | 222667.20 | INR Two Lakh Twenty Two Thousand Six Hundred & Sixty Seven and Paise Twenty Only |
| 12.0 | STEEL REINFORCEMENT Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code) | 1504.000 | Kg | 62.10 | 93398.40 | INR Ninety Three Thousand Three Hundred & Ninety Eight and Paise Forty Only |
| 13.0 | Providing and fixing steel gate, grating, and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide | 34500.000 | Kg | 66.60 | 2297700.00 | INR Twenty Two Lakh Ninety Seven Thousand Seven Hundred Only |
| 14.0 | Extra 10% if square,rectangular hollow tubelar sections are used or grill made by flats only | 22500.000 | Kg | 6.66 | 149850.00 | INR One Lakh Forty Nine Thousand Eight Hundred & Fifty Only |

| S1. | Item Description | Quantity | Units | Estimated Rate | TOTAL AMOUNT | TOTAL AMOUNT |
|------|---|-----------|--------|-----------------------|--------------|---|
| No. | | | | | | In Words |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 15.0 | Production & Supply of kandhal readymade cold bituminous patching mix in 50kg plastic lined, sturdy bags for repair of potholes in adverse climatic condition including the bituminous mix with a minimum of 5.6% MC-800 Cutback Bitumen (containing a suitable antistripping agent) by weight of mix and in strict conformance to gradation and other requirements such as 6-month storage life as per the attached specification, transportation with all lead and lift complete in all respects as per direction of engineer-in-charge. | 45000.000 | P.Kg | 11.00 | 495000.00 | INR Four Lakh Ninety Five Thousand Only |
| 16.0 | Dismantling Kerb Stones Dismantling Kerb Stones by manual means and disposal of dismantled material with all lifts and upto a lead of 1000 m as per MoRD Specification Clause 202. | 500.000 | R.Mtr. | 5.40 | 2700.00 | INR Two Thousand Seven Hundred Only |
| 17.0 | Supplying and fixing of Single Molded twin Shank Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97-DO III Dt 11.06.1997. The height, width and length shall not exceed 50 mm, 100 mm and 100 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35+/-5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 700 Kgf. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer. (manufactured from 3M, Avery or equivalent) | 2180.000 | Each | 183.00 | 398940.00 | INR Three Lakh Ninety Eight Thousand Nine Hundred & Forty Only |

| S1. No. | Item Description | Quantity | Units | Estimated Rate | TOTAL AMOUNT | TOTAL AMOUNT In Words |
|------------|---|----------|--------|-----------------------|--------------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 18.0 | Providing & Fixing of median marker made of tough high impact resistance injection moulded hermo plastic body with an isosceles trapezoidal structure of length, height & width not less than 12cm, 10cm respectively and thickness not less than 1.8mm. The median marker shall have flourescent yellow colour retro reflective sheeting of size not less than 8.5cm X 8.5cm and with fully reflective micro prismatic as its retro reflective elements and meet ASTM D4956-09 Type XI specification. The retro reflective sheeting shall be on both the sides of the median marker and shall be as protected with no exposed edges that prevent edge lifting, vandalism, sheeting damage etc. The median marker shall be fixed with a combination of epoxy adhesive and grouting etc. complete as directed by the Engineer -In-Charge. (manufactured from 3M or equivalent) | 1120.000 | Each | 338.00 | 378560.00 | INR Three Lakh Seventy Eight Thousand Five Hundred & Sixty Only |
| 19.0 | Providing and laying rounded hump type speed breakers for crossing speed 25 km/h as per IRC design including providing and applying bitumen emulsion tack coat, making speed breaker in designed profile with bituminous macadam, providing seal coat type B for sealing the voids and marking chequered pattern with thermoplastic paint complete as per IRC: 99-1988 5.0 meter wide and 10 cm high for heavy truck and bus traffic | 67.500 | R.Mtr. | 3145.50 | 212321.25 | INR Two Lakh Twelve Thousand Three Hundred & Twenty One and Paise Twenty Five Only |
| 20.0 | Dismantling of Flexible Pavements Dismantling of Flexible Pavements and disposal of dismantled materials upto a lead of 100 m, stacking serviceable and unserviceable materials separately as per MoRD Specification Clause 202 By Mechanical Means Bituminous Courses | 400.000 | cum | 115.20 | 46080.00 | INR Forty Six Thousand &Eighty Only |

| S1. | Item Description | Quantity | Units | Estimated Rate | TOTAL AMOUNT | TOTAL AMOUNT |
|------------------------|---|---------------|--------|-----------------------|--------------|--|
| No. | | | | | | In Words |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 21.0 | Providing and laying 25 mm thick mastic asphalt wearing course with paving grade bitumen meeting the requirements given in table 500-29, prepared by using mastic cooker and laid to required level and slope after cleaning the surface, including providing anti-skid surface with bitumen precoated fine grained hard stone chipping of 13.2 mm nominal size at the rate of 0.005 cum per 10 sqm and at an approximate spacing of 10 cm center to center in both directions, pressed into surface when the temperature of surfaces is not less than 100 C protruding 1 mm to 4 mm over mastic surface, all complete as per Clause 515. | 113.400 | sqm | 382.50 | 43375.50 | INR Forty Three Thousand Three Hundred & Seventy Five and Paise Fifty Only |
| Total in Figures | | | | | 18174244.18 | INR One Crore Eighty One Lakh Seventy Four Thousand Two Hundred & Forty Four and Paise Eighteen Only |
| Quoted Rate in Figures | | | Select | | 0.00 | INR Zero Only |
| Quoted Rate in Words | | INR Zero Only | | | | |

| | | | 1 |
|----------|-------|------|---|
| Validate | Print | Help | |

Item Rate BoQ

Tender Inviting Authority: Jaipur Development Authority, Jaipur

Name of Work:- Patch Repairing and other Repairing works of BRTS Corridor, M.V. lane & Service Road along B.R.T.S. Corridor from Rao Shekaji Circle To Road No-14, C-Zone Bye pass, Sikar Road, JDA, Jaipur

Contract No:-EE-ROB/RUB-V/03/2021-22

| Bidder Name : | | | | | | | | | |
|---|--|---------------|-------|---|--------------|--------------------------|--|--|--|
| PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | | | | |
| S1. No. | Item Description | Quantity | Units | BASIC RATE In Figures To be entered by the Bidder Rs. P | TOTAL AMOUNT | TOTAL AMOUNT In Words | | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | |
| 1.00 | P/F of rumble strip made out of strong ABS (Acrylonitrile Butadiene Styrene) material which is UV stabilized & high mode composition material to been server impact with reflectorised with high reflective 10mm glass beads having built in 2 holes for fixing with specially designed steel pins 12 mm dia, rumble is to be installed with high quality epoxy and steel pairs dimensions are Length: 250 mm, width: 150 mm, Height: 30 mm. | 350.000 | Each | | 0.00 | INR Zero Only | | | |
| Total in Figures | | | | | 0.00 | INR Zero Only | | | |
| Quoted Rate in Words | | INR Zero Only | | | | | | | |