

# जयपुर विकास प्राधिकरण, जयपुर

इन्दिरा सर्किल, जे.एल.एन. मार्ग, जयपुर

क्रमांक / जविप्रा / अधि.अभि. / 12ए / 2021-22 / डी-

दिनांक:

## बिड आमंत्रण सूचना

बिड संख्या— अधि.अभि.12ए / 06 / 2021-22

जयपुर विकास प्राधिकरण द्वारा जोन-12ए क्षेत्र में ग्राम पंचायत आकेड़ा चौड़, भट्टों की गली में शमशान का विकास का कार्य, जिसकी अनुमानित लागत 19.11 लाख रुपये के लिए ऑनलाईन निविदा दिनांक 22.09.2021 को सायं 6:00 बजे तक आमंत्रित की जाती है। निविदा बोली का ऑनलाईन आवेदन व भुगतान जविप्रा पोर्टल पर करने की अंतिम तिथि 22.09.2021 को सायं 6:00 बजे तक है। **UBN No. ....** विस्तृत विवरण, जो कि निविदा प्रपत्र में उपलब्ध है, अद्योहस्ताक्षरकर्ता के कार्यालय में अथवा राजस्थान सरकार के उपापन पोर्टल [www.sppp.raj.nic.in](http://www.sppp.raj.nic.in) व [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) एवं जयपुर विकास प्राधिकरण की वेबसाईट [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) पर देखी जा सकती है।

निविदादाता को निविदा में भाग लेने हेतु आवश्यक है कि :-

1. जयपुर विकास प्राधिकरण की वेबसाईट [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in) पर पंजीकृत हो। निविदा शुल्क व आर.आई.एस.एल. प्रक्रिया शुल्क केवल ऑन लाईन ही देय होगी। बोली प्रतिभूति ऑनलाईन अथवा बैंक गारन्टी के द्वारा दी जा सकती है।
2. ऑन लाईन निविदा में भाग लेने हेतु राजस्थान सरकार के पोर्टल [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) पर पंजीकृत हो।

अधिशायी अभियन्ता-12ए  
जविप्रा, जयपुर।

**JAIPUR DEVELOPMENT AUTHORITY**

Room No. CB-FF-106, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur – 302004  
Telephone: +91-141-2569696 e.mail: sharmabd.jda@gmail.com

No:- JDA/EE-12A/2021-22/D-

Dated:

**NOTICE INVITING BID**

**NIB No. : EE-12A/06/2021-22**

Online Bids are invited for **Development work in Shamshan in Akedachod G.P. Bhatto ki Gali zone-12A JDA Jaipur** estimated cost of Rs.19.11 Lacs up-to 6.00 PM of 22.09.2021 the last date for applying bid and making online payment on JDA portal is up- to 6.00 PM of 22.09.2021. UBN No..... Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal website [www.sppp.rajasthan.gov.in](http://www.sppp.rajasthan.gov.in), [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) and [www.jda.urban.rajasthan.gov.in](http://www.jda.urban.rajasthan.gov.in)

To participate in the bid, bidder has to be:

1. Registered on JDA website [www.jaipurjda.org](http://www.jaipurjda.org) for participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee, RISL Processing Fee online only. The Bid Security may be deposited through online or Bank Guarantee.
2. Registered on e-Procurement Portal of Government of Rajasthan [www.eproc.rajasthan.gov.in](http://www.eproc.rajasthan.gov.in) for online e- Bid submission.

Executive Engineer-12A  
JDA, Jaipur

**JAIPUR DEVELOPMENT AUTHORITY**

No:- JDA/EE-12A/2021-22/D-

Dated:

**NOTICE INVITING BID**

**NIB No. : EE-12A/06/2021-22**

**Job No. : 126/2021-22**

|                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Name &amp; Address of the Procuring Entity</b>                                | <ul style="list-style-type: none"> <li>➤ Name: Executive Engineer-12A, Jaipur Development Authority</li> <li>➤ Address: Room No. CB-TF-301, CCC Building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar</li> <li>➤ Lal Nehru Marg, Jaipur 302004 (Rajasthan)</li> <li>➤ Email:- sharmabd.jda@gmail.com</li> </ul>                                                                                                                                                                                                                                                               |
| <b>Subject Matter of Procurement</b>                                             | ➤ <b>Development work in Shamshan in Akedachod G.P. Bhatto ki Gali zone-12A JDA Jaipur.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Bid Procedure</b>                                                             | ➤ Singal Stage tender (eg. Single -stage (envelope) open competitive) eBid procedure at <a href="http://www.eproc.rajasthan.gov.in">http://www.eproc.rajasthan.gov.in</a>                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Bid Evaluation Criteria (Selection Method)</b>                                | ➤ L1 (eg.Least Cost Based Selection (LCBS)-L1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.</b> | ➤ Websites: <a href="http://www.sppp.rajasthan.gov.in">www.sppp.rajasthan.gov.in</a> , <a href="http://www.eproc.rajasthan.gov.in">www.eproc.rajasthan.gov.in</a> , <a href="http://www.jda.urban.rajasthan.gov.in">www.jda.urban.rajasthan.gov.in</a>                                                                                                                                                                                                                                                                                                                            |
| <b>Website for online Bid application and payment *</b>                          | <ul style="list-style-type: none"> <li>➤ Website: <a href="http://www.jaipurjda.org">www.jaipurjda.org</a> For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee Deposit online only and The Bid Security may be deposited through online or Bank Guarantee.</li> <li>○ Bidding document fee: Rs.500/- (Rupees Five Hundred only)</li> <li>○ RISL Processing Fee: Rs.500/- (Rupees Five Hundred only)</li> <li>○ Requisite Bid Security Deposit</li> </ul>                                                     |
| <b>Estimated Procurement Cost</b>                                                | ➤ INR 19.11 Lacs (Rupees Nineteen Lacs Eleven Thousand only)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Bid Security Deposit</b>                                                      | <ul style="list-style-type: none"> <li>➤ <b>All the eligible contractors should be submit Bid Security declaration on non-judicial stamp of Rs. 50/- as per office order issued by Finance Department (GF&amp;AR) GoR dated 23.12.2020 (Declaration form attached with tender document). It is mandatory to submit bid security declaration in prescribed format along with the bid.</b></li> <li>➤ <b>Eligibility</b> – Bidder who is “A” and “AA” class contractor registered in other Government Department and Bidder registered as contractor “AA, A, B &amp; C”.</li> </ul> |
| <b>Pre-Bid</b>                                                                   | ➤ N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Start/ End Date for Bid Applying, Online Payment and Bid Submission</b>       | <ul style="list-style-type: none"> <li>➤ Start Date: 13.09.2021 from 9.30 AM onwards</li> <li>➤ End Date: 22.09.2021 at 6.00 PM</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>**Date/ Time/ Place of Technical Bid Opening</b>                              | N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Date/ Time/ Place of Financial Bid Opening</b>                                | <ul style="list-style-type: none"> <li>➤ 23.09.2021 at 3.30 PM</li> <li>➤ Room No. CB-TF-301, CCC building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur- 302004 (Rajasthan)</li> </ul>                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Bid Validity</b>                                                              | ➤ 120 days from the bid submission deadline                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Time Period</b>                                                               | ➤ 6 Months                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>A&amp;F/Job No.</b>                                                           | ➤ 126/2021-22                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

\* Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender Fee and RISL Processing fee online through JDA Portal. The bid Security options available in tender for participants are as mentioned below:

• **Payment options :**

**Option-1 Bank Guarantee ( BG) against EMD/Bid Security**

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on JDA Portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available. If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT/RTGS) will be available.

• **Option – 2 : Electronic Fund Transfer ( EFT/NEFT/RTGS)**

If the bidder selects payments mode as EFT (NEFT/RTGS), “Paying slip for EFT (NEFT/RTGS)” will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS ( claim against

payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

- **Option – 3 : Payment Gateway ( Aggregator)**

This facility to make payment through Debit Card, Credit Card, Net banking etc, will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.

**B . Bid participation Receipt**

After confirming payment, the bidder will get Bid participation Receipt on the basis of which user will get the payment details along with other details for bidding on E-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through payment Gateway, on Successful transaction the “Bid Participation Receipt” will be generated on real time basis.
- In case complete payment is done through payment Gateway, on Successful transaction the “Bid Participation Receipt” will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on Confirmation of payment from ICICI bank (Auto Process) “Bid Participation Receipt” will be available on Login of Bidder on JDA Portal.

**Note :-**

1. Bidder (authorized Signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
2. In case, any of the bidders fails to pay tender Fee, BSD, and RISL Processing Fee, Online (Subject to Confirmation) its Bid shall not be accepted.
3. To participate in online bidding process, bidders must procure a digital signature Certificate (TypeIII) as per information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCs safe crypt, Ncode etc. Bidders who already have a valid Digital signature Certificate (DSC) need not procure a new DSC. Also bidders must register on <http://eproc.rajasthan.gov.in> (Bidders already registered on <http://eproc.rajasthan.gov.in> before 30.09.2011 must register again).
4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11 th hour issues like slow speed: chocking of web site due to heavy load or any other unforeseen problems.
5. Bidders are also advised to refer “Bidders Manual Kit” available at eproc website for further details about the e-tendering process.
6. Training for the bidders on the usage of e-tendering system (procurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested for training may contact e-procurement Cell, DoIT & C for booking the training slot.  
Contact No. : 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: [eproc@ rajasthan.gov.in](mailto:eproc@rajasthan.gov.in).  
Address: E-Procurement Cell, JDA Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur.
7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the bids.
8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
9. Procurement entity disclaims any factual/ or other errors in the bidding documents (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
10. The provisions of RTPPA Act 2012 and Rules 2012A thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

Executive Engineer-12A,  
JDA Jaipur

**SCHEDULE – A: INFORMATION USEFUL FOR THE CONTRACTORS:**

The Tenderer should see the site and fully understand the conditions of the site before tendering and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates give in the Schedule ‘G’. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

**SCHEDULE – B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT**

The drawing may be seen in office of the undersigned.

**SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:** List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

**SCHEDULE - D: TEST OF THE MATERIALS:**

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standard laid down in the Indian standard & or the standers laid down in the detailed specification of the Public by the contractor qualified personnel as required under the contractor enlistment rules duly approved by the Deptt. Shall have to be engaged at site by the Contractor. The deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

**SCHEDULE – E: SAMPLES OF THE MATERIALS:**

The sample of the materials to be used by the contractor shall be deposited 15days In advance with the Engineer In charge and be got approval by him before use.

**SCHEDULE - F: TIME OF COMPLETION:**

The work should start within \_\_\_\_\_ 10 \_\_\_\_\_ days of issue of work order and complete within times limits.

**SCHEDULE – G: ATTACHED SEPARATELY BASED ON BSR PWD, JAIPUR.**

**SCHEDULE – H: SPECIAL CONDITION: Attached Separately.**

**SCHEDULE – I: LIST OF MATERIAL TO BE SUPPLIED BY THE DEPARTMENT: NIL**

Annexure-3 : Special Provision of the work plan- Qualification criteria and methodology of roads category - I&II.

**SCHEDULE – J: COST OF TENDER DOCUMENTS, PROCESSING FEES & EARNEST MONEY.** Bid Processing fees is payable in favour of M.D. RISL & Cost bid document & EMD is payable in Favour of Secretary, JDA Jaipur. Bidders have to pay bid processing fees, cost of bid documents and EMD through Online. If a bidder opt bid security to be deposited through bank guarantee, the bank guarantee should be valid for next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission document uploaded on E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of on-line tendering system of JDA i.e. D.D.( E&B) in room No. MB-SF 225A main building, JLN marg, JDA, Jaipur, as per specified in bid documents, annexure-2. Bank guarantee will be in specified Performa enclosed with this bid document.

Signature of the Contractor  
With full Address

**EXECUTIVE ENGINEER- 12A**  
**JDA, Jaipur.**

## **SPECIAL CONDITIONS**

### **SCHEDULE 'H'**

01. Use of Bitumen mixture Tar mechanical lime grinder, cement concrete mixer & vibrator is essential for the work. Which shall have to be arranged by the bidder at his own level /cost.
02. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
03. The bidder shall follow the bidder labour regulation and abolition Act 1970 & Rule 1971.
04. The JDA shall have right to cause an audit technical examination of the work and the final bills of the bidder including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the bidder.
5. The bidder shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
6. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
7. The rate quoted by the bidder shall remain valid for a period of 4 (Four) months from the date of opening of the bids.
8. By submission of this Bid the bidder agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
9. No conditions are to be added by the bidder and conditional Bid is liable to be rejected.
10. All transaction in this execution of this work and this bid will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
11. If any bidder withdraws his Bid prior to expiry of said validity period given at S.No. 8 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any bidder, who having submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to re-bidding he will stand debarred for six months from participating of Bidding in JDA in addition to forfeiture of Earnest Money / Security Deposit and other action under agreement
12. The bidder shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver, road roller, Tar boiler, sprayer etc.
- 12A. The bidder shall arrange his own Storage tanks up to 10 tones capacity for strong bulk bitumen. Wherever supplied by the department.
14. Rules regarding enlistment of bidder provide that work up to the times limit for which they are qualified for Bidding can be allotted to them, Therefore, before bidders the bidder will keep this in mind, and submit the details of the work. Bid with incomplete or incorrect information are liable to be rejected.
15. Any material not conforming to the specifications collected at site have to be removed by the bidder within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after expiry of 3 days period's
16. The material collected at site and paid provisionally shall remain under and ward of the bidder till it is consumed, fully on the work.
17. The rates provided in Bid documents are inclusive of all Taxes and royalty
18. For paver work at least 3 road rollers shall be simultaneously deployed.

19. Bitumen for tack coat or any other purposes shall be applied only by a bitumen sprayer of a mechanical pressure.
20. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Bidder at his own cost.
21. Undersigned has full right to reject any or all Bids without given any reasons.
22. Mortar of Masonry work and lean concrete will be permitted mixer with hopper.
23. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."
24. Special Conditions of Contract regarding Defect Liability Period (DLP) for Roads works costing Rs. 25.00 lacs and more shall be applicable.
25. The Bider are required to submit copy of their enlistment as bidder.
26. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
27. Any Bid received with unattested cutting/overwriting in rates shall be rejected and such bidder will be debarred from Biding for three months in JDA.
28. The bidder will have to install display boards at site of work as directed by Engineer in charge. Failing which penalty of Rs. 5000.00 per day will be imposed.
29. All the provision of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2012A will be applicable. If there is any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and rules 2012A provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2012A shall be applicable.
30. **If any bidder quotes a rate below than the schedule "G" rates, i.e. rates below than "at par", then the bidder has to deposit the difference amount i.e. difference amount of the rates as per "at par" and quoted "below", as "Work Performance Guarantee". This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G./FDR/NSC. The validity of these shall be for a period three months beyond the stipulated date for completion/actual date of completion and shall have to be extended time to time up to actual completion of work as per requirement. In case of non deposition of the same in specified period, the Bid Security will be forfeited. In case work is not completed satisfactorily, the "Work Performance Guarantee" will be forfeited and other action will be taken as per Contract Agreement."**

Signature of Contractor  
with full address & Mobile No.

Executive Engineer –12A  
JDA, Jaipur.

**Table-1**

| S.No. | Type of work                                                                                        | DLP Period                                            |
|-------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| 1.    | <b>Bridge Work</b>                                                                                  | 5 Years                                               |
| 2.    | <b>CD Work</b>                                                                                      | 5 Years                                               |
| 3.    | <b>CC Road, PQC Work</b>                                                                            | 5 Years                                               |
| 4.    | <b>CC tiles/Kerbs/medians</b>                                                                       | 5 Years                                               |
| 5.    | <b>Drains</b>                                                                                       | 3 Years                                               |
| 6.    | <b>Roads</b>                                                                                        |                                                       |
|       | (i) Two layer WBM/GSB                                                                               | 6 months or one full rainy season which ever is later |
|       | (ii) For Renewal/Strengthening                                                                      |                                                       |
|       | (a) BT upto 30 mm thickness                                                                         | 1 Years                                               |
|       | (b) BT above 30 mm to upto 40 mm                                                                    | 2 Years                                               |
|       | (c) BT above 40 mm to upto 90 mm                                                                    | 3 Years                                               |
|       | (d) BT above 90 mm thickness                                                                        | 5 Years                                               |
|       | (iii) New Roads                                                                                     |                                                       |
|       | (a) BT upto 90 mm                                                                                   | 3 Years                                               |
|       | (b) BT more than 90 mm                                                                              | 5 Years                                               |
| 7.    | <b>Compound wall</b>                                                                                | 3 Years                                               |
| 8.    | <b>Building Work</b>                                                                                |                                                       |
|       | (i) Work pertaining to Sanitary work electrical works, Joinery works and painting works.            | 2 Years                                               |
|       | (ii) Work pertaining to Building structure and other civil works                                    | 5 Years                                               |
| 9.    | <b>Electric work except maintenance</b>                                                             | 3 years                                               |
| 10.   | <b>Sewer/Water supply all including STP and water supply related work except maintenance works.</b> | 3 Years                                               |

#### **1. ROAD WORKS**

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per above table. Road works executed by the Contracting agency shall be maintained by them at their own cost for complete (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, up-gradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
  - (i) Routine maintenance of Road Works,
  - (ii) To remove the defect as & when appear in part and entire structure of Road Works, in specified time and keeping the Road Surface with good riding quality and
  - (iii) Damages due to improper drainage / drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at completion of the construction work and ends after complete (DLP).
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in manual for maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 1.7 The routine maintenance activities and their periodicity

| S.No. | Name of Item/Activity                                                                                                                          | Frequency of operations in one year    |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| 1     | Restoration of rain cuts and dressing of berms.                                                                                                | Once in a year, generally after rains. |
| 2     | Making up of shoulders.                                                                                                                        | As and when required.                  |
| 3     | Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.                          | As and when required.                  |
| 4     | Insurance of proper functioning of drains including civil maintenance and desilting of drains. (If constructed by the same Road agency or not) | As and when required.                  |

|   |                                                                    |                                                                                                                                                                                                                                        |
|---|--------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5 | Maintenance of road signs. (If installed by the same Road agency)  | Maintenance as and when required. Repainting <b>once in every one and half years.</b>                                                                                                                                                  |
| 6 | Road Marking, Kerb Stone / Dand. (If done by the same Road agency) | <b>Thermoplastic Paint</b><br><br>Maintenance as and when required. Repainting <b>once in every one &amp; a half years.</b><br><br><b>Ordinary Paint</b><br>Maintenance as and when required. Repainting <b>thrice in every years.</b> |
| 7 | Damages beyond control of agency.                                  | Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by agency on the same rates of the contract agreement till DLP.                                                                   |

## 2. General

### 2.1 Inspection of works during Defect Liability Period

2.1.1 The contracting agency shall undertake joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of emergency. The Contracting agency shall forward to the Engineer-in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particular attention on those road sections, which are likely to be damaged during rainy season.

2.1.2 One register has to be maintained by every A.E.n for recording the inspection details of works in his jurisdiction under defect liability period.

## 2.2 Conditions regarding Security Deposit

### 2.2.1 Security for DLP-

The contracting agency shall have to furnish security deposit (SD) in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

### 2.2.2 The release of SD amount shall be as per following table :-

| S.No. | Released SD \ DLP Period | 1 Year | 2 Years | 3 Years | 5 Years |
|-------|--------------------------|--------|---------|---------|---------|
| 1.    | After 1 year             | 100%   | 40%     | 20%     | 10%     |
| 2.    | After 2 year             |        | 60%     | 20%     | 10%     |
| 3.    | After 3 year             |        |         | 60%     | 10%     |
| 4.    | After 4 year             |        |         |         | 20%     |
| 5.    | After 5 year             |        |         |         | 50%     |

The Security Deposit will be release as per above table after satisfactory performance certificate issued by Engineer-In-Charge:-

### 2.2.3 Forfeiture of SD

In case contracting agency fails to rectify the defects within stipulated period notified to him by the Engineer-in-charge concerned under contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

### 2.2.4 Force Majeure The defect arises due to earthquake, cyclone, and natural calamities shall not be the responsibly of contracting agency.

### 2.2.5 Various condition for managing DLP are as under :-

- At the time of completion of work, final componnt shall be worked out for each individual item like BT/CC/tiles/drains etc (as per different categories in Table-I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work cresses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual items.
- Similarly if any work is more than Rs. 25 lacs but after finalization amount or work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is late.
- During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted. From JDA for three years as per RTPP rule 2012 and 2012A where he defaults twice in a single agreement or in two different works.
- Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.

(vi) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En. & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRULAR 2006/D-115 dated 04.05.2006 Point no. 3.

(vii) In case JDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted:

- (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt. as per following table.

| % Recovery on withdrawal of DLP of work order<br>DLP period | 1 Year | 2 Year | 3 Year | 4 Year | 5 Year |
|-------------------------------------------------------------|--------|--------|--------|--------|--------|
| 1 Year                                                      | 1.12   | -      | -      | -      | -      |
| 2 Year                                                      | 2.55   | 1.43   | -      | -      | -      |
| 3 Year                                                      | 4.38   | 3.26   | 1.83   | -      | -      |
| 5 Year                                                      | 9      | 7.88   | 6.45   | 4.62   | 2.47   |

Note :- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than total retained amt. of SD same shall be recovered from other works and as per PDR rules. The amount as per Table III is also to be deducted in addition to this amount.

(viii) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE's after approval of these periods.

Signature of contractor with  
Full address.

**Executive Engineer –12A**  
**JDA, Jaipur.**

## **Annexure A: Compliance with the Code of Integrity and No Conflict of Interest**

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anticompetitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

### **Conflict of interest.-**

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

**(i)** A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

## **Annexure B: Declaration by the Bidder regarding Qualifications**

### **Declaration by the Bidder**

In relation to my/our Bid submitted to .....for procurement of .....in response to their Notice inviting Bids No.....Dated.....I/we .....hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that :

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date :

Place :

Signature of bidder

Name :

Designation :

Address :

## **Annexure C : Grievance Redresser during Procurement Process**

The designation and address of the First Appellate Authority is **JDC**

The designation and address of the Second Appellate Authority is **Executive Committee**

### **(1) Filing an appeal:-**

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

### **(4) Appeals not to lie in certain cases:-**

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely:-

- (a) Determination of need of procurement
- (b) Provisions limiting participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

### **(5) Form of Appeals:-**

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee,
- (c) Every appeal may be presented to first appellate authority or second appellate authority, as the case may be, in person or through registered post or authorised representative.

### **(6) Fee for filing Appeal:-**

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a scheduled bank in India payable in the name of appellate authority concerned.

### **(7) Procedure for disposal of Appeal:-**

- (a) The first appellate authority or second appellate authority as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing
- (b) On the date fixed for hearing, the first appellate authority or second appellate authority, as the case may be shall-
  - (i) hear all the parties to appeal present before him; and
  - (ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

## **Annexure D :Additional Conditions of Contract**

### **1. Correction of arithmetical errors**

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the procuring entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

### **2. Procuring Entity's Right to Vary quantities.**

- (i) At the time of award of contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provide in the conditions of contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

### **3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-**

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

**FORM No. 1**  
**[see rule 83]**

**Memorandum of Appeal under the Rajasthan  
Transparency in Public procurement Act, 2012**

Appeal No.....of .....Before  
the.....(First/Second Appellate authority)

- 1- Particulars of appellant :  
(i) Name of the appellant :  
(ii) Official address, if any:  
(iii) Residential address :
- 2- Name and address of the respondent(s):  
(i)  
(ii)  
(iii)
- 3- Number and date of the order appealed  
against and name and designation of the  
office/authority who passed the order  
(enclose copy), or a statement of a decision,  
action or omission of the procuring Entity  
in contravention to the provisions of the Act  
by which the appellant is aggrieved:
- 4- If the Appellant propose to be represented by  
a representative the name and postal address  
of the representative:
- 5- Number of affidavits and documents enclosed  
with the appeal:
- 6- Grounds of appeal : .....  
(Supported by an affidavit)
- 7- Prayer : .....

Place : .....

Date : .....

**Appellant's Signature**


क्रमांक : एफ.2(1)वित्त/जीएण्डटी-एसपीएफसी/2017 जयपुर, दिनांक : 23.12.2020

### परिपत्र

वित्त विभाग की अधिसूचना क्रमांक एफ. 2(1)वित्त/जीएण्डटी - एसपीएफसी/2017 दिनांक 18.12.2020 द्वारा आरटीपीपी नियम, 2013 के नियम 42(2) में संशोधन करते हुए आमंत्रित की जाने वाली आगामी बोलियों के संदर्भ में दिनांक 31.12.2021 तक बिड सिक्यूरिटी राशि प्राप्त नहीं करने एवं इसके स्थान पर बिड सिक्यूरिटी के संबंध में घोषणा पत्र (Declaration) प्राप्त करने का प्रावधान किया गया है।


चूंकि उक्त नियमों में बिड सिक्यूरिटी राशि के स्थान पर बिड सिक्यूरिटी के संबंध में घोषणा पत्र (Declaration) प्राप्त करने का नवीन प्रावधान किया गया है। अतः समस्त उपापन संस्थाओं के उपयोगार्थ बिड सिक्यूरिटी के संबंध में लिए जाने वाले घोषणा पत्र (Declaration) का मानक प्रारूप संलग्न प्रेषित है। राजस्थान स्टाम्प अधिनियम, 1998 की धारा 3 सपठित अनुसूची के अनुच्छेद 4 के अनुसार घोषणा पत्र (Declaration) पर 50/- रुपये स्टाम्प ड्यूटी देय है तथा इस स्टाम्प ड्यूटी की राशि पर नियमानुसार 30 प्रतिशत सरचार्ज देय है। अतः समस्त उपापन संस्थाओं को निर्देशित किया जाता है कि बिड सिक्यूरिटी के संबंध में प्रस्तुत किए जाने वाले घोषणा पत्र (Declaration) पर उक्तानुसार राजस्थान राज्य में स्टाम्प ड्यूटी एवं सरचार्ज का भुगतान सुनिश्चित करावें।

संलग्न- उपरोक्तानुसार

  
(हिमेल कुमार गुप्ता)  
संयुक्त शासन सचिव

प्रतिलिपि निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. सचिव, राज्यपाल/प्रमुख सचिव, मुख्यमंत्री/विशिष्ट सहायक समस्त मंत्रीगण/राज्य मंत्रीगण।
2. उप सचिव, मुख्य सचिव/भिवी सचिव, समस्त आति, मुख्य सचिव/प्रमुख शासन सचिव/ शासन सचिव/विशिष्ट शासन सचिव।
3. सचिव, राजस्थान विधानसभा, राजस्थान, जयपुर।
4. सचिव, लोकसुलुक्त सचिवालय, राजस्थान, जयपुर।
5. सचिव, राजस्थान लोक सेवा आयोग, अजमेर।
6. रजिस्ट्रार, राजस्थान उच्च न्यायालय जोधपुर/जयपुर।
7. प्रधान महालेखाकार ए एण्ड ई राजस्थान जयपुर।
8. प्रधान महालेखाकार ऑडिट राजस्थान जयपुर।
9. समस्त संयुक्त शासन सचिव/उप शासन सचिव/सचिवालय के समस्त अनुभाग/विभाग।
10. समस्त विभागाध्यक्ष/जिला कलक्टर/संभागीय आयुक्त।
11. रजिस्ट्रार, राजस्थान सिविल सेवा अपील अधिकरण, जयपुर।
12. समस्त वित्तीय सलाहकार/मुख्य लेखाधिकारी।
13. समस्त कोषाधिकारी।
14. समस्त उपापन संस्थाएं।
15. तकनीकी निदेशक वित्त विभाग को भेजकर लेख है परिपत्र को वित्त विभाग की वेबसाईट पर प्रकाशित करवाने की व्यवस्था करावें।
16. रक्षित पत्रावली।

  
23/12/2020  
संयुक्त शासन सचिव

## Form of Bid-Securing Declaration

Date :  
Bid No. :  
Alternative No. :

To :  
\_\_\_\_\_  
\_\_\_\_\_

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we are required to pay the bid security amount specified in the Term and Condition of Bid, in the following cases, namely :-

- (a) when we withdraw or modify our bid after opening of bids;
- (b) when we do not execute the agreement, if any, after placement of supply/work order within the specified period;
- (c) when we fail to commence the supply of the goods or service or execute work as per supply/work order within the time specified;
- (d) when we do not deposit the performance security within specified period after the supply/work order is placed; and
- (e) if we breach any provision of code of integrity prescribed for bidding specified in the Act and Chapter VI of these rules.

In addition to above, the State Government shall debar us from participating in any procurement process undertaken for a period not exceeding three years in case where the entire bid security or any part thereof is required to be forfeited by procuring entity.

We understand this Bid Securing Declaration shall expire if :-

- (i) we are not the successful Bidder;
- (ii) the execution of agreement for procurement and performance security is furnished by us in case we are successful bidder;
- (iii) thirty days after the expiration of our Bid.
- (iv) the cancellation of the procurement process; or
- (v) the withdrawal of bid prior to the deadline for presenting bids, unless the bidding documents stipulate that no such withdrawal is permitted.

Signed : \_\_\_\_\_

Name : \_\_\_\_\_


In the capacity of : \_\_\_\_\_

Duly authorized to sign the bid for and on behalf of :

Dated on        day of

Corporate Seal \_\_\_\_\_

[Note: In case of a Joint Venture, the Bid Securing Declaration must be signed in name of all partners of the Joint Venture that is submitting the bid.]





# जयपुर विकास प्राधिकरण, जयपुर

www.jda.urban.rajasthan.gov.in

क्रमांक जविप्रा/अधि. अभि./त.स.नि.अ.-1/2021/डी-65

दिनांक :- 22/7/2021

## कार्यालय आदेश

विषय :- जविप्रा में निविदाओं में BSR Rates से कम दर डालने पर अन्तर राशि जमा कराने बाबत।


जयपुर विकास प्राधिकरण, जयपुर में आमंत्रित की जाने वाली निविदाओं के सम्बन्ध में यह आदेश जारी किए जाते हैं कि जविप्रा में Prevalent BSRs या जिस भी BSR पर निविदाएं आमंत्रित की गयी हैं उस में जी-शिडयूल पर BSR Rate से कम दर डालने वाले संवेदकों से अन्तर राशि (at Par की दर से जितनी कम है) "Work Performance Guarantee" के रूप में कार्य प्रारम्भ करने से पूर्व ली जायेगी तथा इसे कार्य के सन्तोषजनक रूप से पूर्ण होने के पश्चात् वापस लौटा दिया जायेगा। न्यूनतम दर वाले बोलीदाता की बोली स्वीकृत कर Letter of acceptance जारी किया जायेगा एवं बी.एस.आर. दर से कम दर की अन्तर राशि की BG/FDR/NSC प्रस्तुत करने हेतु 14 दिवस का समय दिया जायेगा। जमा नहीं कराने पर BID Security की राशि नियमानुसार जब्त होगी। यदि संवेदक "Work Performance Guarantee" जमा कराने के पश्चात् कार्य संतोषजनक रूप से पूर्ण नहीं करता है तो उसकी "Work Performance Guarantee" की राशि जविप्रा द्वारा जब्त कर ली जायेगी व अनुबन्ध के तहत अन्य कार्यवाही भी संपादित की जावेगी।

The following condition be made part of the tender document-

"If any bidder quotes a rate below than the schedule "G" rates, i.e rates below than "at par", then the bidder has to deposit the difference amount i.e difference amount of the rates as per "at par" and quoted "below", as "Work Performance Guarantee". This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G/FDR/NSC. The validity of these shall be for a period three months beyond the stipulated date for completion/ actual date of completion and shall have to be extended time to time up to actual completion of work as per requirement. In case of non deposition of the same in specified period, the Bid Security will be forfeited. In case work is not completed satisfactorily, the "Work Performance Guarantee" will be forfeited and other action will be taken as per Contract Agreement."

उपरोक्त आदेश तुरन्त प्रभाव से लागू किया जाता है। यह आदेश उन सभी निविदाओं पर प्रभावी होगा जो कि भविष्य में जारी होंगी तथा वो निविदाएं जो इस आदेश के जारी होने की दिनांक तक अप्राप्त हैं। इस सम्बन्ध में निविदा दस्तावेजों में आवश्यक संशोधन तुरन्त अधिशाषी अभियन्ताओं द्वारा किया जावेगा व नवीन सभी निविदाओं में भी उक्त शर्तों का समावेश किया जाना सुनिश्चित किया जावे।

उक्त आदेश सक्षम स्तर से पुष्ट है।

  
निदेशक (अभियांत्रिकी-प्रथम)  
जविप्रा, जयपुर

रामकिशोरव्यासभवन, इन्दिरासर्किल, जवाहरलालनेहरूमार्ग, जयपुर-302004

दूरभाष :- ईपीवीएक्स - +91-141-2569696 एक्सटेंशन: (7209); फैक्स- +91-141-2574555

e-Mail : {sudhirsharma.jda@rajasthan.gov.in}

**Name Of Work : Development work in Shamshan in Akedachod G.P. Bhatto ki Gali zone-12A JDA Jaipur.**

| Sr. No | Particulars                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Quantity  | Unit | Rate     | Amount      |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------|----------|-------------|
| 1      | Earth work in excavation by mechanical means (Hydraulic excavator )/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sum on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m , disposed earth to be levelled and neatly dressed:<br>All kinds of soil                                                                                                                                                                                                                                                                         | 235.710   | cum  | 109.80   | 25,880.96   |
| 2      | CEMENT CONCRETE (CAST-IN-SITU)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |      |          |             |
| 2.1    | Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level.                                                                                                                                                                                                                                                                                                                                                                                              |           |      |          |             |
|        | 4) M10 grade Nominal Mix<br>1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 28.931    | cum  | 2,398.50 | 69,391.00   |
| 3      | CAST-IN-SITU CONCRETE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |           |      |          |             |
| 3.1    | Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers( if required) excluding the cost of centering, shuttering and reinforcement.<br>M20 grade Nominal Mix / Design Mix                                                                                                                                                                                     | 19.548    | cum  | 2,961.00 | 57,881.63   |
| 3.2    | Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers (if required ) excluding the cost of centering, shuttering and reinforcement for Walls (any thickness) including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc.<br>M20 grade Nominal Mix / Design Mix                   | 8.708     | cum  | 3,673.80 | 31,991.45   |
| 3.3    | Providing and laying in position specified grade of cement concrete for RCC structural elements upto floor five level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers( if required) excluding the cost of centering, shuttering and reinforcement for Beams, suspended floors, roofs, grids having slopes up to 15°, landings, balconies, shelves, chajjas, lintels, bands, plain windows sills, staircases and spiral staircases etc.<br>M20 grade Nominal Mix / Design Mix | 21.804    | cum  | 3,232.80 | 70,487.97   |
| 4      | FORMK WORK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |           |      |          |             |
| 4.1    | Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft , bases of columns etc.                                                                                                                                                                                                                                                                                                                                                                                         | 85.560    | sqm  | 99.00    | 8,470.44    |
| 4.2    | Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for :                                                                                                                                                                                                                                                                                                                                                                                                              |           |      |          |             |
|        | 2) Suspended floors, roofs, landings, staircases, balconies, girders, cantilevers, bands, coping bed plates, anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.                                                                                                                                                                                                                                                                                                                                                                                                               | 152.670   | sqm  | 212.40   | 32,427.11   |
|        | 3) Columns, pillars, posts and struts etc.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 28.800    | sqm  | 234.00   | 6,739.20    |
| 5      | STEEL REINFORCEMENT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |      |          |             |
| 5.1    | Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level.                                                                                                                                                                                                                                                                                                                                                                                  |           |      |          |             |
|        | 3) Thermo-mechanically Treated bars (Conforming of relevent IS code)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 6,007.200 | Kg   | 62.10    | 3,73,047.12 |
| 6      | Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick wall in:                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |           |      |          |             |
| 6.1    | Cement Mortar 1:6 ( 1-Cement : 6-Sand).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 110.322   | cum  | 1,770.30 | 1,95,303.04 |

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |     |           |                     |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----|-----------|---------------------|
| 7                       | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting (height upto 10 m) , fixing in position and applying a priming coat of approved steel primer all complete:                                                                                                                                                                                                                                                                                                                  | 5,250.000 | Kg  | 59.40     | 3,11,850.00         |
| 8                       | CEMENT PLASTER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |           |     |           |                     |
| 8.1                     | Plaster on new surface on wall in cement sand mortar 1:3 including racking of joints etc. complete fine finish :                                                                                                                                                                                                                                                                                                                                                                                                                                       |           |     |           |                     |
|                         | 2) 20mm thick                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 142.800   | sqm | 121.50    | 17,350.20           |
| 9                       | GALVANISED IRON SHEET ROOFING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |           |     |           |                     |
| 9.1                     | Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead and including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (upto any pitch in horizontal/ vertical or curved surfaces) excluding the cost of purlins, rafters and trusses and including cutting to size and shape whenever required.                     |           |     |           |                     |
|                         | ii) 0.80 mm thick with zinc coating not less than 275 gm/m2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 258.000   | sqm | 500.40    | 1,29,103.20         |
| 10                      | CEMENT CONCRETE FLOORING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |           |     |           |                     |
| 10.1                    | Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, making of lines or groove etc complete but excluding the cost of nosing of steps etc. complete.                                                                                                                                                                                                                                                                                             |           |     |           |                     |
|                         | 2) 75mm thick with 20mm thick nominal size aggregate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 81.000    | sqm | 286.20    | 23,182.20           |
| 11                      | SAND STONE FLOORING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |           |     |           |                     |
| 11.1                    | Random rubble dry stone Kharanja under floor.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 309.450   | cum | 581.40    | 1,79,914.23         |
| 12                      | Interlocking Concrete Block Pavement with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks (measurments shall be made inner to inner side of edge blocks)                                                                                                                                                                                                                                                                                                                                                                                         |           |     |           |                     |
| 12.1                    | Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 100 mm as per drawings and MoRD Specification Clause 1504 with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks.                                                                                                                                                                                                                                                                                                                                        |           |     |           |                     |
|                         | B) Category 'B' : Dentated only two side like I,Z,T shape as per IRC:SP:63-2004                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 248.000   | sqm | 877.50    | 2,17,620.00         |
| 13                      | Providing and laying Precast reinforced cement concrete Box culvert section of M-40 grade designed for 'AA' class loading as per IRC specifications including to effect of impact, EQ etc. complete on form base of 200mm thick lean concrete of M-10 grade with aggregate of size 40mm nominal of following internal size the work includes required safety measures construction of drain for diversion of flowing water cost of design of RCC Precast Box and its proof checking from IIT/MNIT Jaipur complete in all respect as per specifications |           |     |           |                     |
| 13.1                    | Size 2.00 M x 2.00 M                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 2.000     | Rmt | 44,315.00 | 88,630.00           |
| 14                      | KOTA STONE FLOORING                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |           |     |           |                     |
| 14.1                    | Kota stone slab flooring 25 mm thick over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand)                                                                                                                                                                                                                                                                              |           |     |           |                     |
|                         | 2) For area of each slab from 2001 to 5000 Sq.Cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 113.000   | sqm | 638.10    | 72,105.30           |
| <b>Total Amount Rs.</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |           |     |           | <b>19,11,375.05</b> |

I/We hereby agree to execute the work @.

% Above/Below/At Par of Schedule G.

**Executive Engineer Zone 12 A**

Signature of the Contractor With full Post Address & Mobile No.

**Contractor**

**Executive Engineer**