#### Detailed NIB NIB No. EE-9/14/2021-22

Name & Address of the Procuring Entity	<ul> <li>Name: Executive Engineer, Zone-9, Jaipur Development Authority</li> <li>Address: Room No. 122, Main Building, Ist Floor, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur - 302004 (Rajasthan)</li> </ul>
Subject Matter of Procurement	Repair of Mahal road and other beautification works for "Invest Rajasthan Summit- 2022", Zone-9, JDA, Jaipur.  Job No.: 281/2021-22
Time Period	45 Days
Bid Procedure	Single stage open competitive E bid procedure at www.eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	Least Cost Based Selection (LCBS)-L1
Website for online bid application participation and payment*	<ul> <li>➤ Website: www.jda.urban.rajasthan.gov.in</li> <li>➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing fee and Bid Security Deposit, online only.</li> <li>o Bidding document fee: Rs. 1,000/- Rupees (Rs. One Thousand only)</li> <li>o RISL Processing fee: Rs. 1,000/- Rupees (Rs. One Thousand only)</li> <li>o Requisite Bid Security Deposit.</li> </ul>
Estimated Procurement Cost	> INR 99,50,000/- (Rs. Ninety Nine Lacs Fifty Thousand Only)
Bid Security Deposit *	➤ Submit EMD Declaration form on Stamp Rs. 50/-
Applying Bid and marking Online Payment on JDA portal (www.jda.urban.rajasthan.gov.in)	➤ Start Date: 04.12.2021  ➤ End Date: 13.12.2021 at 06.00 PM
Bid Submission on e-Procurement Portal of GOR (www.eproc.rajasthan.gov.in)	➤ Start Date: 04.12.2021  ➤ End Date: 13.12.2021 at 06.00 PM
Date/Time/Place of Bid Opening	<ul> <li>➤ 15.12.2021 at 11:00 AM</li> <li>➤ Room No. 122, Main Building, Ist Floor, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur - 302004 (Rajasthan)</li> </ul>
Bid Validity	120 days from the bid submission deadline

<sup>\*</sup> Jaipur Development Authority has decided to receive Earnest Money Deposit (EMD) (Bid Security), Tender fee and RISL Processing Fee online through JDA Portal. The bid security options available in tender for participants are as mentioned below:-

#### A. Payment Options:

Option-1: Bank Guarantee (BG) against EMD/Bid Security

Bidder may opt Bank Guarantee (BG) against EMD (Bid Security), for which bidder requires to prepare BG before applying in the tender. The details of BG requires to be fed on JDA portal before paying balance amount (Tender Fee + RISL Processing Fee). This amount will be paid through **Payment Gateway only**, option to make balance payment through EFT (RTGS/NEFT) will not be available.

If bidder does not opt for BG against EMD, options of making complete payment through Payment Gateway or through EFT (NEFT / RTGS) will be available.

Option-2: Electronic Fund Transfer (EFT:NEFT/RTGS)

If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

Option-3: Payment Gateway (Aggregator)

The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.

B. Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt on the basis of which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the "Bid Participation Receipt" will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) "Bid Participation Receipt" will be available on Login of Bidder on JDA portal.

#### Note:

- Bidder (authorized signatory) shall submit their offer on-line in Electronic formats both for technical and financial proposal.
- In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3. To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e. TCS, Safecrypt, Ncode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://eproc.rajasthan.gov.in (bidders already registered on http://www.eproc.rajasthan.gov.in before 30-09-2011 must register again).
- 4. JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
- Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR
  on a regular basis. Bidders interested for training may contact e-Procurement Cell, DoIT&C for booking the training
  slot.
  - Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: <a href="mailto:eproc@rajasthan.gov.in">eproc@rajasthan.gov.in</a> Address : e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur
- 7. The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8. No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10. The provisions of RTPPA Act 2012 and Rules 2013 thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

Executive Engineer-9
JDA, Jaipur
Procuring Entity

#### OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

#### SHEDULE AND SPECIFICATIONS

1. Name of work

:- Repair of Mahal road and other beautification works for "Invest Rajasthan Summit- 2022", Zone-9, JDA, Jaipur.

2. NIB No.

:- EE-9/14/2021-22

3. Approximate cost

:- Rs. 99.50.00 lacs

4. Cost of the tender documents

:- Rs. 1000.00 (In favour of Secretary, JDA, Jaipur)

5. Earnest Money

:- EMD/ BID declaration form

6. E-procurement charges

:- Rs. 1000.00 (In favour of M.D. R.I.S.L., Jaipur)

7. Sale of tender documents

: - 04.12.2021 to 13.12.2021

8. Date & Time of receiving tenders

: - 04.12.2021 to 13.12.2021 upto 06.00 P.M.

9. Date & Time of opening tenders

: - 15.12.2021 at 11:00 A.M.

10. Completion period of work

: - 45 days.

#### SCHEDULE 'A': INFORMATION USEFUL FOR THE CONTRACTORS:

The tender should see the site and fully understand the condition of the site before tendering and include all lead, lifts etc. for the material in his item rate /percentage to be quoted on the rates as given in the schedule 'G' Then work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer-In charge of the work.

#### SCHEDULE 'B': LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT:

The drawing may be seen in office of the undersigned.

#### SCHEDULE 'C': LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR:

List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after depositing necessary cost within JDA.

#### SCHEDULE 'D': TEST OF THE MATERIALS:

The test of the material and workmanship shall be conducted by the JDA staff as necessary, The result of such tests should confirm to the standard laid down in the Indian standards and or the standards laid down in the detailed specification of the Public Works Deptt, Proper quality control is required to be maintained by the contractor qualified personnel as required under the contractor enlistments rules duly approved by the Deptt. shall have to be engaged at site by the contractor. The deptt. reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

#### SCHEDULE 'E': SAMPLES OF THE MATERIALS:

The samples of the material to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

#### SCHEDULE 'F': TIME OF COMPLETION:

The work should start within stipulated period given in the work order and should be completed within the prescribed time period. In case of failure, the Contractor shall be liable for action under the conditions of agreement and special conditions of the tender.

#### SCHEDULE 'G': ATTACH SEPARATELY BASED ON BSR JDA, NH, JAIPUR.

#### SCHEDULE 'H': SPECIAL CONDITION: ATTACHED SEPARATELY.

Annexure A: Compliance with the code of Integrity and No Conflict of Interest

Annexure B: Declaration by the Bidder regarding Qualifications

Annexure C: Grievance Redressal during Procurement Process

Annexure D: Additional Conditions of Contract

SIGNATURE OF CONTRACTOR

with full address & Mobile No. :

**EXECUTIVE ENGINNER-9** 

Jaipur Development Authority,

Jaipur

#### SPECIAL CONDITIONS

#### SCHEDULE 'H'

- 01. If there is any typographical error or otherwise in the 'G' Schedule the rate given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
- 02. The contractor shall follow the contractor labour regulation and abolition Act 1970 & Rule1971.
- 03. The JDA shall have right to cause an audit technical examination of the work and the final bills of the contractor including all supporting vouchers, abstract etc. to be made within two years after payment of the final bills and if as a result such audit any amount is found to have been over paid / excess in respect of any work done by the contractor under the contract or any work claimed by him to have been done under this contract and found not to have been executed the contractor shall be liable to refund such amount and it shall be lawful for the JDA to recover such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the contractor was paid less then that was due to him under the contract in respect of work executed by him under it, the amount of such under payment shall be paid by the JDA to the contractor.
- 04. The contractor shall not work after the sunset and before sunrise without specific permission of the authority Engineer.
- 05. Wherever any claim against the contractor for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the security deposit of the contractor, In the event of the security being insufficient or if no security has been taken from the contractor then the balance of the total sum recoverable as the case may shall be deducted from any sum then due or which at any time there contract with the JDA should this sum be sufficient to recover the full amount recoverable. The contractor shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
- 06. The rate quoted by the contractor shall remain valid for a period of 4 (Four) months from the date of opening of the tenders.
- 07. By submission of this tender the contractor agree to abide with all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
- 08. No conditions are to be added by the contractor and conditional tender is liable to be rejected.
- 09. All transaction in this execution of this work and this tender will be liable to Sale-Tax vide section. 2(B) read with sub-clause (4) Sale-tax Rule, 1954.
- 10. If any tenderer withdraws his tender prior to expiry of said validity period given at S.No. 6 or mutually extended period or makes modifications in the rate, terms and conditions of the tended within the said period which are not acceptable to the department or fails to commence the work in the specified period, fails to execute the agreement and fails to furnish performance guarantee the department shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of earnest money given in any form absolutely. If any contractor, who having submitted a tender does not execute the agreement or start the work or dose not complete the work and the work has to be put to retendering he will stand debarred from participating in such retendering in addition to forfeiture of Earnest Money / Security Deposit / Performance Guarantee and other action under agreement
- 11. The contractor shall arrange his own machinery required for the work such as Bitumen Mixer, Hot Mix plants and paver, road roller, Tar boiler, sprayer etc.
- 12. Rules regarding enlistment of contractor provide that work up to the times limit for which they are qualified for tendering can be allotted to them, Therefore, before tendering the contractor will keep this in mind, and submit the details of the work. Tenders with incomplete or incorrect information are liable to be rejected.

- 13. Any material not conforming to the specifications collected at site have to be removed by the contractor within a period of 3 days of the instruction, issued by do Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the contractor after expiry of 3 days period.
- 14. The material collected at site and paid provisionally shall remain under and ward of the contractor till it is consumed, fully on the work.
- 15. The rates provided in tender documents are inclusive of all Taxes and royalty.
- 16. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule Source/borrow pit area for earth shall have to be arranged by the Contractor at his own cost.
- 17. Undersigned has full right to reject any or all tenders without given any reasons.
- 18. As per Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the act.
- 19. The bidders are required to submit copy of their enlistment as contractor.
- 20. Conditions of RPWA-100 will be mandatory & acceptable to the contactor.
- 21. Any bid received with unattested cutting/ overwriting in rates shall be rejected and such bidder will be debarred from biding for three months in JDA.
- 22. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 will be applicable. If there is any contradictions in existing special conditions and provisions of The Rajasthan Transparency in Public Procurement Act, 2012 and Rules, 2013, the provisions of RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 shall be applicable.
- 23. The bidders also submitted the copy of contractor Registration, GST and Payment slip (issued by JDA online tender portal) alongwith EMD/ BID declaration Non Judicial stamp of Rs. 50/-as per order issued by finance department (GF&AR) GoR dated 23.12.2020.
- 24. If any bidder quotes a rate below than the schedule "G" rates, i.e. rates below than "at par", then the bidder has to deposit the difference amount as per i.e. difference amount of the rates as per "at par" and quoted "below", as "work Performance Guarantee". This amount has to be deposited before the commencement of work and will be refunded after successful completion of work. Lowest bidder will be issued LOA (Letter of Acceptance) and within 14 days period he has to deposit difference amount in the form of B.G./FDR/NSC. The validity of these shall be for DLP period beyond the stipulated date for completion/actual date of completion and shall have to be extended time to time up to actual completion of work as per requirement. In case of non deposition of the same in specified period, the Bid Security will be forfeited. In case work is not completed satisfactorily, the "Work Performance Guarantee" will be forfeited and other action will be taken as per Contract Agreement" (UDH, order no. प. 01(24)नविव/1/2020 लूज दिनांक 20.09.2021)

Signature of Contractor with full address & Mobile No.

Executive Engineer -9
JDA, Jaipur.

## General conditions for using quality brands

- 1. It is advisable that thermoplastic paint should be used as manufactured from Asian, Berger, Shalimar or equivalent.
- 2. It is advisable that synthetic enamel paint should be used as manufactured from Asian, Berger, ICI dulux or equivalent.
- 3. It is advisable that acrylic smooth exterior paint should be used as manufactured from Asian, Berger, ICI dulux or equivalent.

Executive Engineer-9 JDA, Jaipur Procuring Entity

# ANNEXURE '1': SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR WORKS COSTING RS. 25.00 LACS AND MORE.

#### The routine maintenance activities and their periodicity (For work executed only)

S. No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desalting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs.	Maintenance as and when required. Repainting once in every two years.
6	Road Marking, Kerb Stone/ Dand.	Thermoplastic Paint  Maintenance as and when required. Repainting once in every One & half (1½) years.  Ordinary Paint  Maintenance as and when required. Repainting thrice in every years.
7	Damages beyond control of agency.	Road cuts made by various agencies for utility, duly permitted by JDA/JNN will have to be repaired by agency on the same rates of the contract agreement till DLP.

#### 1. General

#### 1.1 Inspection of works during Defect Liability Period

1.1.1 The contracting agency shall undertake joint detailed inspection along with Engineer-incharge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of emergency. The Contracting agency shall forward to the Engineer-in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particulars attention on those road sections, which are likely to be damaged during rainy season.

1.1.2 One register has to be maintained by every A.En for recording the inspection details of works in his juridiction under defect liability period.

#### 1.2 Conditions regarding Security Deposit

#### 2.2.1 Security for DLP-

The contracting agency shall have to furnish security deposit (SD) in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

#### 1.2.2 Refund of SD -

The Security Deposit will be release as per office order no. JDA/Ex.En.(TA to Dir.Engg.-I)/2016/D-29 dated 11.03.2016 (Copy enclosed) of Director Engineer-I after satisfactory performance certificate issued by Engineer-In-Charge.

#### 1.2.3 Forfeiture of SD

In case contracting agency fails to rectify the defects within stipulated period notified to him by the Engineer-in-charge concerned under contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

#### 1.2.3 Force Majeure

The defect arises due to earthquake, cyclone, and natural calamities shall not be the responsibly of contracting agency.

SIGNATURE OF CONTRACTOR WITH FULL ADDRESS:

EXECUTIVE ENGINEER -9,
JDA, JAIPUR

#### Annexure A: Compliance with the code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall -

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit the misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

#### Conflict of Interest:-

The Bidder participating in a bidding process must not have a Conflict of interest.

A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

- i. A Bidder may be considered to be in Conflict of Interest with one or more parties in a bidding process if, including but not limited to:
  - a. Have controlling partners/shareholders in common; or
  - b. Receive or have received any direct or indirect subsidy from any of them; or
  - c. Have the same legal representative for purposes of the Bid; or
  - d. Have a relationship with each other; directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
  - e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or

- f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Goods, Works or Services that are the subject of the Bid; or
- g. Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-in-charge/ consultant for the contract.

## Annexure B: Declaration by the Bidder regarding Qualifications

### **Declaration by the Bidder**

	tion to my/our Bid submitted to
2. 1 3. 1 4. 1 5. 1	We possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity; We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document; We are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended ant not the subject of legal proceeding for any of the foregoing reasons;  We do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement Contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;  We do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;
Date	Signature of bidder
Plac	e: Name:
	Designation :
	Address:

#### Annexure C: Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority is JDC, JDA, Jaipur.

The designation and address of the Second Appellate Authority is EC, JDA, Jaipur.

#### (1) Filing an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules or the Guidelines issued thereunder, he may file an appeal to First Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under para (1) shall deal with the appeal as expeditiously as possible and shall endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the Procuring Entity is aggrieved by the order passed by the First Appellate Authority, the Bidder or prospective bidder or the Procuring Entity, as the case may be, may file a second appeal to Second Appellate Authority specified in the Bidding Document in this behalf within fifteen days from the expiry of the period specified in para (2) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be.

#### (4) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- (a) Determination of need of procurement;
- (b) Provisions limiting participation of Bidders in the Bid process;
- (c) The decision of whether or not to enter into negotiations;
- (d) Cancellation of a procurement process;
- (e) Applicability of the provisions of confidentiality.

#### (5) Form of Appeal

- (a) An appeal under para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- (c) Every appeal may be presented to First Appellate Authority or Second Appellate Authority, as the case may be, in person or through registered post or authorized representative.

#### (6) Fee for filing appeal

- (a) Fee for first appeal shall be rupees two thousand five hundred and for second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of Appellate Authority concerned.

#### (7) Procedure for disposal of appeal

- (a) The First Appellate Authority or Second Appellate Authority, as the case may be, upon filing of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- (b) On the date fixed for hearing, the First Appellate Authority or Second Appellate Authority, as the case may be, shall,-
  - (i) Hear all the parties to appeal present before him; and
  - (ii) Peruse or inspect documents, relevant records or copies there of relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority concerned shall pass and order in writing and provide the copy of order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the State Public Procurement Portal.

#### FORM No. 1

[See Rule 83]

### Memorandum of Appeal under the Rajasthan Transparency in Public Procurement Act, 2012

Appeal No of
Before the (First/Second Appellate Authority)
1. Particulars of appellant:
(i) Name of the appellant :
(ii) Official address, if any:
(iii) Residential address :
2. Name and address of the respondent (s):
(i)
(ii)
(iii)
3. Number and date of the order appealed against and name and designation of the officer/authority who passed the order (enclose copy), or a statement of a decision, action or omission of the Procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
4. If the Appellant proposes to be represented by a representative, the name and postal
address of the representative:
5. Number of affidavits and documents enclosed with the appeal:
6. Grounds of appeal :
(Supported by an affidavit)
7. Prayer:
Place
Date

Appellant's Signature

#### Annexure D: Additional Conditions of Contract

#### 1. Correction of arithmetical errors

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. It there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

#### 2. Procuring Entity's Right to Vary Quantities

- (i) At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified percentage, but such increase or decrease shall not exceed twenty percent, of the quantity specified in the Bidding Document. It shall be without any change in the unit prices or other terms and conditions of the Bid and the conditions of contract.
- (ii) If the Procuring Entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- (iii) In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50% of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

## 3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the

Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

## JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

No. JDA/Ex.En. (TA to Dir. Engg.-I)/2016/D-29

Dated: 11/3/2016

#### Office Order

Subject: - DLP period for various type of works.

As per the decision taken in the 201st meeting of Executive Committee held on 23.02.2016 w.r.t. agenda no. 201:22, DLP period of various natures of works amounting more than Rs. 25 lakhs has been revised as per following time periods based on nature of works.

This order will supersede the earlier orders issued in this regard i.e. order No. JDA/TA to D(E)/2010-11/D-317 dated 28.04.2011 including Special Condition No. 2.2.2 & 2.2.3 of Annexure-I related to SD refund & forfeiture (other Special Condition of annexure-I of this order will remain valid) and order No. JDA/Ex En.(Pr.-5 & TA)/2013/D-43 dated 27.02.2013 and also all pertaining orders, in contract agreements or in PWF&AR having DLP period different than what is being enforced through this present order for concerned type of work.

-						2
T	-	h	ı.	0	_	5
	64			C	-	

S.No.	Type of Work	Fxisting DLP Period	As per approved in E.C. held on 23.02.2016
1.	Bridge Work	3 years	5 Years
2.	CD Work	3 years	5 Years
3.	CC Road, PQC Work	3 years	5 Years
4.	CC tiles/Kerbs/medians	3 years	5 years
5.	Drains	6 months	3 years
6.	Roads		
	(i) Two layer WBM/GSB	3 years	6 Months or one full rainy season which over is later
	(ii) For Renewal/Strongthening		
	(a)BT upto 30 mm thichness	3 years	1 year
	(b)BT above 30 mm to upto 40	3 years	2 years
	(c)BT above 40 mm to upto 90	3 years	3 years
	(d) FT Above 90 mm	3 years	5 years
-	(iii)New Roads		
-	(a) BT upto 90 mm	3 years	3 years
	(b) BT more than 90 mm	3 years	5 years
7.	Compound wall	6 months	3 years
8.	Buildings work		
	(i) Work pertaining to Sanitary works electrical works, Joinery works and painting works.	6 months	2 years
	(ii) Work pertaining to Building structure and other civil works.	6 months	5 years
9.	Electric work except maintenance	6 months	3 years
10.	Sewer/Water supply all including STP and water supply related work except maintenance works.	6 months	3 years

The release of SD amount shall be as per following table:-

#### Table-II

S. No.	Released SD DLP period	1st year	<sup>2nd</sup> year	3rd year	5th year
1.	Upto I year	100%	40%	20%	10%
2.	Upto 2 year		60%	20%	10%
3.	Upto 3 year			60%	10%
4.	Upto 4 year	1			20%
5.	Upto 5 year	1			50%

Various conditions for managing DLP are as under:-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/drains etc (as per different categories in Table I), DLP shall be operative based upon type of individual item ex:-CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) Similarly for all new works, these components should be calculated at the time of TS itself, which should be made part of BID document.
- (iii) If any work, amount is less than Rs. 25 lakhs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lakhs, DLP shall be operative as per rule for each individual item.
- (iv) Similarly if any work is more than Rs. 25 lakhs but after finalization amount of work is less than Rs. 25 lakhs, DLP should be operative for six months or rainy season whichever is late.
- (v) During DLP period if contractor fails to repair any work even after issue of 7 days written notice, same work shall be got executed by respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted from JDA for three years as per RTPP Rule 2012 and 2013 where he defaults twice in a single agreement or in two different works.
- (vii) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vii) Special and regular inspection shall also be carried out as per order no. JDA/Ex.En & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.
- (viii) In case JDA feels to take up work on any existing DLP road due to any reason, following procedure should be adopted:
  - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and contractor shall be asked to complete the same. After completion of assessed repairs DLP period shall be released after deduction amt. as per table III.

Table-III

% Recovery on Withdrawal of DLP, of work order DLP period	1 year	2 year	3 year	4 year	5 year
1 year	1.12	-	-	-	-
2 year	2.55	1.43		-	-
3 year	4.38	3.26	1.83	-	-
5 year	9	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on quarterly basis.

- (b) In case Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt, of such repairs works out to be more than total retained amt, of SD, same shall be recovered from other works and as per PDR rules. The amount as per Table III is also to be deducted in addition to this amount.
- (ix) Based upon type of work, DLP conditions for works to be carried out during DLP period with their frequency of respective type of work shall be prepared by respective SE's after approval of these periods.

This order shall come in force with immediate effect and will be applicable on all new works whose NIB is to be called.

Sc| — Director (Engineering-I) JDA, Jaipur

Copy to following for information and necessary action:-

- i. PS to JDC, JDA, Jaipur.
- 2. PS to Secretary, JDA, Jaipur
- · 3. Director Engineer I/II, JDA, Jaipur.
  - 4. Director (Fin.). JDA, Jaipur.
  - 5. C.F, JDA, Jaipur.
  - 6. All Add. Chief Engineers. JDA, jaipur.
- 7. All Superintendent Engineers, IDA, Jaipur.
- 8. OSD (RM), JDA, Jaipur.
- 9. Additional Director (REV.&DP.)
- 10. CAO (P&A) JDA, Jaipur.
- 11. Sr. Horticulturist, JDA, Jaipur
- 12. All Executive Engineer, JDA, Jaipur.
- 13. DD (E&B) JDA, Jaipur.
- 14. All AOs, JDA, Jaipur.
- 15. All AAOs, JDA, Jaipur.
- 16. System Analyst
- 17. All Contractors' Association, JDA, Jaipur.
- 18. Guard file

S.E. & TA to Dir. (Engg.-I)
JDA, Jaipur



## राजस्थान सरकार नगरीय विकास एवं आवासन विभाग

क्रमांक:- प.01(24)नविवि / 1 / 2020 लूज

जयपुर, दिनांक:-20 SFP 2021

### आदेश

नगरीय विकास एवं आवासन विभाग के अर्न्तगत विभिन्न विकास कार्यों की निविदाओं में संवेदकों द्वारा बी.एस.आर. दर से कम दर डालने पर अन्तर राशि (AT PAR की दर से जितनी कम है) वर्क परफोरमेंस गारन्टी के रूप में कार्य प्रारम्भ करने से पूर्व ली जाएगी तथा इसे कार्य के सन्तोषजनक रूप से पूर्ण होने के पश्चात दोष निवारण अवधि में कार्य की स्थिति सन्तोषजनक पाए जाने पर, दोषनिवारण अवधि उपरान्त वापस लौटा दिया जावेगा। न्यूनतम दरदाता की बोली नियमानुसार स्वीकृत कर Letter of acceptance (LOA) जारी किया जावेगा एव ंबी.एस.आर. दर से कम दर की अन्तर राशि की BG/FDR/NSC प्रस्तुत करने हेतु 14 दिवस का समय दिया जायेगा। अन्तर राशि जमा नहीं कराने पर BID SECURITY की राशि नियमानुसार जब्त कर ली जावें। यदि संवेदक वर्क परफोरमेंस गारन्टी राशि जमा कराने के पश्चात कार्य सन्तोषजनक रूप से पूर्ण नहीं करता है अथवा दोष निवारण अविध में कार्य में खराबी होती है तो उसकी वर्क परफोरमेंस गारन्टी की राशि जब्त कर ली जावे एवं अनुबन्धानुसार अन्य कार्यवाही भी संपादित की जावें। यह आदेश तुरन्त प्रभाव से लागू किये जाते है। यह आदेश उन सभी निविदाओं पर लागू होगा जो कि भविष्य में जारी होगी तथा वे निविदाएं जो इस आदेश के जारी होने की दिंनाक तक अप्राप्त है, इस सम्बन्ध में निविदा दस्तावेजों में आवश्यक संशोधन तुरन्त संबन्धित उपापन अधिकारी द्वारा किया जावे एवं नवीन सभी निविदाओं में उक्त शर्तों का समावेश किया जाना सुनिश्चित किया जावे।

यह आदेश सक्षम स्तर से अनुमोदित है।

(कुन्जीताल मीना) प्रमुख शासन सचिव नगरीय विकास विभाग



## राजस्थान सरकार नगरीय विकास एवं आवासन विभाग

प्रतिलिपि निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।:-

- 1. विशिष्ट सहायक, माननीय मंत्री महोदय नगरीय विकास एवं आवासन विभाग, राजस्थान जयपुर।
- 2. निजी सचिव, आयुक्त, राजस्थान आवासन मण्डल, जयपुर।
- 3. निजी सचिव, शासन सचिव स्वायत्त शासन विभाग, राजस्थान जयपुर
- 4. निजी सचिव, निदेशक, स्थानीय निकाय विभाग, जयपुर।
- 5. वरिष्ठ उपशासन सचिव, नगरीय विकास विभाग को प्रेषित कर लेख है कि इस आदेश को नगरीय विकास विभाग की वेबसाइट पर अपलोड करावें।
- 6. सचिव, विकास प्राधिकरण, जयपुर/जोधपुर/अजमेर।
- 7. सचिव, नगर विकास न्यास, अलवर, आबू, बाडमेर, भरतपुर, बीकानेर, भीलवाडा, चित्तौडगढ, जैसलमेर, पाली, कोटा, उदयपुर, सीकर, श्रीगंगानगर एवं सवाईमाधोपुर।
- 8. रक्षित पत्रावली।

मुख्य अभियन्ती (मुख्यालय) नगरीय विकास विभाग

## JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of Work: Repair of Mahal road and other beautification works for "Invest Rajasthan Summit-2022", Zone-9, JDA, Jaipur

#### G-Schedule

BSR For : 2013 RUIDP BSR-2015-2016 2015 JDA BSR Items (Approved Non-BSR Items)-2015-2016 2016 JDA BSR (Building Works)-2015-2016 2016 JDA BSR (Road Works)-2015-2016 2021 JDA BSR Items (Approved Non-BSR Items)-2021-2022

S. No	Particulars	Unit	Qty.	Rate	Amount
	Granular Sub-base with Well Graded Material (Table 400.1)  By Mix in Place Method  Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor Mount Grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per MoRD Specification Clause 401.  For Grading I Material		150.000	400.50	60075.00
2	Providing, laying, spreading and compacting graded stone aggregate to wet mix macadam specification including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material by tipper to site, laying in uniform layers in sub-base/base course on a well prepared sub-base and compacting with smooth wheel roller of 80 to 100kN weight to achieve the desired density including lighting, barricading and maintenance of diversion, etc as per Tables 400.11 & 400.12 and MoRD Specification Clause 406. By Mechanical Means with all lead				60075.00
	Providing and applying primer coat with bitumen emulsion (SS-1) on prepared surface of granular base including cleaning of road surface and spraying primer at the rate of 0.70-1.0 kg/sqm using mechanical means as per MoRD Specification Clause 502	Cum	250.000	31.50	267750.00 39375.00
4	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared granular surfaces treated with primer & cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	1250.000	10.80	13500.00
	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	1250.000	9.00	11250.00
	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	Sqm	2500.000	10.80	27000.00
	Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT & H Specifications Clause 509 complete in all respects. for Grading-II				

-		_			
8	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level.	f			
	M20 grade Nominal Mix				
	1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone				
	aggregate 20mm nominal size).				
			(	-	
		Cum	25.000	3246.30	81157.50
9	Centering and Shuttering with plywood or steel sheets including				
	strutting, propping bracing both ways and removal of				
	formwork for foundation, footings, strap beam, raft, bases of columns etc.		-		
10	Supplying and fixing of Single Molded twin Shank Raised	Sqm	150.000	99.00	14850.00
10	Pavement Markers made of polycarbonate and ABS moulded body				
	and reflective panels with micro prismatic lens capable of				
	providing total internal reflection of the light entering the lens face				
	and shall support a load of 16000 kg tested in accordance to ASTM				
	D 4280 Type H and complying to Specifications of Category A of				
	MORTH Circular No RW/NH/33023/10-97-DO III Dt 11.06.1997.			200	
	The height, width and length shall not exceed 50 mm, 100 mm and		= = 3		
	100 mm and with minimum reflective area of 13 Sqcm on each side				
	and the slope to the base shall be 35+/-5 degree. The strength of				
	detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from				
- 1	the body is to be a minimum value of 700 Kgf. Fixing will be by				
- 1	drilling holes on the road for the shanks to go inside, without nails				
	and using epoxy resin based adhesive as per manufacturer's				
	recommendation and complete as directed by the engineer.				
	(manufactured from 3M, Avery or equivalent)				
		Each	5318.000	183.00	973194.00
11	Supplying & Installation of Solar Raised Pavement Markers made	Buch	5510.000	100.00	773174.00
- 1	of polycarbonate molded body with circular shape, solar powered,				
	LED self illumination in active mode, 360 degree illumination and				
	reflective panels with micro prismatic lens capable of providing				
	total internal reflection of the light entering the lens face in passive				
	mode. The marker shall support a load of 20000 kg jested in				
- 1	accordance to ASTM D 4280. The marker should be resistant to dust and water ingress according to IP 65 standards and should				
	withstand temperatures in the range of 0C to 70 C. Color of lighting				
	could be provided in red or yellow (amber) as per requirement and				
	typical frequency of blinking is 1 Hz. There should be current losses				
	of less than 20 micro-amperes at 2.4 V in sleep-charging mode to				
-  -	enhance the life of the marker and a full charge should provide for				
	a minimum autonomy of 50 hours. The height, width and length of			= -	
	the marker shall not be less than 10 mm X 100 mm X 100 mm. Also				
- 1	the surface diameter of the marker shall not be less than 100 mm				
	respectively. The weight of the marker shall not exceed 0.5				
	Kilograms. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy rasin based				
	adhesive as per manufacture's recommendation and complete as				
	directed by the engineer. (manufactured from 3M or equivalent)				
	5 Carried and the second of equivalents		(	_	
		Each	266.000	2151.00	572166.00
2	Marking Centre Line and stop lines etc. on road as per IRC pattern				
	with thermoplastic paint of approved quality and make without				
	glass beads laid on the road surface at temperature 160" C with a				
	special applicator machine complete with a special applicator				
	machine complete with labour material and traffic diversion				5
1	arrangements.	Sam	2250.000	414.00	931500.00

13	Marking Centre Line and stop lines etc. on road as per IRC pattern				
	with thermoplastic paint of approved quality and make with 8%				
	glass beads laid on the road surface at temperature 160" C with a				
	special applicator machine complete with a special applicator				
	machine complete with labour material and traffic diversion	ı		-	
	arrangements.	Sqm	8844.494	436.50	3860621.63
14	Painting Two Coats on New Concrete Surfaces Painting two coats				
	including primer coat after filling the surface with synthetic enamel				
	paint in all shades on new, plastered /concrete surfaces as per				
	drawing and MoRD Specification		= =		
	Clause 1701				
		Sqm	5149.800	52.20	268819.56
15	Repair to damaged plaster with high performance curing free,	Sqiii	3149.800	32.20	200019.50
	quick setting cement mortor & confirming to ASTM C: 1600 in ratio				
	of 1:4 with following properties of cement: Compressive strength of				
	20MPa within 4hours, Curing free, Bond strength of 4MPa within				
	24hours, Non shrink & Non toxic in following stepsi) Chopping				
	loose and cracked plaster to required depth, cleaning the exposed				
	surface with wire brush, cleaning of plaster surface with water as				
	necessary and getting dried. ii) Plastering the surface with above				
	mentioned high performance cement sand mortor 1:4 upto depth of				
	25mm complete with all scaffolding. iii) No curing has to be done				
	as the high performance cement used should be curing free. (This				
	item is to be used in only emergency situation after decided by				
	Engineer in charge)	,			
	0 07				
16	Drawiding author height and C. t. t. t. 11	Sqm	200.000	957.00	191400.00
10	Providing cutting, hoisting and fixing in position including				
	fabrication of 4mm thick aluminium composite panel sheet (ACP) made of two aluminium sheet of 0.50mm thick each having a				
	distance of 3.00mm filled with rubber polymer to the entire				
	satisfaction of engineer in charge confirming to various concerned				
	ASTM standards includes nuts and bolts/ riveting				-
		Sqm	100.000	1180.00	118000.00
17	Supplying and fixing of micro prismatic retro reflective sheeting				
	confirming to type XI of ASTM D4956, shall be pressure fixed to the				
	full face of the ACP sheet as back ground sheet (in approved				
	colour) and the top layer will be overlaid with electro cut				
	transparent film of approved make and colour to create the desired				
	road sign including cutting, cleaning and pasting etc. Complete as				
	per design, drawing and direction of engineer in charge. (Payment				
	shall be made for flat area of sheet), Make 3M/Avery Dennison or				
	equivalent as approved by EIC, Confirming to type XI of ASTM		(		
10	D4956	Sqm	100.000	4620.00	462000.00
	Providing and fixing in position high bond (VHB) double tape				
	24mm wide 2.3mm thick for jointing ACP sheet with SS/MS frame				
	including all processes like cleaning, cutting, chemical application,		=		
	pressing etc. as per sample approved by the engineer-in-charge.			(	
		Rmt.	300.000	236.00	70800.00
	Finishing walls with Acrylic Smooth exterior paint of required				
	shade including all scaffolding. New work (Two or more coat			= n = L	
	applied @ 1.67 ltr/10 sqm over and including base coat of water				
	proofing cement paint applied @ 2.20 kg/ 10 sqm ).	Sqm	4800.000	54.00	259200.00
		Oqiii	1000.000	04.00	207200.00

			Tota	al	9948586.19
	cm all arount it	Each	40.000	571.50	22860.00
	painted in white stoving enamel and 6 Nos., 5 cm dia reflective sheet on white reflective background with additional border of 1.25			6	
	Supply of Hazard Marker made out of 2 mm thick M.S. sheet size 300x300x3 mm framed with angle iron 25x25x3 mm and fixed on channel posts 75x40x6 mm and hold fast at bottom whole body is				
	Supply of 'L' type Bollard made out of 1.25 mm thick M.S. sheet height 134 cm, welded in circular type ring section having upper dia 15 cm. and lower dia 21 cm with another attachment of 15x15 cm circular section with 15 cm. face plate and hold fast at bottom, whole body is processed in white stoving enamel and red reflective 3 hands, each of 7.5 cm end one reflective sheet of 15 cm. dia provided to it complete in all respect.	Each	10.000	1435.50	14355.00
	Supply of centerline Raised Pavement Marker (RPM) size 125 x75x20 mm made out of Aluminium alloy duly white powder coating paint with two side reflective having fixing provision with nail complete in all respect.	Each	150.000	292.50	43875.00
parage.	By Manual Means In area of non-thorny jungle	Hect.	10.000	20470.50	204705.00
	vegetation, grass, bushes, shrubs, saplings and trees of girth upto 300 mm, removal of stumps of such trees cut earlier and disposal of unserviceable materials and stacking of serviceable material to be used or auctioned, upto a lead of 1000 m including removal and disposal of top organic soil not exceeding 150 mm in thickness as per MoRD Specification Clause 201.				
23	Clearing and Grubbing Road Land including uprooting wild	kg	200.000	66.60	13320.00
22	Providing and fixing steel gate, grating, and grills made of angles, tees, square bars, flats, or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide				C
21	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete:		800.000	74.50	59600.00
	Specifications Clause 507 complete in all respects. for Grading II ( 19 mm nominal size )	MT	125.000	2722.50	340312.50
	and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT&H				
20	Providing and laying dense graded bituminous macadam with 100-120 TPH batch type HMP producing an average output of 75 tones per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 per cent by weight of total mix	l			

EXECUTIVE ENGINEER-9
JDA, Jaipur.