OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

SCHEDULE AND SPECIFICATIONS

1	Name of work	:	Renewal of road from Jorawar singh gate to Ramgarh mode and other miscellaneous work on Major roads in Zone 2A area, JDA, Jaipur
2	NIB No.	:	EE-2A/04/2023-24
3	Estimated cost	:	Rs. 272.71 Lacs
4	Cost of the Bidding documents	:	Rs. 1000/- The Bidders are required to submit Bid security, cost of Bidding documents, and Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between the End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of the requisite fee, the bid of the concerned bidder will be considered as non-responsive and shall be liable for rejection.
5	Bid Processing fees	:	Rs. 2000/- (Two Thousand Only)
6	Bid Security (in favor of Secretary, JDA, Jaipur)	:	 Amount (INR: 2% (Rs. 5,45,420/-) For A & AA class contractors registered in the appropriate class with CPWD, Postal, Telegram, Railway, MES, Other State Government/Central Government undertakings/organizations of Estimated Procurement Cost. (The bidder must capable to bid in the bid as per their enlistment) 0.5 % (Rs. 1,36,355/-) for Bidder registered as a contractor in the appropriate class (AA, A) in JDA. In case of Departments of the State Government and undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the State Government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security. If a joint Venture is allowed in the Bid then 2% (Rs. 5,45,420/-) shall be deposited by bidders (Joint Venture firm. (Joint Venture not allowed)
7	Start/ End Date for Bid Applying, Online		➤ Start Date: 29/04/2023 from 9.30 AM onwards
	Payment, and Bid Submission		➤ End Date: 18/05/2023 at 6.00 PM
8	Physical BG (Bid Security) Submission Start & Closing Date		➤ Original BG is to be submitted in Room No MB-SF-139A main building, Jaipur Development Authority, JLN Marg, Jaipur by 29/04/2023 from 9.30 AM to 24/05/2023 up to 3.30 PM (within three working days from the last date of submission of bid.)
9	Date/ Time/ Place of Technical Bid Opening		N/A
10	Date/ Time/ Place of Financial Bid Opening		 25/05/2023 at 11.00 AM Room No CCC-FF-133, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur- 302004 (Rajasthan)
11	Bid Validity		> 120 days from the last date of bid submission deadline
12	Time Period A&F/Job No.		➤ 04 Months ➤ 046/2023-24
13	אמר/זטט ועט.		▶ 040/2025-24

Procedure for bidding:

1. Single part bid system:

Single part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Documents and Docket-2 being for Financial Bid.

Docket-1:- is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category.

Docket-2:- is for financial bid.

The financial bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

2. Two part bid system:

Two part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.

Docket-1:- There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee alongwith copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category. Folder-II is for bid document and folder-III is for technical bid.

Docket-2:- There will two separate folders-1 is for financial bid and 2 is for bill of quantities.

The technical bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

SCHEDULE – A: INFORMATION USEFUL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates given in Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

SCHEDULE - B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT

The drawing may be seen in the office of the undersigned.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR: List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standards laid down in the Indian standard & or the standards laid down in the detailed specifications of the work by the contractor. Qualified personnel required as per the contractor enlistment rules shall have to be engaged at site by the Contractor. The authority reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE – E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of the issue of the work order and complete within time limits.

SCHEDULE – G: ATTACHED SEPARATELY BASED ON APPLICABLE BSRs IN JDA.

SCHEDULE – H: SPECIAL CONDITION: Attached Separately.

SCHEDULE - I: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY.

The Bid Processing fee is payable in favor of M.D. RISL & Cost of bid document & Bid Security is payable in Favour of the Secretary, JDA, Jaipur. Bidders have to pay bid processing fees, cost of bidding documents, and Bid Security through Online. If a bidder opts to deposit the bid security through bank guarantee, the bank guarantee should be valid for the next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission documents uploaded on the E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of the on-line tendering system of JDA i.e. D.D(E&B) in room No. 215N Extension building, JDA, JLN marg, Jaipur, as per specified in bidding documents,

Annexure-1. Special Conditions of Contract regarding defect liability period.

Annexure-2A. Bank guarantee will be in specified Performa enclosed with this bidding document for Bid Security.

Annexure-2B. Bank guarantee will be in specified Performa enclosed with this bidding document for Performance Security.

Annexure-A. Compliance with the code of integrity and no conflict of interest (RTPP Act/Rules).

Annexure-B. Declaration by the bidder regarding qualifications (RTPP Act/Rules).

Annexure-C. Grievance Redressal during the procurement process (RTPP Act/Rules).

Annexure-D. Additional Conditions of Contract (RTPP Act/Rules).

EXECUTIVE ENGINEER-2A JDA, Jaipur

SPECIAL CONDITIONS

SCHEDULE 'H'

- 01. If there is any typographical error or otherwise in the 'G' Schedule, the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
- 02. The bidder shall follow the provisions of the builder labour regulation and abolition Act, 1970 & Rule, 1971.
- 03. The JDA shall have the right to cause an audit for technical examination of the work and the final bills of the bidder including all supporting vouchers, abstracts etc. to be made within two years after payment of the final bills and if as a result of such audit, any amount is found to have been overpaid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed, the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover the such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less then that was due to him under the contract in respect of work executed by him under it, the amount of such underpayment shall be paid by the JDA to the bidder.
- 4. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the performance security of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may be deducted from any sum then due or which at any time their contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
- 5. The rate quoted by the bidder shall remain valid for a period of 120 days from the date of opening of the bids.
- 6. By submission of the Bid the bidder agrees to abide by all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
- 7. No conditions are to be added by the bidder and the conditional Bid is liable to be rejected.
- 8. If any bidder withdraws his Bid prior to the expiry of said validity period given at S. No. 5 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the authority or fails to commence the work in the specified period, fails to execute the agreement the authority shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of bid security given in any form absolutely. If any bidder, who has submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for six months from participating of Biding in JDA in addition to forfeiture of bid security/ Performance Security and other action under agreement
- 9. Any material not conforming to the specifications collected at the site have to be removed by the bidder within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after the expiry of 3 days period.
- 10. The material collected at the site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed fully on the work.
- 11. The rates provided in the Bidding documents are inclusive of all Taxes and royalties otherwise specified.

- 12. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule, Source/ borrow pit area for the earth shall have to be arranged by the Bidder at his own cost.
- 13. Undersigned has full right to reject any or all Bids without giving any reasons.
- 14. As per the Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."
- 15. Special Conditions of the Contract regarding the Defect Liability Period (DLP) for works costing Rs. 25.00 lacs and more shall be applicable (Annexure-I).
- 16. The Bidder is required to submit a copy of their enlistment as a contractor.
- 17. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
- 18. The bidder will have to install display boards at the site of work as directed by Engineer in charge.
- 19. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 and amendments issued from time to time by the Finance Department, GOR shall be applicable. If there are any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall prevail.
- 20. In case the rate received in the bid is below than BSR rate, additional Performance security shall be deposited by the bidder as per Rule 75 (A) of RTPP Rules.
- 21. The Annexure "B" (RTPP Act/Rules) is mandatory to be signed by the bidder failing which the bid shall summarily be rejected without asking for any clarification.

Executive Engineer-2A JDA, Jaipur

SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR WORKS COSTING RS. 25.00 LACS AND MORE

Table-1

S.No.	Type of work	DLP Period
1.	Bridge Work	5 Years
2.	CD Work	5 Years
3.	CC Road. PQC Work	5 Years
4.	CC tiles/Krebs/medians	5 Years
5.	Drains	3 Years
6.	Roads	
	(i) Two-layer WBM/GSB	6 months or one full rainy season whichever is later
	(ii) For Renewal/Strengthening	
	(a) BT up to 30 mm thickness	1 Years
	(b) BT above 30 mm to up to 40 mm	2 Years
	(c) BT above 40 mm to up to 90 mm	3 Years
	(d) BT above 90 mm thickness	5 Years
	(iii) New Roads	
	(a) BT up to 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7.	Compound wall	3 Years
8.	Building Work	
	(i) Work pertaining to Sanitary work electrical	2 Years
	works, Joinery works and painting work.	
	(ii) Work pertaining to the Building structure	5 Years
	and other civil works	
9.	Electric work except for maintenance	3 years
10.	Sewer/Water supply including STP and water supply-related work except for maintenance works.	3 Years

1. ROAD-WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per the above table. Road works executed by the Contracting agency shall be maintained by them at their own cost for completion (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of the Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during the Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, upgradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
 - (i) Routine maintenance of Road Works,
 - (ii) To remove the defect as & when appear in part and the entire structure of Road Works, in the specified time and keeping the Road Surface with good riding quality and
 - (iii) Damages due to improper drainage/drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at the completion of the construction work and ends after complete (DLP).
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in the manual for the maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 The routine maintenance activities and their periodicity.

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil main tenance and desalting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting once in every one and a half years.
6	Road Marking, Kerb Stone / Dand. (If done by the same Road agency)	Thermoplastic Paint
		Maintenance as and when required. Repainting
		once in everyone & a half year.
		Ordinary Paint
		Maintenance as and when required. Repainting
		thrice in every year.
7	Da mages beyond the control of the agency.	Road cuts made by various agencies for utility,
		duly permitted by JDA / JNN will have to be
		repaired by the agency on the same rates of the
		contract agreement till DLP.

2. General

2.1 Inspection of works during the Defect Liability Period

- 2.1.1 The contracting agency shall undertake a joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of an emergency. The Contracting agency shall forward to the engineer in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particulars attention to those road sections, which are likely to be damaged during rainy season.
- 2.1.2 One register has to be maintained by every AEN for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions regarding Performance Security

2.2.1 Security for DLP-

The contracting agency shall have to furnish Performance Security in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 The release of PS amount shall be as per following table 2:-

S.No.		DLP	1 Year	2 Years	3 Years	5 Years
	Released PS	Period				
1.	After 1 year		100%	40%	20%	10%
2.	After 2 year			60%	20%	10%
3.	After 3 year				60%	10%
4.	After 4 year					20%
5.	After 5 vear					50%

The Performance Security will be released as per the above table after a satisfactory performance certificate issued by Engineer-In-Charge:-

2.2.3 Forfeiture of Performance Security

In case the contracting agency fails to rectify the defects within the stipulated period notified to him by the Engineer-in-charge concerned under the contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in the rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

2.2.4 Force Majeure

The defect that arises due to earthquakes, cyclones, and natural calamities shall not be the responsibility of contracting agency.

2.2.5 Various conditions for managing DLP are as under:

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/drains etc. (as per different categories in Table-I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work cresses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual item.
 (iii) Similarly, if any work is more than Rs. 25 lacs but after finalization amount of work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is later.
 - (iv) During DLP period if contractor fails to repair any work even after the issue of 7 days written notice, the same work shall be got executed by the respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractors hould be debarred and blacklisted, from JDA for three years as per RTPP rule 2012 and 2013 where his defaults twice in a single agreement or in two different works.
 - (v) QuarterlyInspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
 - (vi) Special and regular inspection shall also be carried out as per order no. JDA/XEN & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.
 - (vii) In case JDA feels to take up work on any existing DLP road due to any reason, the following procedure should be adopted:
 - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and the contractor shall be asked to complete the same. After completion of assessed repairs, DLP period shall be released after deduction amt. as per following table-III.

Table-3

% Recovery on withdrawal of DLP of work order	1 Year	2 Year	3 Year	4 Year	5 Year
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on a quarterly basis.

- (b) In case the Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than the total retained amount of PS same shall be recovered from other works and as per PDR rules. The amount as per Table 3 is also to be deducted in addition to this amount.
- (viii) Based upon the type of work, DLP conditions for works to be carried out during the DLP period with their frequency of the respective type of work shall be prepared by respective SE"s after approval of these periods.
- 3. In case patch repairs/civil maintenance works costing more than Rs. 25.00Lakhs, defect liability period will as per clause 37(C) of Contract Agreement.

Executive Engineer-2A

JDA, Jaipur

Specified Bank Guarantee Performa for Bid Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

То	
Secretary,	
Jaipur Development Authority,	
Jaipur	
Sub:	
Bank Guarantee No dated	for [amount of Security in figures] [in words] on
behalf of	[Name of the Bidder] against Bid Security for
the	
JDA Jair	our WHEREAS,
[name of Bidder with address] (hereinafter	called "the Bidder") has submitted his Bid dated
for the work of	(here in
after called " the Bid ").	
[name(hereinafter called Development Authority. (Hereinafter cal[Amount of Security in f payment will and truly to be made to the sai assigns by these presents.	of Bank) of having our registered office at of country] having our registered office at "the Bank") are bound unto Secretary, Jaipur led "the Employer") in the sum of Rupees [igures] (in words) only for which d Employer, the Bank binds itself, its successors, and is cashable at the following branch in Jaipur City.
1. Name of Bank:	is castiable at the following branch in Jaipur City.
2. Name of the branch with branch code:	
3. Address:	
4. E-Mail Id:	
5. Telephone No.	
6. Fax No.:	
SEALED with the Common Seal of the said Ban	ık this day of of 20
THE CONDITIONS of this obligation are:	
(1) if the Bidder withdraws his Bid during th	ne period of Bid validity specified in the Form of Bid;

if the Bidder refuses to accept the correction of errors in his bid;

(2)

- (3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through ISFC code No ICICI 006754. Bank Account No. 675401700518 on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date	_Signature of the Bank
Witness	Seal
[Signature, Name, and Address]	

[Note: To be furnished on appropriate non-judicial stamps & should be valid for the next 7 months from the bid opening date]

Specified Bank Guarantee Performa for Performance Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

То
Secretary,
Jaipur Development Authority,
Jaipur
Sub:
Bank Guarantee No dated for [amount of Security in figures] [in words] on behalf of [Name of the Bidder] against Performance Security for the
KNOW ALL PEOPLE by these presents that we (Name of Bank) of having our registered office at [name of country] having our registered office at (hereinafter called "the Bank") are bound unto Secretary, Jaipur
Development Authority. (Hereinafter called "the Employer") in the sum of Rupees [Amount of Security in figures] (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.
That on demand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City.
1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:
SEALED with the Common Seal of the said Bank this day of of 20
We undertake to pay to the Employer up to the above amount upon receipt of his first

written demand within valid period of this guarantee.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited to the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code**No ICICI 006754. Bank Account No. 675401700518 on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date	Signature of the Bank
Witness	Seal
[Signature, Name and Address]	

[Note: To be furnished on appropriate non-judicial stamps.]

Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid-rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain an unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest:

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

	In relation to my/our Bid submitted tofor procurement of
	in response to their Notice inviting Bids NoDated
	hereby declare under Section 7 of Rajasthan Transparency in Public Procurement
Act,	2012 that:
1.	I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2.	I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3.	I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4.	I/we do not have, and our directors and officers not have, been convicted of any criminal offense related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5.	I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;
Date	: Signature of the bidder
Plac	e: Name:
	Designation:
	Address:

Note:- Annexure "B" is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking any clarification.

Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority:

For works costing up to Rs. 300.00Lakhs - Jaipur Development Commissioner, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Principle Secretary/ACS, Urban Development

& Housing Department, GOR, Jaipur.

(1) Filing an appeal: -

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which, he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to the second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases: -

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely: -

- (a) Determination of the need of procurement
- (b) Provisions limiting the participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals: -

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any,
 Affidavit verifying the facts stated in the appeal and proof of payment of fee,

(c) Every appeal may be presented to the first appellate authority or second

The appellate authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing Appeal: -

- (a) Fee for the first appeal shall be rupees two thousand five hundred and for the second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a scheduled bank in India payable in the name of the appellate authority concerned.

(7) Procedure for disposal of Appeal: -

- (a) The first appellate authority or second appellate authority as the case may be, upon the filing of the appeal, shall issue notice accompanied by a copy of the appeal, affidavit and documents, if any, to the respondents and fix a date of hearing
- (b) On the date fixed for hearing, the first appellate authority of the second appellate authority, as the case may be shall-
- (i) Hear all the parties appeal presenting before him; and
- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide a copy of the order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during the evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected unless in the opinion of the procuring entity, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of the contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of the contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provided in the conditions of the contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of the last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule, all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

JAIPUR DEVELOPMENT AUTHORITY JAIPUR

Name of work :-Renewal of road from Jorawar singh gate to Ramgarh mode and other miscellaneous work on Major roads in Zone 2A area, JDA, Jaipur

G-Schedule

S.No	Item	Unit	Qty	Rate	Amount
1	Dismantling Kerb Stones Dismantling Kerb Stones by manual means and disposal of dismantled material with all lifts and upto a lead of 1000 m as per MoRD Specification Clause 202.	R.Mtr.	500.000	5.40	2700.00
2	Removing and Refixing of Pre cast Kerb stone obtained from site and fixing at as per direction of engineer-in-charge over 100 mm thick C.C. 1:4:8 and jointing of kerbs with cement morter 1:4 including cost of loading unloading transporting and curing complete in all respect as per direction of Engineer-in-charge.	R.Mtr.	1450.000	40.00	58000.00
3	P & F of cement concrete precast kerb or dand of M-20 grade upto 60 cm length over 20 mm thick base of cement mortar 1:6 including earth work, cutting of B/T road, cutting of WBM road etc. & jointing with cement mortar 1:4 grouted 125 mm in ground of shape as approved by Engineer-in-charge. The rates are inclusive of providing, laying and compacting base concrete 1:4:8 (1 cement : 4 coarse sand : 8 graded stone aggregate of 20 mm thick nominal size) 100 mm thick below dand/kerb complete in all respect. The size of kerb be 15 cm x 32.5 cm with round at top.	P.Rmt.	1225.000	106.00	129850.00
4	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-in-charge. 1: 3: 6 or richer mix.	cum	300.375	397.80	119489.18
5	Excavation in Soil using Hydraulic Excavator and Tippers with disposal upto 1000 m Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and lead upto 1000 m as per MoRD Specification Clause 302.3	cum	417.500	26.10	10896.75
6	Carriage of Earth, Sand, Lime, Morrum manure or sludge with all lead.	cum	417.500	67.05	27993.38
7	Providing concrete for plain/reinforced concrete in open foundations complete as per drawings and MoRD specifications Clause 802, 803, 1202 & 1203 P.C.C grade M 10 Nominal mix 1:3:6	cum	1015.100	2646.00	2685954.60
8	Removing & Refixing of precast concrete interlocking paving blocks recovered item from site 60 mm to 100 mm thick laid on average 50 mm thick bed of coarse sand joint be filled with fine sand laying procedure on compacted sub base as define etc. complete as per direction of Engineer-in-charge with all lead and lift.	sqm	2438.000	60.00	146280.00
9	Providing and fixing of precast concrete interlocking blocks of M 30 grade 60mm thick manufactured from fully computerised automatic stationery hydraullic vibropressed machine and fully computerised automatic batching plant of class A1/A2 as per BS 6717:2001. The CC interlocking paving blocks be laid on average 50mm. thick bed of coarse sand and the joint is to be filled with fine sand. Laying procedure on compacted sub-base as defined. Complete job is to be executed as per the instruction of Engineer incharge. The rates to be inclusive of all lead, Lifts and taxes. General specification of blocks: 1) Shape as defined by Engineer incharge 2) Tensile splitting strength and braking load as per BS 6717:2001 3) Color: Grey cement natural colour 4) Variation in dimension: Less than 1.6mm. 5) Variation in thickness: Less than 3.2mm 6) Abrasion: As per BS: 6717:2001	sqm	1545.500	337.50	521606.25
1 10	Interlocking Concrete Block Pavement with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks (measurments shall be made inner to inner side of edge blocks) Providing and Laying of Interlocking M-30 grade Concrete Block Pavements having thickness 100 mm as per drawings and MoRD Specification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks. Category 'B': Dentated only two side like I,Z,T shape as per IRC:SP:63-2004	sqm	4950.000	877.50	4343625.00
	Providing and fixing of Reinforced Ferro cement Drain cover designed for class "AA" loading duly marked on cover with adequate steel reinforcement having thickness 75 mm to 150 mm anti- corrosive bitumen painted M.S. plate Rim and on M.S. lifting hooks admixture like plasticizer bond improving compound shrinkage resistance compound abrasion resistant complete as per approved design etc.				

S.No	ltem	Unit	Qty	Rate	Amount
11.1	for drain Opeining Size 451 to 700 mm Standard Drain Cover Size 1000mm \times 100mm	sqm	68.000	1579.50	107406.00
11.2	for drain Opeining Size 701 to 1200 mm Standard Drain Cover Size 1500mm x 600mm x 125mm	sqm	180.000	2011.50	362070.00
11.3	for drain Opeining Size 1201 to 1500 mm Standard Drain Cover Size 2100mm ${\sf x}$ 150mm	sqm	8.400	2871.00	24116.40
12	Dismantling of Cement Concrete Pavements as per MoRD Specification Clause 202. Dismantling of cement concrete pavements by mechanical means using pneumatic tools breaking to pieces not exceeding 0.02 cum in volume and stock piling at designated locations and disposal of dismantled materials upto a lead of 1000 m, stacking serviceable and unserviceable materials separately	cum	195.625	481.50	94193.44
13	Cement Concrete Pavement Construction of un-reinforced, dowel jointed at expansion and construction joint only, plain cement concrete pavement, thickness as per design, over a prepared sub base, with 43 grade cement or any other type as per Clause 1501.2.2 M30 (Grade), coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2 cum capacity and appropriate weigh batcher using approved mix design, laid in approved fixed side formwork (steel channel, laying and fixing of 125 micron thick polythene film, wedges, steel plates including levelling the formwork as per drawing), spreading the concrete with shovels, rakes, compacted using needle, screed and plate vibrators and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant, dowel bars, near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days, using curing compound and water finishing to lines and grade as per drawing and MoRD Specification Clause 1501 including vaccum dewatering process with all required equipments	cum	117.375	5188.50	609000.19
14	Plain/reinforced cement concrete in substructure complete as per drawings and MoRD specification Cla P.C.C. grade M 20 iNominal mix (1:2:4)	cum	139.500	3474.00	484623.00
15	Kota stone slab flooring 25 mm thick over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1:4 (1 cement: 4 coarse sand) For area of each slab from 901 to 2000 Sq.Cm:	sqm	217.500	593.10	128999.25
16	Painting Two Coats on New Concrete Surfaces Painting two coats including primer coat after filling the surface with synthetic enamel paint in all shades on new, plastered / concrete surfaces as per drawing and MoRD Specification Clause 1701	sqm	4745.000	52.20	247689.00
17	Stone work (machine cut edges) for Wall cladding/ Veneering work up to 10m height with 20 to 30 mm thick Red Sand Stone (Karauli) and backing filled with a grout of 12mm thick cement mortar 1:3 (1 cement : 3 coarse sand) including pointing in white cement mortar 1:2 (1 white cement : 2 stone dust) with an admixture of pigment matching the stone shade : (To be secured to the backing by means of cramps which shall be paid separately) Exposed face rough dressed	sqm	400.000	1131.30	452520.00
18	Carriage of Building Rubbish Stone metal (Grit and ballast etc.) with all lead	cum	518.500	72.45	37565.33
19	Finishing wall with water proofing cement paint of approved brand and manufacture and or required shade to give an even shade including all scaffolding: New work (Two or more coats applied @ 3.84 kg/10 sqm).	sqm	5525.000	33.30	183982.50
20	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.20 to 0.25 kg per sqm on the prepared bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	sqm	22635.000	9.00	203715.00
21	Providing and applying tack coat with Bitumen emulsion (RS-1) using emulsion distributor at the rate of 0.25 to 0.30 kg per sqm on the prepared dry and hungry bituminous surface cleaned with Hydraulic broom as per MoRD Specification Clause 503.	sqm	29127.500	10.80	314577.00

S.No	ltem	Unit	Qty	Rate	Amount
22	Providing and laying dense graded bituminous macadam with 100-120 TPH batch type HMP producing an average output of 75 tones per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 4.0 to 4.5 per cent by weight of total mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT&H Specifications Clause 507 complete in all respects. for Grading II (19 mm nominal size)	P.MT.	2322.351	2722.50	6322600.60
23	Providing and laying bituminous concrete with 100-120 TPH batch type hot mix plant producing an average output of 75 tonnes per hour using crushed aggregates of specified grading, premixed with bituminous binder @ 5.4 to 5.6 per cent of mix and filler, transporting the hot mix to work site, laying with a hydrostatic paver finisher with sensor control to the required grade, level and alignment, rolling with smooth wheeled, vibratory and tandem rollers to achieve the desired compaction as per MoRT & H Specifications Clause 509 complete in all respects for Grading-II (13 mm nominal size) Bitumen (VG-30)	P.MT.	2679.730	2934.00	7862327.82
24	Marking Centre Line and stop lines etc. on road as per IRC pattern with thermoplastic paint of approved quality and make with 8% glass beads laid on the road surface at temperature 160" C with a special applicator machine complete with a special applicator machine complete with labour material and traffic diversion arrangements.		1884.000	436.50	822366.00
25	Supplying and fixing of Single Molded twin Shank Raised Pavement Markers made of polycarbonate and ABS moulded body and reflective panels with micro prismatic lens capable of providing total internal reflection of the light entering the lens face and shall support a load of 16000 kg tested in accordance to ASTM D 4280 Type H and complying to Specifications of Category A of MORTH Circular No RW/NH/33023/10-97-DO III Dt 11.06.1997. The height, width and length shall not exceed 50 mm, 100 mm and 100 mm and with minimum reflective area of 13 Sqcm on each side and the slope to the base shall be 35+/-5 degree. The strength of detachment of the integrated cylindrical shanks, (of diameter not less than 19 +/- 2 mm and height not less than 30+/- 2 mm) from the body is to be a minimum value of 700 Kgf. Fixing will be by drilling holes on the road for the shanks to go inside, without nails and using epoxy resin based adhesive as per manufacturer's recommendation and complete as directed by the engineer. (manufactured from 3M, Avery or equivalent)		2940.000	183.00	538020.00
20	Raising/lowering to required height of pre-cast concrete manhole where ever pre-cast chamber have been provided in sewerage system by dismentling the C.I. frame provided for cover, dismentling and concrete of conical piece, bending the extended reinforcement in required position providing M-40 grade cement concrete as per site requirment and fixing of new C I frame for placing manhole cover. The work includes curing, providing barricading during construction, putting sign board/caution board for safety purpose, providing all material like cement, sand, grit for M-40 concrete, shuttring where ever required. The work also includes providing all tools and plants such as vibrator, mixture, required for the Job in all respect with site clearance. (Dir. Engg. /D-143 dt. 28.02.2011)	Nos.	100.000	1500.00	150000.00
27	Providing, Laying & Jointing R.C.C. class NP-2 Non-Pressure pipes (IS: 458mark) of approved make with collars, jointed with C.M. 1:2 or having Spigot and socket ends with flexible rubber rings joint including testing of joints etc. complete:				
	200mm dia Internal 300mm dia Internal	Mtr.	7.500 7.500	402.30	3017.25 4529.25
	Construction of tubewell up to 100m depth and above to accommodate housing and assembly pipe in all types of alluvium strata by rotay drilling method with "code of practice for construction and testing of tubewells (IS:2800 (Part-II) : 1991 and IS:2800 (Part-II) :1979 both amended up to date) with supply of bail plug if necessary. The work will not include cost of housing pipe and strainer pipe assembly cost, gravel and development work. Work would be deemed completed only after obtaining sound free water during pumping.	R.Mtr.	44.000	1188.00	52272.00
29	Construction of Recharge Shaft in filter pit including Earth work Excavation , lifting excavted earth with all lift and 50 m lead and centering & shuttering evenever required. Diameter 900 mm	R.Mtr.	1.000	198.00	198.00
30	Supply & fixing Pre-cast RCC Rinngs at the mouth of recharge shaft of M20 mix with 40 mm thickness Diameter 900 mm	R.Mtr.	1.000	569.70	569.70

S.No	Item	Unit	Qty	Rate	Amount
	Supply & lowering air line of 25mm dia, G.I. pipe 'B' class having perforation 3 to 5mm size all arrow of G.I. pipe in Zig-Zag fashion & making air vent at top including the cost of Tee-	R.Mtr.	1.000	223.20	223.20
32	Nipples, Elbow, Socket etc. Supply and lowering vent air pipe 63mm dia rigid PVC pipe(IS 4985) mark class II (4kg per cm2) with required all necessary fittings including perforation of 3 to 5 mm size all around the pipe at a distance of 180 to 220mm in zig zag fashion and making air vent at top complete as per direction of Engineer incharge.	R.Mtr.	44.000	114.30	5029.20
33	Supply & lying River-gravels of following sizes in recharge shaft, filter pit after screening & washing from kachha shift without deduction of voids				
33.1 33.2	Size 9 to 12 mm Size 3 to 5 mm	cum cum	5.372 2.120	1485.00 2178.00	7977.42 4617.36
33.3	Supply & laying of clean, clear sharp river sand of size 1 to 2mm coarse, without deduction	cum	2.120	2772.00	5876.64
34	of voids. Earth work in excavation by mechanical means (Hydraulic (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including taking out the excavated soil and depositing and refilling of jhiri with watering & ramming and disposal of surplus excavated soil as directed with in a lead of 50 meter. All kinds of soils	cum	55.429	111.60	6185.88
35	Add extra for foundation/trenches/drains for every additional lift of 1.5 Mtr. or part thereof in All kinds of soil				
35.1	Add Extra for lift above 1.5 mtr to 3 mtr	cum	13.605	21.60	293.87
35.2	Add Extra for lift above 3.00 mtr to 4.5 mtr	cum	22.675	43.20	979.56
36	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level.				
36.1	M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size).	cum	0.503	2882.70	1450.00
36.2	M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	cum	1.631	2398.50	3911.95
37	Providing and laying in position specified grade of cement concrete for all RCC structural elements upto plinth level including curing, compaction, finishing with rendering in cement sand mortar 1:3 (1 cement: 3 coarse sand) and making good the joints and cost of plastizers(if required) excluding the cost of centering, shuttering and reinforcement. M20 grade Nominal Mix / Design Mix	cum	10.306	2961.00	30516.07
	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for: Walls (any thickness) including attached pilasters, buttresses plinth and string course.	sqm	83.028	180.90	15019.77
39	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code)	Kg.	700.000	62.10	43470.00
40	Brick masonry with F.P.S. bricks of class designation 75 in foundation and plinth with bricks Cement mortar 1:6 (1 cement: 6 coarse sand)	cum	15.267	2604.60	39764.43
41	Providing and fixing steel gate, grating, and grills made of angles, tees, square bars, flats, or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	Kg.	150.000	66.60	9990.00
42	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, making of lines or groove etc complete but excluding the cost of nosing of steps etc. complete. 75mm thick with 20mm thick nominal size aggregate.	sqm	5.388	286.20	1542.05
43	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish: 20mm thick.	sqm	22.260	107.10	2384.05
44	Finishing with neat cement (punning).	sqm	22.260	23.40	520.88
45	Dry sinking of well; true and vertical in all type of soils bed stones up to size 300 mm in any directions complete as per drawing and technical specifications for depth up to 5 Mtr.	Per mtr dia/Pe r mtr depth	13.600	660.00	8976.00
	I .	ueptii			

S.No	Item	Unit	Qty	Rate	Amount	
46	Supply & Fixing of RCC Ferro Cement Foot Steps as per drawing & design and safe load as per cast iron Foot Steps (ultimate load 1 MT)	Each	17.000	156.00	2652.00	
47	Providing, laying and jointing of UPVC class III (6 kg/cm2) ISI marked pipe with socket suitable for electromeric sealing ring type joint (ESR) in assorted length with fixing of PVC/C.I. Special (excluding cost of valve)fixing at CID joint after cutting, tapering etc. This include the excavation of trench upto 1.5 mtr. depth in all type of soil cutting of road surface pavement where required lift upto 1.5 mtr. stacking the soil clear form the edge of excavation and refilling of soil after laying and jointing of pipe line with proper compaction and disposing of all surplus soil as directed with in lead of 30 mtr. This also include getting the pipe line tested and site clearance etc. complete job (Make of pipe KISAN, FINOLEX). (D-547 dt. 20.12.2011)	R.Mtr.	3.000	2720.00	8160.00	
48	Supplying & fixing 560mm dia SFRC manhole frame & cover as per IS: 12592-2002 in existing manholes including grouting the frame in PCC M-15 complete in all respect as directed by the Engineer. EHD-35	Each	1.000	2187.00	2187.00	
49	Direction and Place Identification signs upto 0.9 sqm size board Retro-reflectorised Traffic Signs Providing and erecting direction and place identification retro- eflectorised sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3, fixed over aluminium sheeting, 2 mm thick with area not exceeding 0.9 sqm supported on a mild steel single angle iron post 75 x 75 x 6 mm firmly fixed to the ground by means of properly designed foundation with M-15 grade cement concrete 450 x 450 x 600 mm, 600 mm below ground level as per approved drawing and MoRD Specification Clause 1701		1.500	9288.00	13932.00	
50	Excavating trenches of required width for pipe cables, etc. including excavation for sockets, and dressing of sides, ramming of bottoms, depth up to 1.5 Mtr. including taking out the excavated soil, and then returning the soil as required in layers not exceeding 20cm in depth including consolidating each deposited layer by ramming, watering etc. and disposal of surplus excavated soil as directed within a lead of 50 Mtr.: All kinds of soil Pipes cables, etc. exceeding 80mm dia but not exceeding 300mm dia.		15.000	117.00	1755.00	
	Total Amount					

Executive Engineer-2A JDA, Jaipur