# जयपुर विकास प्राधिकरण, जयपुर

कमरा नं. 102, प्रथम तल, नागरिक सेवा केन्द्र, रामिकशोर व्यास भवन, इन्दिरा सर्किल जवाहर लाल नेहरू मार्ग, जयपुर-302004 दूरभाष : +91-141-2569696,

क्रमांकः जविप्रा / अ.अ. (मुख्या.) / 2023 / डी-332

दिनांक : 22.06.2023

# निविदा सूचना

निविदा सूचनाः जिवप्रा / अधि.अभि. (मुख्यालय) / 11 / 2023-24

जयपुर विकास प्राधिकरण द्वारा "Renovation and development of JDA Campus including Civil, Electrical, PHE & Horticulture works" जिसकी अनुमानित लागत राशि रू 824.84 लाख के लिए ऑनलाईन बिड्स दिनांक 12.07.2023 को सायं 6:00 बजे तक आमन्त्रित की जाती है। निविदा बोली का ऑनलाईन आवेदन व भुगतान जविप्रा पोर्टल पर करने की अन्तिम तिथि. 12.07.2023 को सायं 6.00 बजे तक है। निविदा बोली के दस्तावेजों का विस्तृत विवरण <a href="www.sppp.rajasthan.gov.in">www.sppp.rajasthan.gov.in</a>, <a href="www.eproc.rajasthan.gov.in">www.eproc.rajasthan.gov.in</a> and <a href="www.jda.urban.rajasthan.gov.in">www.eproc.rajasthan.gov.in</a> and <a href="www.jda.urban.rajasthan.gov.in">www.jda.urban.rajasthan.gov.in</a> र देखा जा सकता है।

निविदा में भाग लेने वालो को निम्न शर्तो की पूर्ति करनी होगी।

- 1. निविदादाता जयपुर विकास प्राधिकरण की वेबसाईट www.jda.urban.rajasthan.gov.in पर पंजीकृत हो एवं निविदा में भाग लेने के लिए बोलीदाता को आवेदन करने के लिए दस्तावेज शुल्क, अमानत राशि, आर.आई. एस.एल. प्रोसेसिंग शुल्क ऑनलाईन जमा करनी होगी।
- 2. ऑनलाईन निविदा प्रस्तुत करने के लिए निविदादाताओं का राजस्थान सरकार के ई—प्रोक्यूरमेंट पोर्टल www.eproc.rajasthan.gov.in पर पंजिकृत हो।

(सपन मिश्रा) अधिशाषी अभियंता—मुख्यालय जविप्रा, जयपुर।

# JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Room No 143, First Floor, Main Building Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)

#### NOTICE INVITING BID

NIB No.: EE- (HQ)/11/2023-24

UBN No.: .....

Online Bids are invited up-to 6:00 PM of 12/07/2023 for 'Renovation and development of JDA Campus including Civil, Electrical, PHE & Horticulture works". The last date for Applying Bid and making online payment on JDA portal is up-to 6:00 PM of 12/07/2023. The estimated cost of NIB is Rs. 824.84 Lacs. Details may be seen in the Bidding Document at our office or the State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in/jda

To participate in the bid, bidder must:

- A. Participate in Tender & Deposit Payment on 'Online Tender Participation' Portal of JDA at https://jda.urban.rajasthan.gov.in/jda or by Single-Sign-On at http://service.jaipurjda.org.
- B. Submit e-Bid on 'e-Procurement Portal' of GOR at www.eproc.rajasthan.gov.in

(Sapan Mishra) Executive Engineer (HQ) JDA, Jaipur

# **OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR**

NI	B No.: JDA/EE-HQ/11/2023-24		
Name & Address of the Procuring Entity	<ul> <li>Name: Executive Engineer-HQ, JDA, Jaipur</li> <li>Address: Ram Kishor Vyas Bhawan, Indra Circle, Jawaharlal Nehru Marg, Jaipur-302004 Rajasthan, India</li> <li>Email: sapanmishra.jda@rajasthan.gov.in</li> </ul>		
Name of work	<ul> <li>Renovation and development of JDA Campus including Civil, Electrical, PHE</li> <li>4 Horticulture works</li> </ul>		
Bid Procedure	➤Two Bid [Like Single-stage Two part open competitive eBid procedure at http://eproc.rajasthan.gov.in]		
Bid Evaluation Criteria (Selection Method)	>L1		
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in, www.jda.urban.rajasthan.gov.in		
Estimated Procurement Cost	➤ INR Rs. 8,24,84,263.00 (Rs. Eight Crore Twenty Four Lacs Eighty Four Thousand Two Hundred Sixty Three only)		
Website for online Bid application and payment *	<ul> <li>➤ Website: www.jda.urban.rajasthan.gov.in</li> <li>➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only.</li> <li>○ Bidding document fee: Rs. 1000/-</li> <li>○ RISL Processing Fee: Rs. 2500/-</li> <li>○ Requisite Bid Security Deposit.</li> <li>○ The Bidders are required to submit Bid security, cost of Bidding documents, and Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between the End date for Bid Applying, Online Payment &amp; Bid Submission and Bid Opening date. In the absence of the requisite fee, the bid of the concerned bidder will be considered as non-responsive and shall be</li> </ul>		
Bid Security Deposit (in favor of Secretary, JDA, Jaipur)	<ul> <li>Iiable for rejection</li> <li>➤ Amount (INR: 2% (Rs 1649685/-) For A &amp; AA class contractors registered in the appropriate class with CPWD, Postal, Telegram, Railway, MES, Other State Government/Central Government undertakings/organizations and appropriate equivalent class in other departments/PSUs/private entity registered under companies act of Estimated Procurement Cost. (The bidder must capable to bid in the bid as per their enlistment)</li> <li>➤ 0.5 % (Rs. 412421/-) for Bidder registered as a contractor in the appropriate class in JDA.</li> <li>➤ In case of Departments of the State Government and undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the State Government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security.</li> <li>➤ If a joint Venture is allowed in the Bid, then 2% (Rs</li></ul>		
Start/ End Date for Bid Applying Bid and making Online Payment on	Start Date: 23/06/2023 at 6:00 PM onwards  ➤ End Date: 12/07/2023 at 6: 00 PM  ➤ In case EMD in form BG Original Bank Guarantee is to be submitted in		

JDA portal*	Room No MB-FF-143 (Main Building First Floor), Jaipur Development Authority, JLN Marg, Jaipur by 26/06/2023 from 9.30 AM to 18/07/2023 up to 3.30 PM (within three working days from the last date of submission of bid.)
Bid Submission on e-Procurement	➤ Start Date: 23/06/2023 at 6:00 PM onwards
Portal of GOR**	➤ End Date: 12/07/2023 at 6: 00 PM
Date/Time/Palace of pre-Bid	➤ 04/07/2023
Date/ Time/ Place of Technical Bid	➤19/07/2023 1: 00 PM
Opening	➤ MB-FF-143 (Main Building First Floor)
Date/ Time/ Place of Financial Bid	➤ Will be intimated later to the Technically qualified bidders
Opening	
Bid Validity	➤ 120 days from the bid submission deadline
Time Period	▶12 Month
A&F/Job No.	➤ Jan/441 dated 27-01-2023 amounting to Rs. 871.00 Lacs

#### Procedure for bidding:

#### Single part bid system:

Single part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Documents and Docket-2 being for Financial Bid.

Docket-1: - is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category.

Docket-2: - is for financial bid.

The financial bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

#### 1. Two-part bid system:

Two-part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.

Docket-1: - There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee alongwith copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category. Folder-II is for bid document and folder-III is for technical bid.

Docket-2: - There will two separate folders-1 is for financial bid and 2 is for bill of quantities.

The technical bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee

#### **SCHEDULE AND SPECIFICATIONS**

SCHEDULE - A: INFORMATION USEFUL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates given in Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

SCHEDULE - B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT

The drawing may be seen in the office of the undersigned.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR: List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standards laid down in the Indian standard & or the standards laid down in the detailed specifications of the work by the contractor. Qualified personnel required as per the contractor enlistment rules shall have to be engaged at site by the Contractor. The authority reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE - E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of the issue of the work order and complete within time limits.

SCHEDULE - G: ATTACHED SEPARATELY BASED ON APPLICABLE BSRs IN JDA.

SCHEDULE – H: SPECIAL CONDITION: Attached Separately.

SCHEDULE - I: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY.

The Bid Processing fee is payable in favor of M.D. RISL & Cost of bid document & Bid Security is payable in Favour of the Secretary, JDA, Jaipur. Bidders have to pay bid processing fees, cost of bidding documents, and Bid Security through Online. If a bidder opts to deposit the bid security through bank guarantee, the bank guarantee should be valid for the next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission documents uploaded on the E-procurement portal of GOR. The bank guarantee will be physically handed over up to prescribed time to Nodal officer of the on-line tendering system of

JDA i.e., D.D(E&B) in room No. 215N Extension building, JDA, JLN marg, Jaipur, as per specified in bidding documents,

<u>Annexure-1.</u> Special Conditions of Contract regarding defect liability period.

Annexure-2A. Bank guarantee will be in specified Performa enclosed with this bidding document for Bid Security.

Annexure-2B. Bank guarantee will be in specified Performa enclosed with this bidding document for Performance Security.

Annexure-A. Compliance with the code of integrity and no conflict of interest (RTPP Act/Rules).

Annexure-B. Declaration by the bidder regarding qualifications (RTPP Act/Rules).

Annexure-C. Grievance Redressal during the procurement process (RTPP Act/Rules).

Annexure-D. Additional Conditions of Contract (RTPP Act/Rules).

<u>Annexure-E.</u> Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan.

EXECUTIVE ENGINEER (HQ)
JDA, Jaipur

#### **SPECIAL CONDITIONS**

#### **SCHEDULE 'H'**

- 01. If there is any typographical error or otherwise in the 'G' Schedule, the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
- O2. The bidder shall follow the provisions of the builder labour regulation and abolition Act, 1970 & Rule, 1971.
- O3. The JDA shall have the right to cause an audit for technical examination of the work and the final bills of the bidder including all supporting vouchers, abstracts etc. to be made within two years after payment of the final bills and if as a result of such audit, any amount is found to have been overpaid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed, the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover the such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less then that was due to him under the contract in respect of work executed by him under it, the amount of such underpayment shall be paid by the JDA to the bidder.
- 4. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the performance security of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may be deducted from any sum then due or which at any time their contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
- 5. The rate quoted by the bidder shall remain valid for a period of 120 days from the date of opening of the bids.
- 6. By submission of the Bid the bidder agrees to abide by all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
- 7. No conditions are to be added by the bidder and the conditional Bid is liable to be rejected.
- 8. If any bidder withdraws his Bid prior to the expiry of said validity period given at S. No. 5 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the authority or fails to commence the work in the specified period, fails to execute the agreement the authority shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of bid security given in any form absolutely. If any bidder, who has submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for six months from participating of Biding in JDA in addition to forfeiture of bid security/ Performance Security and other action under agreement
- 9. Any material not conforming to the specifications collected at the site have to be removed by the bidder within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after the expiry of 3 days period.
- 10. The material collected at the site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed fully on the work.
- 11. The rates provided in the Bidding documents are inclusive of all Taxes and royalties otherwise specified.
- 12. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule, Source/ borrow pit area for the earth shall have to be arranged by the Bidder at his own cost.
- 13. Undersigned has full right to reject any or all Bids without giving any reasons.
- 14. As per the Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."

- 15. Special Conditions of the Contract regarding the Defect Liability Period (DLP) for works costing Rs. 25.00 lacs and more shall be applicable (Annexure-I).
- 16. The Bidder is required to submit a copy of their enlistment as a contractor.
- 17. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
- 18. The bidder will have to install display boards at the site of work as directed by Engineer in charge.
- 19. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 and amendments issued from time to time by the Finance Department, GOR shall be applicable. If there are any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall prevail.
- 20. In case the rate received in the bid is below than BSR rate, additional Performance security shall be deposited by the bidder as per Rule 75 (A) of RTPP Rules.
- 21. The Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking for any clarification.
- 22. Contractors enlisted in JDA, should be get reviewed periodically. The registered bidder who has not been reviewed within a period of 5 years 3 months, shall not be allowed for participate in the bid. Contractors enlisted in other departments shall be as per provision of PWF&AR

EXECUTIVE ENGINEER (HQ)
JDA, Jaipur

# SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR WORKS COSTING RS. 25.00 LACS AND MORE

#### Table-1

S.No.	Type of work	DLP Period
1.	Bridge Work	5 Years
2.	CD Work	5 Years
3.	CC Road. PQC Work	5 Years
4.	CC tiles/Krebs/medians	5 Years
5.	Drains	3 Years
6.	Roads	
	(i) Two-layer WBM/GSB	6 months or one full rainy season whichever is
		later
	(ii) For Renewal/Strengthening	
	(a) BT up to 30 mm thickness	1 Years
	(b) BT above 30 mm to up to 40 mm	2 Years
	(c) BT above 40 mm to up to 90 mm	3 Years
	(d) BT above 90 mm thickness	5 Years
	(iii) New Roads	
	(a) BT up to 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7.	Compound wall	3 Years
8.	Building Work	
	(i) Work pertaining to Sanitary work electrical works,	2 Years
	Joinery works and painting work.	
	(ii) Work pertaining to the building structure and other	5 Years
	civil works	
9.	Electric work except for maintenance	3 years
10.	Sewer/Water supply including STP and water supply-	3 Years
	related work except for maintenance works.	

#### 1. ROAD-WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per the above table. Road works executed by the Contracting agency shall be maintained by them at their own cost for completion (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of the Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during the Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, upgradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
  - (i) Routine maintenance of Road Works,
  - (ii) To remove the defect as & when appear in part and the entire structure of Road Works, in the specified time and keeping the Road Surface with good riding quality and
  - (iii) Damages due to improper drainage/drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at the completion of the construction work and ends after complete (DLP).
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in the manual for the maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 The routine maintenance activities and their periodicity.

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling pot holes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desalting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting once in every one and a half years.
6	Road Marking, Kerb Stone / Dand. (If done by the same Road agency)	Thermoplastic Paint  Maintenance as and when required. Repainting once in everyone & a half year.  Ordinary Paint  Maintenance as and when required. Repainting thrice in every year.
7	Damages beyond the control of the agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by the agency on the same rates of the contract agreement till DLP.

#### 2. General

#### 2.1 Inspection of works during the Defect Liability Period

- 2.1.1 The contracting agency shall undertake a joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of an emergency. The Contracting agency shall forward to the engineer in-charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particulars attention to those road sections, which are likely to be damaged during rainy season.
- 2.1.2 One register has to be maintained by every AEN for recording the inspection details of works in his jurisdiction under defect liability period.

#### 2.2 Conditions regarding Performance Security

#### 2.2.1 Security for DLP-

The contracting agency shall have to furnish Performance Security in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

#### 2.2.2 The release of PS amount shall be as per following table 2: -

	_		T	2.11	1 2 1/	1 - 1/
S.No.		DLP	1 Year	2 Years	3 Years	5 Years
	Released PS	Period				
1.	After 1 year		100%	40%	20%	10%
2.	After 2 years			60%	20%	10%
3.	After 3 years				60%	10%
4.	After 4 years					20%
5.	After 5 years					50%

The Performance Security will be released as per the above table after a satisfactory performance certificate issued by Engineer-In-Charge: -

#### 2.2.3 Forfeiture of Performance Security

In case the contracting agency fails to rectify the defects within the stipulated period notified to him by the Engineer-in-charge concerned under the contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in the rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

#### 1.2.4 Force Majeure

The defect that arises due to earthquakes, cyclones, and natural calamities shall not be the responsibility of contracting agency.

#### 2.2.5 Various conditions for managing DLP are as under: -

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/ drains etc. (as per different categories in Table-I), DLP shall be operative based upon type of individual item ex: CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work cresses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual item.
  - (iii)Similarly, if any work is more than Rs. 25 lacs but after finalization amount of work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is later.
  - (iv) During DLP period if contractor fails to repair any work even after the issue of 7 days written notice, the same work shall be got executed by the respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted, from JDA for three years as per RTPP rule 2012 and 2013 where his defaults twice in a single agreement or in two different works.
  - (v) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
    - (vi) Special and regular inspection shall also be carried out as per order no. JDA/XEN & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.
  - (vii) In case JDA feels to take up work on any existing DLP road due to any reason, the following procedure should be adopted:
    - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and the contractor shall be asked to complete the same. After completion of assessed repairs, DLP period shall be released after deduction amt. as per following table-III.

Table-3

% Recovery on withdrawal of DLP	1 Year	2 Year	3 Year	4 Year	5 Year
of work order					
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9	7.88	6.45	4.62	2.47

Note: - Calculation is to be done on a quarterly basis.

- (b) In case the Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than the total retained amount of PS same shall be recovered from other works and as per PDR rules. The amount as per Table 3 is also to be deducted in addition to this amount.
- (viii) Based upon the type of work, DLP conditions for works to be carried out during the DLP period with their frequency of the respective type of work shall be prepared by respective SE's after approval of these periods.
- 3. In case patch repairs/civil maintenance works costing more than Rs. 25.00Lakhs, defect liability period will as per clause 37(C) of Contract Agreement.

EXECUTIVE ENGINEER (HQ)
JDA, Jaipur

# **Specified Bank Guarantee Performa for Bid Security**

#### Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

То	
Secre	tary,
Jaipu	Development Authority,
Jaipu	
Sub:	
Bank	Guarantee No dated for [amount of Security in figures] [in words] or
beha	f of [Name of the Bidder] against Bid Security for
the	J
DA Ja	ipur WHEREAS, [name of Bidder with address] (hereinafte
calle	I "the Bidder") has submitted his Bid dated for the work o
	(here in after called "the Bid").
KNO\	V ALL PEOPLE by these presents that we
	(Name of Bank) of having our registered office a
	[name of country] having our registered office a
	(hereinafter called "the Bank") are bound unto Secretary, Jaipu
	opment Authority. (Hereinafter called "the Employer") in the sum of Rupees[Amount of Security in figures](in words) only for which
paym	ent will and truly to be made to the said Employer, the Bank binds itself, its successors, and
_	ns by these presents.
	on demand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City. me of Bank:
	me of the branch with branch code:
	dress:
	nail Id:
	ephone No.
6. Fax	
0.10	
SEALI	D with the Common Seal of the said Bank this day of of 20
THE (	ONDITIONS of this obligation are:
(1)	if the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
(2)	if the Bidder refuses to accept the correction of errors in his bid;

- (3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;
  - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or
  - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through ISFC code No ICICI 006754. Bank Account No. 675401700518 on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date	Signature of the Bank
Witness	Seal
[Signature, Name, and Address]	

[Note: To be furnished on appropriate non-judicial stamps & should be valid for the next 7 months from the bid opening date]

# **Specified Bank Guarantee Performa for Performance Security**

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

То
Secretary, Jaipur Development Authority, Jaipur
Sub:
Bank Guarantee No dated for [amount of Security in figures] [in words] on behalf o [Name of the Bidder] against Performance Security fo
the
KNOW ALL PEOPLE by these presents that we
That on demand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City.
<ol> <li>Name of Bank:</li> <li>Name of the branch with branch code:</li> <li>Address:</li> <li>E-Mail Id:</li> <li>Telephone No.</li> <li>Fax No.:</li> </ol>
SEALED with the Common Seal of the said Bank this day of of 20
We undertake to pay to the Employer up to the above amount upon receipt of his first written demand within valid period of this guarantee.
This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no late than the above date.
The amount covered under the above Bank Guarantee shall be automatically credited to the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through ISFC code No ICICI 006754. Bank Account No. 675401700518 on the date of expire or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.
DateSignature of the Bank
WitnessSeal
[Signature, Name and Address] [Note: To be furnished on appropriate non-judicial stamps.]

#### **Compliance with the Code of Integrity and No Conflict of Interest**

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid-rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain an unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

#### **Conflict of interest:**

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

### (RTPP Act/Rules)

# **Declaration by the Bidder regarding Qualifications**

### **Declaration by the Bidder**

	In relation to my/our Bid submitted tofor procurement of	эf
	I/w	<i>ι</i> e
	hereby declare under Section 7 of Rajasthan Transparency in Public Procuremen	٦t
Act,	2012 that:	
1.	I/we possess the necessary professional, technical, financial and managerial resources ar competence required by the Bidding Document issued by the Procuring Entry;	ıd
2.	I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.	ıe
3.	I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affai administered by a court or a judicial officer, not have my/our business activities suspende and not the subject of legal proceedings for any of the foregoing reasons;	
4.	I/we do not have, and our directors and officers not have, been convicted of any crimin offense related to my/our professional conduct or the making of false statements of misrepresentations as to my/our qualifications to enter into a procurement contract within period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;	or a
5.	I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Documen which materially affects fair competition;	t,
Date	e: Signature of the bidder	
Plac	e: Name:	
	Designation:	
	Address:	

Note: - Annexure "B" is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking any clarification.

#### **Grievance Redressal during Procurement Process**

The designation and address of the First Appellate Authority:

For works costing up to Rs. 300.00Lakhs - Jaipur Development Commissioner, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

The designation and address of the Second Appellate Authority: .....

For works costing up to Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Principal Secretary/ACS, Urban Development

& Housing Department, GOR, Jaipur.

#### (1) Filing an appeal: -

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which, he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

- (2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.
- (3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to the second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

#### (4) Appeals not to lie in certain cases: -

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely: -

- (a) Determination of the need of procurement
- (b) Provisions limiting the participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

#### (5) Form of Appeals: -

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any,
  Affidavit verifying the facts stated in the appeal and proof of payment of fee,

(c) Every appeal may be presented to the first appellate authority or second

The appellate authority, as the case may be, in person or through registered post or authorized representative.

#### (6) Fee for filing Appeal: -

- (a) Fee for the first appeal shall be rupees two thousand five hundred and for the second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a scheduled bank in India payable in the name of the appellate authority concerned.

#### (7) Procedure for disposal of appeal: -

- (a) The first appellate authority or second appellate authority as the case may be, upon the filing of the appeal, shall issue notice accompanied by a copy of the appeal, affidavit and documents, if any, to the respondents and fix a date of hearing
- (b) On the date fixed for hearing, the first appellate authority of the second appellate authority, as the case may be shall-
- (i) Hear all the parties appeal presenting before him; and
- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide a copy of the order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

#### **Additional Conditions of Contract**

#### 1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during the evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected unless in the opinion of the procuring entity, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

#### 2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of the contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of the contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provided in the conditions of the contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of the last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

# 3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods): -

As a general rule, all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

# Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan: -

# A\*Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA 1-Participate in tender

- a) Bidder can access 'Online Tender Participation' Portal of JDA at https://jda.urban.rajasthan.gov.in/jda or by Single-Sign-On at http://service.jaipurjda.org.
- b) Create user Login with a valid mobile number to register yourself for various Online Services of JDA.
- c) Select 'Proceed as Citizen' and then 'Proceed for Subscription' for 'Tender Online Payment'. The prevailing plan for getting registered for tendering process of JDA is Rs. 500.00 with a validity period of 3 Years (renewable).
- d) After successful payment, re-login and upload required documents for KYC (Know Your Client) compliance as per the type of entity viz. Individuals/ Company/ Partnership Firms/ Trusts & foundations. Besides, Bank Passbook / Cancelled Cheque consisting of Bank Account, IFSC Code is mandatory to be uploaded, to refund the bid security of unsuccessful bidder.
- e) After receiving the payment successfully and approving KYC documents the bidder will be authenticated by JDA for taking part in Tender.

#### 2-Deposit Tender Fee, RISL processing fee and Bid Security (EMD)

- **Option-1:** Payment Gateway (Aggregator)

  The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.
- Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)

  If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

#### 3-Deposit Bid Security (EMD)

The Bid Security (EMD) can be submitted through Bank Guarantee (BG). Bidder may opt Bank Guarantee (BG) against Bid Security (EMD), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on 'Online Tender Participation' Portal of JDA before paying balance amount (Tender Fee + RISL Processing Fee). This balance amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

#### **4-Obtain Bid Participation Receipt**

After confirming payment, the bidder will get Bid Participation Receipt based on which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the 'Bid Participation Receipt' will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the 'Bid Participation Receipt' will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) 'Bid Participation Receipt' will be available on Login of Bidder on JDA portal.

#### B-\*\*Bid Submission on 'e-Procurement Portal' of Government of Rajasthan

1- Online e-Bid can be submitted after registration at e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in

- 2- It is mandatory to upload Bid Participation Receipt with the bid submission.
- 3- Details of online payment available on Tender Participation Portal of JDA have to be filled in 'offline payment' section of e-Procurement portal.

#### Note

- 1- Bidder (authorized signatory) shall submit their offer on-line in electronic formats both for technical and financial proposal.
- 2- In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3- To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e., TCS, Safe crypt, nCode etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a> (bidders already registered on <a href="http://eproc.rajasthan.gov.in">http://eproc.rajasthan.gov.in</a> before 30-09-2011 must register again).
- 4- JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5- Bidders are also advised to refer "Bidders Manual Kit" available at eProc website for further details about the e-Tendering process.
- 6- Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested in training may contact e-Procurement Cell, DoIT&C for booking the training slot.

Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in

Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

- 7- The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8- No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9- Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10- The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPP Act 2012 and Rules thereto, the later shall prevail.

Jaipur Development Authority, Jaipur.					
Bid Participation Receipt					
	Date & Time: -				
Bid Detail					
Bid ID:		Procurement Entity: -			
Bid Title:					
Bid Value:		Bid Opening Place:			
Bidder Detail		,			
Name of Enti	ty:	Mobile No.:			
Registration <sup>-</sup>	Гуре:	Instrument Amount:			
Payment Mo	de:	Payment Channel:			
Instrument No.:		Instrument Date:			
Dates Detail					
Sr. No.	Event Name	Event Date			
1	Publishing Date				

Specific Instrument for eProc Rajasthan				
Instrument Type				
Instrument Number	Head Name	Amount	Date	
	Tender Fee			
	RISL Processing Fee			
	Bid Security Deposit			
Issuer Detail: Jaipur Dev	elopment Authority	Challan Number	:	

Bid Opening Date

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in.

2

### JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

#### SPECIAL CONDITION OF THE CONTRACT FOR POST QUALIFICATION OF CONTRACTORS

# Name of work; - Renovation and development of JDA Campus including Civil, Electrical, PHE & Horticulture works

Special conditions of contract of POST QUALIFICATIONas detailed here under, shall be applicable in addition to all other terms and condition already prescribed under standard agreement forms/rules and regulations to contract:

#### 1. Procedure:

Procedure for POST QUALIFICATION would be as follow:

- (a) Two-envelope (docket) system would be adopted, for POST QUALIFICATION, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.
  - Docket-1: There will be three separate folders- **Folder-1** is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal and copy of enlistment as contractor/ bidder in required category. **Folder-II** is for bid document and **folder-III** is for technical bid.
  - Docket-2: There will two separate **folders-1** is for financial bid and **folders-2** is for bill of quantities.
- (b) The technical bid will be opened only of whose bidders those proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in required category and signed Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal are found to be in order. The bid Security will be accepted only in from of online deposition or in form of Bank Guarantee.
- (c) The Technical Bid envelope would be opened on the date .....pm in the chamber of Superintending Engineer.......
- (d) The Financial Bid envelope would be opened only of those bidders who fulfill all the POST QUALIFICATION CRITERIA.

#### 2. Criteria:

Criteria for POST QUALIFICATION would be as follows: -

- 2(a) Deleted
- 2(b) The bidder should have completed at least one building work (new construction/ renovation work) in last seven Financial Year (including current year, if opted by the bidder) of value not less than 50% of the Estimated Cost of the work (bid cost Rs. 82484263/-) updated to present price level.
  - (i) The starting & completion date of the work is to be in between above said financial year. If no then maximum work (70%) of work mentioned in certificate submitted is to be completed in above said financial years. The bidders should have to enclose the proper bifurcated certificate accordingly otherwise the certificate will not be considered.

- (ii) In case; if single work selected by the bidder, is of mix in nature having different components; then a proper bifurcated completion certificate showing the required similar nature component, should be enclosed.
- 2(C) The bidder should have achieved an annual financial turnover of at least 60% of the estimated cost of work (bid cost Rs. 82484263/-) in any one of the seven five financial years (including current year, if opted by the bidder)

#### Note: -

- (i) The bidder should enclose certificate of Turn Over from Chartered Accountant for last seven financial year & audited balance sheet of the year which is considered by the bidder in criteria 2(c).
- (ii) If current year or last year has been opted by bidder whose balance sheet is not submitted till the submission of bid then certificate from Chartered Accountant should be enclosed.
- 2(d) The bidder should give self-declaration to deploy the machinery and equipment as specified in Schedule-III for the execution of this work.
- 2(e) Bid Capacity: Bidders who meet the minimum qualification criteria will be qualified only if available bid capacity is **equal to or more** than the total Bid Value.

The available bid capacity will be calculated as under:

#### bid capacity= (AxNx3-B)

Where A=

Maximum value of civil engineering work executed in any one year during the last 7 financial years (updated to preset Price level) taking in to account the completed as well as works in progress. However, the bidder may opt current year in the five-year assessment period (Annexure-IV).

N=

Number of years prescribed for completion of the work of which bids are invited. In present case value of N shall be 1.0

B=

Value, at present price level of existing commitments and ongoing works to be executed during "N" period (period prescribed for completion of the works for which the bids are invited)

#### Note: -

- (i) Certificate from Chartered Accountant should be enclosed by bidder clearly indicated maximum value of Civil Engineering Work in one Financial Year.
- 2(f) Litigation History: Bidder should provide an accurate information on any litigation or arbitration resulting from contracts completed or under execution by him over the last seven years. The maximum value (updated at the present price level) of disputed amount claimed in the litigation/arbitration resulting from contracts executed in last seven years shall be deducted from the calculated Bid Capacity of the bidder. The details shall be furnished in Schedule VI.

#### Note: -

(I) The present price level for turnover, cost of completed work & disputed amount of similar nature, the previous year's value shall be given weight age of 10% per years as follows: -

Fina	nncial Year	Factors
(a)	For current year	1.00
(b)	For First last financial year	1.00
(c)	For second last financial year	1.10
(d)	For third last financial year	1.21
(e)	For fourth last financial year	1.33
(f)	For Fifth last financial year	1.46
(g)	For sixth last financial year	1.60
(h)	For seventh last financial year	1.76

- 3. The bidder should furnish the following documents along with the technical bid;
  - (a) Information regarding financial resources and capability in Schedule-I.
  - (b) Information regarding works executed in the last Seven years in Schedules-II.
  - (c) Certificates from the concerned Engineer-In-Charge in support and verification of the information furnished in Schedule-II.
  - (d) Self declaration regarding machinery and equipment required for deployment, as detailed in Schedule-III.
  - (e) Information regarding details of maximum value of civil engineering works executed in any one year during the last seven years taking into account the completed as well as works in progress in schedule-IV.
  - (f) Information regarding existing commitments and ongoing works to be completed in schedule-V.
  - (g) Information regarding details of litigation or arbitration contracts to be furnished in schedule-VI.
  - (h) Calculation of Bid capacity in schedule-VII.
  - (i) Self declaration as per Annexure I.
  - (j) Details regarding evaluation criteria in schedule-VIII.

Note: - These schedules are mandatory to fill by the bidder, failing which the information be treated as NIL.

#### 4. Important:

- (a) The bidder must ensure that all the information required in the Document is furnished by him completed in all respects. He would not be allowed to withdraw any document, or to rectify any information furnished therein, after submitting the bid.
- (b) The bidder should give self declaration that the information furnished in schedule I to VII is correct. If any information is found incorrect, the offer of the bidder shall be rejected and action be taken as per rules.
- (c) Bidders must do paging of all enclosure of bid documents.

#### 5. Rejection of bids:

The department reserves the rights to reject any bid or to disqualify any or all the bidders, without assigning any reasons at any stage.

- (I) If bid is not accompanied with the requisite documents mentioned in clauses 3(a) to 3(i) or is not in accordance with procedure specified in para 1, or is not accompanied with bid security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder and registration of contractor in required category it would be liable for rejection.
- (II) Furnish of incorrect or concealment of any information required in the bid documents would render the bid liable for rejection.
- (III) the bidder shall prepare bid in the digital/ electronic mode for uploading on e-procurement portal in the format/type of file specified in evaluation qualification criteria" all the documents uploaded

- should be digitally signed with DSC of authorized signatory, deemed as all the pages of the uploaded documents are signed."
- (IV) The self-declaration and annexure "B" enclosed by the bidder regarding qualifications of RTPP Act, 2012 and Rules, 2013 along with bid documents, should be signed by the participating bidders before uploading bid documents otherwise the bid will be rejected as per officer order No. 194 dated 06.09.2022.

EXECUTIVE ENGINEER (HQ)
JDA, Jaipur

#### **SCHEDULE-I**

### FINANCIAL RESOURCES AND CAPABILITY

## (Reference clause 3(a)

1.	Name of Bidder:-		
2.	Total financial turnover achieved b	y the bidder in the last seve	en financial years;
	S.No. (i) (ii)	Year	Turnover
	(iii)		
	(iv)		
	(v)		
	(vii)		
	(vii)		
	alance Sheets and Profit & Loss Accoper criteria 2(a).	ounts is to be enclosed by the	he bidder which is considered by him as
3. 4.	Total financial Turnover projected Has the bidder ever been debarred Government undertaking? Yes/No, If yes give details.		r. I Government/State Government/any
5.	Has bidder ever been declared inso Yes/No, If yes give details.	olvent?	
6.	Name(s) and Address of Branch/(s)	for bidder's Bankers.	
I/We he	ereby certify that the above informat	tion is correct to the best o	f my/our knowledge and belief.
Date:			

#### **SCHEDULE II**

Reference Clause 3 (b)

# Attested photo of the bidder

#### DETAILS OF BUILDING WORKS EXECUTED DURING THE LAST SEVEN FINANCIAL YEARS TAKING INTO ACCOUNT THE COMPLETED AS, WELL AS WORKS IN PROGRESS

Sr. No.	Name of the work	Name of the client	Location of work	Nature of work	Cost of work as per the work order (inclusive of taxes)	Stipulated date of completion	Actual Cost of work  (if complete d)	Actual date of completio n	Status of work

Note:-1. (A) Certificates from concerned Engineers-in-charge should be enclosed in support and verification of the above statement.

Note: -1. (B) In case of private entity, the bidder should submit a CA certificate clearly showing, proof of execution

Data	
Date.	

#### **SCHEDULE-III**

(Reference clause 3(d)

# **Self Declaration**

I/We	Proprietor/Partner/	Authorized	signatory	of
M/s	under take the oath	that I/We will	deploy the n	nachinery
and equipment listed below	as and when required in the exec	cution of this wo	rk.	

S.	Name of Machinery	Minimum Requirement	,	Availability
No.			Owned	Leased
1.	Mixture Machine	01		
2.	Plate Vibrator	03		
3.	Needle Vibrator	03		
4.	Scaffolding	200 Sqm		
5.	Pick up	01		
6.				
7.				
8.				
9.				
10.				
11.				
12.				

I/We hereby certify that the above information is correct to the best of my/our knowledge and belie

Signature of Bidder

Note:- This self-declaration is mandatory to be signed by the bidder failing which the bid shall summarily be rejected without asking any clarification.

#### **SCHEDULE-IV**

#### (Reference clause 3(e)

#### DETAILS OF MAXIMUM VALUE OF CIVIL WORKS EXECUTED IN ANY ONE YEAR DURING LAST SEVEN YEARS.

FINANCIAL YEAR IN LAST SEVEN YEARS	COST OF WORK EXECUTED IN FINANCIAL YEAR
2023-24	
2022-23	
2021-22	
2020-21	
2019-20	
2018-19	
2017-18	
2016-17	

#### **SCHEDULE-V**

#### (Reference clause 3(f)

#### DETAILS OF EXISTING COMMITMENTS & ON GOING WOERKS TO BE COMPLETED

S. No.	Name of Works (with agreement No. & Date)	Client	Stipulated date of commencement	Stipulated date of completion	Value of balance work on date of tender	Likely date of completion of balance work

#### **SCHEDULE-VI**

(Reference clause 3(g)

#### **DETAILS OF LITIGATION OR ARBITRATION CONTRACTS**

S. No.	Name of Works (with agreement No. & Date)	Client	Work Order	Disputed Amount claimed in Litigation/ Arbitration	Date of Raising Disputed Amount	Actual Award Amount, if the case is Decided	Cause of Litigation & matter in Dispute

#### **SCHEDULE-VII**

(Reference clause 3(h)

## **BID CAPACITY**

1.	A= Maximum value of civil Engineering works Executed in any one year during the last Seven Years (Updated to present price level)	Lacs	Certified details enclosed at Page No
2.	N= Number of years prescribed for completion of the work for which bids are invited	1.0	
3.	B= Value, at the present price level of existing Commitments and on going works to be completed during the next N Period.	Lacs	Certified details enclosed at Page No

Bid Capacity= A x	N x 3-B
	=Lacs

# Schedule- VIII (Reference clause 3(J)

### **Details Regarding Evaluation Criteria**

#### Name of work :-

S.	ltem								
No.		Requirement (As per Bid)		Year	Qty.	Page No.			
1	Copy of GST Reg. Certificate								
2	Copy of Registration certificate								
3	<ol> <li>Proof of Bid Security deposition</li> <li>Proof of bidding document cost deposition</li> <li>Proof of RISL fees deposition.</li> </ol>								
4	The bidder should have executed following quantities of work in any one financial year of the last seven financial years. However, the bidder may opt current year in the said financial assessment period. (Schedule-II).		Deleted						
	a.								
	b.								
	c.								
5	The bidder should have completed at least one building work (new construction/ renovation work) in last seven Financial Year (including current year, if opted by the bidder) of value not less than 50% of the Estimated Cost of the work (bid cost) updated to present price level								
6	The bidder should have achieved an annual financial turnover of at least Rs								
7	The bidder should give declaration to deploy the machinery and equipment as specified in schedule-III, for the execution of this work. Duly Self attested.								
8	Bid Capacity (AxNx3-B) Here A is Maximum value of civil engineering work executed in any one of last 7 financial years. N is number of Years Prescribed for completion of the work. B is value at present price level of existing commitments and ongoing.								
9	Declaration in support of information finished by bidder in Annexure-I								
10	Schedule-VI (Details of Litigation).								
11	Signed Annexure "B"(RTPP Act/Rules)								

Note:- This sheet must be prepared and submitted by the bidders.

### **Self Declaration**

Attested photo of the bidder

	I/We			Prop	rietor/l	artner/	'Authorized	signatory	of
M/s			ur	nder take t	he oath	that t	he informati	on furnished by me/	us in
schedule	e	1	to	VIII	of		the	assessment	Bid
for								is correct to	the
best of	my/ our kn	owledge. If	any informat	ion id foun	d to be	incorre	ct JDA has rig	ght to reject the Bid a	nd to
take act	ion against	me/us as p	er rules.						
								•••••	
					Р	roprieto	or/Partner/Au	ıthorized signatory	
					N	Л/s			

Note: - This Self Declaration is mandatory to be signed by the bidder failing which the bid shall summarily be rejected without asking any clarification.

# Tender Inviting Authority: JAIPUR DEVELOPMENT AUTHORITY, JAIPUR Name of Work: Renovation and development of JDA Campus including Civil, Electrical, PHE & Horticulture works.

Contract No: EE (HQ)/11/2023-24

D: 11	I											
Bidder Name :												
	PRICE SCHEDULE											
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words						
1.00	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer-incharge.1: 3: 6 or richer mix.	183.315	cum	397.80	72922.71	INR Seventy Two Thousand Nine Hundred & Twenty Two and Paise Seventy One Only						
2.00	Dismantling dressed stone work ashlar face stone work, marble work or precast concrete work manually/ by mechanical means including stacking of serviceable and disposal of unserviceable material within 50 metres lead as per direction of Engineer in charge: In cement mortar.	24.569	Cum	468.90	11520.40	INR Eleven Thousand Five Hundred & Twenty and Paise Forty Only						
3.00	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meter lead	2422 440	Sqm	9.00	30810.96	INR Thirty Thousand Eight Hundred & Ten and Paise Ninety Six Only						
4.00	Dismantling tile work in floors and roofs laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 meter lead:For thickness of tiles 10mm to 25mm.		Sqm	13.50	39534.41	INR Thirty Nine Thousand Five Hundred & Thirty Four and Paise Forty One Only						
5.00	Earth work in excavation by mechanical means (Hydraulic excavator )/ manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sum on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed: All kinds of soil		Cum	109.80	10980.00	INR Ten Thousand Nine Hundred & Eighty Only						
6.00	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level.											
6.10	M15 grade Nominal Mix 1: 2: 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size).	112.698	Cum	2882.70	324874.52	INR Three Lakh Twenty Four Thousand Eight Hundred & Seventy Four and Paise Fifty Two Only						
6.20	M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	55.620	Cum	2398.50	133404.57	INR One Lakh Thirty Three Thousand Four Hundred & Four and Paise Fifty Seven Only						
7.00	Half brick masonry in foundation & plinth using bricks of designation 75 Cement mortar 1 : 4 (1 cement : 4 coarse sand)		Sqm	325.80	64834.20	INR Sixty Four Thousand Eight Hundred & Thirty Four and Paise Twenty Only						

Bidder Name :						
· ·	PF	RICE SCHE	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
8.00	Supplying and fixing in walls machine cut and polished stone shelves, tands and in CM 1:3 with machine cut edges :Sand or other approved stone 50mm thick.		Sqm	420.30	31522.50	INR Thirty One Thousand Five Hundred & Twenty Two and Paise Fifty Only
9.00	Supplying and fixing stone lintels/bed plates of approved quarry rough dressed in cement mortar 1:4: Above 15 cm. thick.	0.634	Cum	5712.30	3621.60	INR Three Thousand Six Hundred & Twenty One and Paise Sixty Only
10.00	Providing and fixing Marble stone flooring table rubbed, 15-18 mm thick over 20mm (Av.) thick base of CM 1:4 (1 cement : 4 coarse sand) jointing with white cement mortar 1:2 (1 white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete.  OR  Providing and fixing stone slabs table rubbed, 15-18 mm thick in Walls, Steps, Pillars, Counters, Jambs, Shelves, Sills etc. laid on 12mm (Av.) thick base of CM 1:3 (1 cement : 3 coarse sand) jointing with white cement mortar 1:2 (1white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete					
10.10	Makrana 'Adanga'.1501 Cm2 to 3600 Cm2 Tiles	21.000	Sqm	883.80	18559.80	INR Eighteen Thousand Five Hundred & Fifty Nine and Paise Eighty Only
10.20	Green / Black1501 Cm2 to 3600 Cm2 Tiles	15.840	Sqm	2079.00	32931.36	INR Thirty Two Thousand Nine Hundred & Thirty One and Paise Thirty Six Only
11.00	Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge Granite Work	360.000	Mtr	153.00	55080.00	INR Fifty Five Thousand &Eighty Only
12.00	Extra for fixing marble / granite stone over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive including cleaning etc. complete	20.900	Mtr	16.20	338.58	INR Three Hundred & Thirty Eight and Paise Fifty Eight Only
13.00	Extra for providing opening of required size & shape for wash basins/ kitchen sink in kitchen platform, vanity counters and similar location in marble/Granite/stone work including necessary holes for pillar taps etc. including rubbing and polishing of cut edges etc. complete	22.000	Each Openin g	168.30	3702.60	INR Three Thousand Seven Hundred & Two and Paise Sixty Only
14.00	Extra for Mirror polishing on marble work where ever required to give high gloss finish complete	15.840	Sqm	67.50	1069.20	INR One Thousand &Sixty Nine and Paise Twenty Only

Bidder						
Name :		NOT COVE	N. I. E.			
		RICE SCHEI			TOTAL	TOTAL ANGLES
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
15.00	Supplying and fixing machine cut fine dressed Red/Pink sand stone dasa or coping, with full moulding if required laid on cement mortar 1:4 including pointing with admixture of pigment matching with the stone shade. 50 mm thick	98.000	Sqm	909.00	89082.00	INR Eighty Nine Thousand &Eighty Two Only
16.00	Providing & fixing door, window, chowkhats and other frames, including antitermite treatment, M.S. flat, hold fasts of size 250 x 40 x 3mm fixed with M.S. bolt 5mm dia 50mm long duly embedded in cement concrete M-15 grade: Ivory coast wood Grade I	1.943	Cum	84488.40	164160.96	INR One Lakh Sixty Four Thousand One Hundred & Sixty and Paise Ninety Six Only
17.00	Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per annexure 'A': 35 mm thick. Commercial Veneer both side	48.000	Sqm	1188.90	57067.20	INR Fifty Seven Thousand &Sixty Seven and Paise Twenty Only
18.00	Providing and fixing wall panelling using soft wood frame of size 50x25mm @600 mm c/c in both directions duly treated with anti-termite treatment making grooves painting of grooves specification and drawing using: ISI 9 mm teak ply one side BWR		Sqm	1137.60	517039.20	INR Five Lakh Seventeen Thousand &Thirty Nine and Paise Twenty Only
19.00	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting (height upto 10 m), fixing in position and applying a priming coat of approved steel primer all complete:	1200.000	Kg	59.40	71280.00	INR Seventy One Thousand Two Hundred & Eighty Only
20.00	Providing and fixing of double leaf steel shutter for cupboard, the frame is made of pressed steel ISI section 80x25 mmx1.25 mm thick with 1.00 mm MS sheet to spot welded including holdfasts of 15x3mm, MS oxidized fittings such as butt hinges, sliding doors bolts, handles, tower bolts and twin peg etc complete including applying priming coat of approved steel primer of red oxide zinc chromate and spray painting in approved shade with deco paint of approved quality complete as per direction of Engineer In Charge	187.500	Sqm	2429.10	455456.25	INR Four Lakh Fifty Five Thousand Four Hundred & Fifty Six and Paise Twenty Five Only

Bidder Name :										
PRICE SCHEDULE										
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words				
21.00	Providing and fixing 12.5 mm thick tapered edge gypsum board conforming to IS 2095- Part I at all height false ceiling including providing and fixing of frame work made of special sections power pressed from M.S. sheet and galvanised in accordance with zinc coating of grade 350 as per IS: 277 and consisting of angle cleats of size 25mm wide x 1.6mm thick with flanges of 22mm and 37mm at 1200mm centre to centre one flange fixed to the ceiling with dash fastener 12.5mm diax40mm long with 6mm dia bolts to the angle hangers of 25x25x0.55mm of required length, and other end of angle hanger being fixed with nut and bolts to G.I. channels 45x15x0.9mm running at the rate of 1200mm centre to centre to which the ceiling section 0.5mm thick bottom wedge of 80mm with tapered flanges of 26mm each having clips of 10.5mm at 450mm centre to centre shall be fixed in a direction perpendicular to G.I. channel with connecting clips made out of 2.64mm diax230mm long G.I. wire at every junction of 2.64mm diax230mm long G.I. wire at every junction of 2.64mm diax230mm long G.I. wire at every junction including fixing the gypsum board with ceiling section and perimeter channels 0.5mm thick 27mm high having flanges of 20mm and 30mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450mm centre to centre with 25mm long drive-all screws @ 230mm interval including jointing and fixing to a flush finish of tapered and square edges of the board with recommended filler, jointing tapes, finisher and two coats of primer suitable for board as per manufactures specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed all complete as per drawing and specification and direction of the Engineer in Charge but excluding the cost of painting.	122.400	Sqm	540.00	66096.00	INR Sixty Six Thousand &Ninety Six Only				

Bidder Name :						
rume.	 	RICE SCHEI	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
22.00	Providing and fixing 14 mm thick Acoustical with fine fissured tiles/ Mineral fibre high density tiles with butt edges false ceiling tiles of size 595x595 mm in true horizontal level suspended on inter locking metal grid of hot dipped galvanised steel sections (galvanized @ 170 gsm/sqm.) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38mm made from 0.30mm thick (minimum) sheet spaced at 1200mm center to center and cross "T" of size 24x25mm made of 0.30mm thick (minimum) sheet, 1200mm long spaced between main "T" at 600mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600mm and size 24x25mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600mm panel to form grids of 600x600mm and wall angle of size 21x21x0.30 mm and laying false ceiling tiles of approved texture in the grid including, wherever, required, cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats fixed to ceiling with 6 mm dia and 50mm long dash fasteners, 4mm GI adjustable rods with galvanised level clips spaced at 1200mm center to center along main T, bottom exposed width of 24mm of all T-sections shall be pre-painted with polyester paint, all complete at all heights as per specifications drawings and as directed by Engineer-in-Charge. (The tiles should of 90 % RH avg. NCR 0.55 light reflectance> 80% thermal conductiveity K = 0.052-0.057 w/m K colour white. Fire performance class 0/class I(BS 476) with warranty against sag)		Sqm	695.70	1204479.32	INR Twelve Lakh Four Thousand Four Hundred & Seventy Nine and Paise Thirty Two Only
23.00	Providing and fixing 1st quality MAT finished ceremic tile size 300x300mm confirming to IS: 13755 and IS: 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4).	691.980	Sqm	506.70	350626.27	INR Three Lakh Fifty Thousand Six Hundred & Twenty Six and Paise Twenty Seven Only
24.00	Extra for using Marble printed / Granite shade or dark shade tiles instead of white, grey, ivory, fume red brown, light green, light blue and other light shades in glazed tiles and MAT finished tiles.		Sqm	50.67	35062.63	INR Thirty Five Thousand &Sixty Two and Paise Sixty Three Only
25.00	Plaster on new surface on walls in cement sand mortar 1:4 including racking of joints etc. complete fine finish: 20mm thick.	5069.700	Sqm	107.10	542964.87	INR Five Lakh Forty Two Thousand Nine Hundred & Sixty Four and Paise Eighty Seven Only
26.00	Providing and applying white cement based putty over plastered surface to prepare the surface even and smooth complete	10366.800	Sqm	64.80	671768.64	INR Six Lakh Seventy One Thousand Seven Hundred & Sixty Eight and Paise Sixty Four Only

Bidder Name :						
· vanic .	PI	RICE SCHEI	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
27.00	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade including all scaffolding: Old work (one or more coats)	10366.800	Sqm	25.20	261243.36	INR Two Lakh Sixty One Thousand Two Hundred & Forty Three and Paise Thirty Six Only
28.00	Painting exterior surface of Wall with 100% acrylic exterior paint of approved brand and manufacture to give an even shade with two or more coats including prepartion of base with sand papering, primer, putty, etc complete in all respect. Old Work	833.512	Sqm	31.50	26255.63	INR Twenty Six Thousand Two Hundred & Fifty Five and Paise Sixty Three Only
29.00	Finishing walls with textured exterior paint of required shade as per approved colour complete as per manufacturers specifications including primer coat and protecting coat. Trowel Finish av. thickness 2000 to 2500 microns.	2311.800	Sqm	270.90	626266.62	INR Six Lakh Twenty Six Thousand Two Hundred & Sixty Six and Paise Sixty Two Only
30.00	Providing and applying Melamine polish on teak wood work of approved brand and manufacture to give an even shade with two or more coats by compressor including sand papering, wood filler coat etc complete in all respect:					
30.10	New Surface	704.500	Sqm	553.50	389940.75	INR Three Lakh Eighty Nine Thousand Nine Hundred & Forty and Paise Seventy Five Only
31.00	Refebrication work with existing steel work including cutting, welding & refebrication as per requirement with fixing at site complete as per direction of Engineer In charge	1656.000	kg	21.60	35769.60	INR Thirty Five Thousand Seven Hundred & Sixty Nine and Paise Sixty Only
32.00	Repair to damaged RCC slabs, beams and columns etc for strengtheing with cement mortar 1: 2 in following steps i) Choping losse and cracked concrete to required depth, cleaning the exposed surface of steel and concrete with wire brush and sand papering, cleaning of concrete surface with water as necessary and getting dried. ii) Applying Epoxy primer on the exposed steel bars. iii) Applying Epoxy hardener and resin mix (as per manufectured's specification) on concrete and steel bars with brush. iv) Speading dry cement mortar 1: 2 mix over epoxy treated wet surface and allow it to dry for one day. v) Plastering the surface with cement sand mortar 1: 3 upto depth of 30mm complete. vi) Cure the plastered surface for 15 days	480.000	Sqm	978.30	469584.00	INR Four Lakh Sixty Nine Thousand Five Hundred & Eighty Four Only

Bidder						
Name :	PI	RICE SCHEI	OH E			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
33.00	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C., kitchen and the like consisting of: i) Ist course of applying cement slurry @ 4.4 Kg/sum mixed with water proofing compound conforming to IS 2645 in recommended proportions including rounding off junction of vertical and horizontal surface. ii) IInd course of 20mm cement plaster 1:3 (1 cement: 3 coarse sand) mixed with water. proofing compound in recommended proportion including rounding off junction of vertical and horizontal surface iii) IIIrd course of applying blown or residual bitumen applied hot at 1.7 Kg per sqm. of area. iv) IVth course of 400 micron thick PVC sheet .(Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 Kg/sqm.)	1442.790	Sqm	301.50	435001.19	INR Four Lakh Thirty Five Thousand &One and Paise Eighteen Only
34.00	Providing and fixing vertical Blinds, headrail shall be oriented aluminum alloy 50 mm vide x 18 mm high the thickness shall be 1.2 mm. Control unit shall be made of high grade polymer and shall be housed in side the headrail, which shall transfer motion from chain tilter to tilt rod. Chain tilter shall be made of plastic bead of diameter 4.5 mm through which 2 mm thick polyester code passes. Tilt rod shall be extruded aluminum having 3 key ways. Runner shall be moulded plastic and shall have to plastic wheels mounted on plastic exles to enable runner to slide unhindered in headrail. Luver shall be made of fabric 100 mm colour fast and shall have protective scotchgard coating to resist stains and dust. Bottom mechanism consist bottom weight made of powder coated galvanized steel for maximum corrosion resistance. The bottom weight shall be attached with bottom	550.000	Sqm	1079.10	593505.00	INR Five Lakh Ninety Three Thousand Five Hundred & Five Only
35.00	P & F Indian type white glazed vitreous china 1st quality W.C. orissa pan (IS:2556 Mark) with 100 mm vitreous china P or S trap including cutting and making good the wall and floor:					
35.10	Size 580x440mm.	34.000	Each	1585.80	53917.20	INR Fifty Three Thousand Nine Hundred & Seventeen and Paise Twenty Only
36.00	COCKS, MIXERS, DIVERTORS & VALVES Note:  (a) The rates are for ISI marked item.  (b) If the items are Non-ISI marked, reduce the rate by 25%.  Providing and fixing Superior quality (Jaguar Contiental ) CP Brass fittings complete as per direction of EI					

Bidder						
Name :	DI	DICE CCHE	DITE			
Sl.	Item Description	Quantity	Units	Estimated	TOTAL	TOTAL AMOUNT
No.	nem Description	Quantity	Cints	Rate	AMOUNT	In Words
36.10	Two way Bib Cock 15 mm nominal size	97.000	Each	891.00	86427.00	INR Eighty Six Thousand Four Hundred & Twenty Seven Only
36.20	Angular stop cock with long thread 15 mm nominal size	170.000	Each	579.60	98532.00	INR Ninety Eight Thousand Five Hundred & Thirty Two Only
36.30	Concealed stop cock 15 mm nominal size	64.000	Each	886.50	56736.00	INR Fifty Six Thousand Seven Hundred & Thirty Six Only
36.40	Single lever wash basin mixer with 450 mm long copper connection pipe	30.000	Each	3534.30	106029.00	INR One Lakh Six Thousand &Twenty Nine Only
36.50	600 mm long towel rail	35.000	Each	1366.20	47817.00	INR Forty Seven Thousand Eight Hundred & Seventeen Only
36.60	Revolving type towel ring	35.000	Each	837.00	29295.00	INR Twenty Nine Thousand Two Hundred & Ninety Five Only
36.70	Soap dish	35.000	Each	811.80	28413.00	INR Twenty Eight Thousand Four Hundred & Thirteen Only
36.80	Paper holder	35.000	Each	837.90	29326.50	INR Twenty Nine Thousand Three Hundred & Twenty Six and Paise Fifty Only
36.90	Hand shower with 8 mm dia 1 mt long PVC tube & wall hook complete	95.000	Each	1386.00	131670.00	INR One Lakh Thirty One Thousand Six Hundred & Seventy Only
37.00	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. (Concealed work including cutting chases and making good the walls etc.,)					
37.10	20mm nominal outer dia pipes	1300.000	R.Mtr.	165.60	215280.00	INR Two Lakh Fifteen Thousand Two Hundred & Eighty Only

Bidder						
Name :		NOT COLLE				
C1		RICE SCHE		Tre (1)	TOTAL	TOTAL AMOUNT
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
37.20	25 mm nominal outer dia pipes	1300.000	R.Mtr.	229.50	298350.00	INR Two Lakh Ninety Eight Thousand Three Hundred & Fifty Only
38.00	Providing, Laying & Jointing R.C.C. class NP-2 Non-Pressure pipes (IS: 458mark) of approved make with collars, jointed with C.M. 1:2 or having Spigot and socket ends with flexible rubber rings joint including testing of joints etc. complete:					
38.10	600mm dia Internal	100.000	Mtr	1383.30	138330.00	INR One Lakh Thirty Eight Thousand Three Hundred & Thirty Only
39.00	Construction of chamber in all type of soil with 300 mm thick masonry in CM 1:6 m,10 cm thick C.C. 1:5:10 in foundation, 20mm thick insider plaster in Cm 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, earthwork etc. complete as per design including disposal of surplus earth within a lead of 50 mtr.					
39.10	Inside size 300 X 300 mm depth upto 0.5 M Cement cover with frame.	125.000	Each	620.10	77512.50	INR Seventy Seven Thousand Five Hundred & Twelve and Paise Fifty Only
40.00	Supplying and fixing Ferro- cement cover with C.I. frame for chambers & man holes of size					
40.10	Rectangular shape 600 x 450 mm, to withstand 3 MT center point load & minimum unfractured load of 1 MT. (Light duty).	40.000	Each	918.00	36720.00	INR Thirty Six Thousand Seven Hundred & Twenty Only
41.00	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant.					
41.10	160 mm dia	670.736	Mtr	225.00	150915.60	INR One Lakh Fifty Thousand Nine Hundred & Fifteen and Paise Sixty Only
42.00	Providing and Fixing Unplasticized Poly Vinyl Chloride (UPVC) SWR Pipes Type B for sciland waste discharge system (IS:13592 : 1992 Marked) of approved quality / make					
42.10	110 mm dia	1650.500	Mtr	198.00	326799.00	INR Three Lakh Twenty Six Thousand Seven Hundred & Ninety Nine Only
43.00	Add extra for Fixing glazed/ Ceramic/ Vitrified floor tiles with cement based high polymer modified quick-set tile adhesive (Water based) conforming to IS: 15477, using 5kg. adhesiveper sum of tile area, in average 3mm thickness instead of cement mortar.	2059.440	Sqm	136.12	280330.97	INR Two Lakh Eighty Thousand Three Hundred & Thirty and Paise Ninety Seven Only
44.00	Brick masonry with F.P.S. bricks of class designation 75 in foundation and plinth with bricks					

Bidder Name :						
	PI	RICE SCHE	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
44.10	Cement mortar 1 : 6 (1 cement : 6 coarse sand)	25.520	Cum	2604.60	66469.39	INR Sixty Six Thousand Four Hundred & Sixty Nine and Paise Thirty Nine Only
45.00	Building rubbish stone metal (Grit and ballast etc.)					
45.10	For 10 Km.	415.063	Cum	61.29	25439.21	INR Twenty Five Thousand Four Hundred & Thirty Nine and Paise Twenty One Only
46.00	Providing and fixing Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:3 (1 cement: 3 coarse sand) jointing with white cement mortar 1:2 (1white cement: 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete.					
46.10	Jhunjhunu / Jalore (Red / Choclate Colour)					
46.20	Above 3601 Cm2 Slabs	586.358	Sqm	2402.10	1408490.55	INR Fourteen Lakh Eight Thousand Four Hundred & Ninety and Paise Fifty Five Only
47.00	P & F WVC wash basin (1st quality, I.S.: 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS: 8934 Mark) & 32 mm C.P. brass waste coupling of approved make, 25 mm G.I. waste pipe complete including cutting & making good the wall.:					
47.10	Size 610 mm x 510 mm	134.000	Each	2156.40	288957.60	INR Two Lakh Eighty Eight Thousand Nine Hundred & Fifty Seven and Paise Sixty Only
48.00	Supplying and providing of two components poly sulphide sealant containing solid contents, confirming to standard specification and approved compatible primer, for priming vertical faces prior to application of poly sulphide sealant including all labour charges for sealing of expansion joints after drill mixing of two components sealing compound. Cleaning and preparation of expansion joint using wire brush sand papering with emery paper and filing with suitable mechanical means. The work includes racking and cleaning of joints, sticking, debonding tape on bottom of joint, applying primer on edges, using masking tape on edges, providing of sealant and removal of masking tape immediately after providing sealant in joint.					

Bidder Name :						
Name:	PI	RICE SCHE	DIII F			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
48.10	To vertical joint between RCC columns, bricks & stone masonry 348.000 557.10 mtr 1,93,870.80 in size 40 mm width and 12 mm depth, including providing back up material (Thermocoal foam) if required.	348.000	Mtr	557.10	193870.80	INR One Lakh Ninety Three Thousand Eight Hundred & Seventy and Paise Eighty Only
49.00	Rough Chisel dressed Sand stone 35 mm thick flooring of approved shade set over 20mm thick base of cement mortar 1:6 (1 cement : 6 coarse sand) and pointing with cement sand mortar 1:3 with pigment to match the shade of stone with joint thickness up to 15 mm complete in all respects					
49.10	Mandana stone	540.000	Sqm	407.70	220158.00	INR Two Lakh Twenty Thousand One Hundred & Fifty Eight Only
50.00	Dismantling aluminium/Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer-in-charge.	526.400	Sqm	10.80	5685.12	INR Five Thousand Six Hundred & Eighty Five and Paise Twelve Only
51.00	Providing and fixing of wall paneling on grid made out of PVC profile section of size 21x17mm with a wall thickness of 1.5mm+/-0.2mm,fixed on the existing wall with wood screw of size 50mm X 8mm with rowel plug at a spacing of 900mm center.uPVC profile section of size 150mm X 10mm with a wall thickness of 1.0mm+/-0.2mm to be fixed on the grid by self tapping screw of size 19mm X 6mm.Necessary cutouts for electrical connection to be provided at required places. The edge and periphery, finally to be covered by extruded PVC beading section of size 28mm X 12mm with a wall thickness of 1.0mm+/-0.2mm complete as per manufacture's specification and direction of Engineer-in-charge.	135.000	Sqm	976.50	131827.50	INR One Lakh Thirty One Thousand Eight Hundred & Twenty Seven and Paise Fifty Only
52.00	Providing and fixing aluminum work for doors ,windows, ventilators and partition with extruded built up standard tubular / appropriate Z sections and other sections of approved make conforming to IS:733 and IS:1285, fixed with rawlplugs and screws or with fixing clips ,or with expansion hold fasteners including necessary filling up of gap. at junctions , at top ,bottom and sides with required PVC/neoprene felt etc. Aluminium section shall be smooth ,rust free, straight ,mitered and jointed mechanically wherever required including cleat angle Aluminium snap beading for glazing /paneling , C.P. brass/ stainless steel screws Al. Tower bolt & Al. handle & Al. Aldrop etc.,all complete as per architectural drawings and the directions of Engineer- in – charge .(Glazing and paneling to be paid for separately).For fixed portion					

Bidder Name :						
- tuine t	PF	RICE SCHE	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
52.10	Anodised aluminum (anodised transparent 81 dyed to required shade according to IS: 1868. (Minimum anodic coating of grade AC 15, Anodizing to be got done from approved Anodizer)	300.000	Kg	261.90	78570.00	INR Seventy Eight Thousand Five Hundred & Seventy Only
53.00	For shutters builtup standard tubular sections of openable doors ,windows & ventilators including providing & fixing hinges / rollers etc. and making provision for fixing of fittings wherever required (lockes shall be paid for separately) Anodised aluminum (anodised transparent 81 dyed to required shade according to IS: 1868. (Minimum anodic coating of grade AC 15, Anodizing to be got done from approved Anodizer)	150.000	kg	280.80	42120.00	INR Forty Two Thousand One Hundred & Twenty Only
54.00	Providing and fixing 12 mm thick prelaminated three layer medium density (exterior grade ) particle board Grade I, Type II conforming to IS: 12823 bonded formaldehyde synthetic resin ,of approved brand and manufacture in paneling fixed in aluminium doors ,windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and direction of engineer-incharge. Prelaminated particle board with decorative lamination on both side	150.000	Sqm	783.90	117585.00	INR One Lakh Seventeen Thousand Five Hundred & Eighty Five Only
55.00	Providing and fixing glazing in aluminium door, window ,ventilator shutters and partitions etc. with PVS / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminium snap beading shall be paid in basic item.) With float glass panes of 5.0 mm thickness ( weight not less than 13.50 kg/sqm)		Sqm	613.80	61380.00	INR Sixty One Thousand Three Hundred & Seventy Nine and Paise One Hundred Only
56.00	Providing and Fixing Cushion Vinyl/Fully flexible Vinyl Flooring confirming to I.S3462 Flooring of approved make with fibre base using rubber base adhesives including rolling with light wooden roller complete: 2.0 mm thick	231.000	Sqm	660.60	152598.60	INR One Lakh Fifty Two Thousand Five Hundred & Ninety Eight and Paise Sixty Only
57.00	P & F 1st qualityVitrified Porcelain Polished tiles on floor, skirting and steps etc.in different size 600 mm X 600 mm	200.000	Sqm	839.70	167940.00	INR One Lakh Sixty Seven Thousand Nine Hundred & Forty Only
	Electrical BSR items					
58.00	Wiring of light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) of approved make in surface / recessed ISI marked medium duty PVC conduit & it's accessories, round tiles,Hot Dipped Galvanized Modular Box with earth terminal, 6 A Modular switch,Modular plate with grid plate, screws, making connections, testing etc. as required.					
58.10	Short point (up to 3 mtr.)					

Bidder						
Name :						
		RICE SCHE		1		T ======
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
58.20	Complete Rate Group 1 100.000 208.00	100.000	P. Point, P.	208.00	20800.00	INR Twenty Thousand Eight Hundred Only
58.30	Medium point (up to 6 mtr.)		point			
58.40	Complete Rate Group 1 100.000 301.60	100.000	P. Point, P. point	301.60	30160.00	INR Thirty Thousand One Hundred & Sixty Only
58.50	Long point (up to 10 mtr)					
58.60	Complete Rate Group 1 100.000 406.40	100.000	P. Point, P. point	406.40	40640.00	INR Forty Thousand Six Hundred & Forty Only
59.00	Wiring of 3 pin 5 amp. Light plug point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade(IS:694) of approved make in surface / recessed ISI marked medium duty PVC conduit & it's accessories, Hot Dipped Galvanized M.S Modular box of 20 SWG with earth terminal, 6 A modular switch, 6 A modular socket, Modular plate with grid plate, screws, making connections, testing etc. as required.					
59.10	On board					
59.20	Complete Rate Group 1	100.000	P. Point, P. point	195.20	19520.00	INR Nineteen Thousand Five Hundred & Twenty Only
59.30	Short point (up to 3 mtr.)					
59.40	Complete Rate Group 1	100.000	P. Point, P. point	271.20	27120.00	INR Twenty Seven Thousand One Hundred & Twenty Only
59.50	Medium point (up to 6 mtr.)					
59.60	Complete Rate Group 1	100.000	P. Point, P. point	356.00	35600.00	INR Thirty Five Thousand Six Hundred Only
59.70	Long point (up to 10 mtr)					
59.80	Complete Rate Group 1	100.000	P. Point, P. point	456.80	45680.00	INR Forty Five Thousand Six Hundred & Eighty Only
60.00	S&F following sizes of ISI marked (IS:14927 P - II) PVC casing capping along with accessories like coupler, inner, outer, elbow, square box, tee etc. on surface with screws, expansion fasteners as required.					
60.10	25 mm x 12 mm					
	<u>l</u>					1

Bidder						
Name :						
		RICE SCHE	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
60.20	Complete Rate Group 1	800.000	R.Mtr.	22.40	17920.00	INR Seventeen Thousand Nine Hundred & Twenty Only
60.30	50 mm x 50mm					
60.40	Complete Rate Group 1	800.000	R.Mtr.	108.00	86400.00	INR Eighty Six Thousand Four Hundred Only
61.00	S&F following sizes (dia.) of ISI marked medium duty PVC conduit along with accessories in surface / recessed using saddles, clamps, fastener as required including cutting the wall, covering conduit and making good the same as required.					
61.10	25 mm					
61.20	Complete Rate Group 1	5000.000	R.Mtr.	33.60	168000.00	INR One Lakh Sixty Eight Thousand Only
61.30	32 mm					
61.40	Complete Rate Group 1	5000.000	R.Mtr.	52.00	260000.00	INR Two Lakh Sixty Thousand Only
	40 mm					
61.60	Complete Rate Group 1	1000.000	R.Mtr.	64.80	64800.00	INR Sixty Four Thousand Eight Hundred Only
62.00	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor ISI marked (IS:694) of 1.1 kV grade and approved make in existing surface or recessed conduit/casing capping including making connections etc. as required.					
62.10	2 x 1.5 sq.mm Complete Rate Group 1	15000.000	Mtr	20.80	312000.00	INR Three Lakh Twelve Thousand Only
62.20	2 x 2.5 sq.mm Complete Rate Group 1	15000.000	Mtr	32.80	492000.00	INR Four Lakh Ninety One Thousand Nine Hundred & Ninety Nine and Paise One Hundred Only
62.30	2 x 2.5 sq. mm. + 1x1.5sqmm Complete Rate Group 1	5000.000	Mtr	42.40	212000.00	INR Two Lakh Twelve Thousand Only
62.40	1 x 4.0 sq.mm Complete Rate Group 1	6000.000	Mtr	24.00	144000.00	INR One Lakh Forty Four Thousand Only
62.50	2 x 4.0 sq. mm. + 1 x 2.5 sq. mm. Complete Rate Group 1	5000.000	Mtr	61.60	308000.00	INR Three Lakh Eight Thousand Only
62.60	1 x 6.0 sq.mm Complete Rate Group 1	2500.000	Mtr	36.80	92000.00	INR Ninety Two Thousand Only
62.70	1 x 10.0 sq.mm Complete Rate Group 1	2500.000	Mtr	62.40	156000.00	INR One Lakh Fifty Six Thousand Only

Bidder Name :						
	PI	RICE SCHE	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
63.00	P&F 240/415 V AC MCB with positive isolation of breaking capacity not less than 10 KA (B/ C/ D tripping characteristic) ISI marked IS 8828(1996)]/conforming to IEC 60898 in existing board/sheets including making connections, testing etc. as required.					
63.10	Single pole MCB					
63.20 63.30	6 A to 32 A rating Complete Rate Group 1	300.000	Each	120.80	36240.00	INR Thirty Six Thousand Two Hundred & Forty Only
63.40	Four pole MCB					1 1 1 1 1
63.50	40 A 63 A rating					
63.60	Complete Rate Group 1	50.000	Each	1102.40	55120.00	INR Fifty Five Thousand One Hundred & Twenty Only
64.00	P&F 240/415 V isolator conforming to IS:13947-III/IEC 60947-3 on existing board / sheet including making connections, testing etc. as required.					
64.10	Double pole isolator					
64.20	63 A rating					
64.30	Complete Rate Group 1	100.000	Each	293.60	29360.00	INR Twenty Nine Thousand Three Hundred & Sixty Only
64.40	Four pole Isolator					
64.50	63 A rating					
64.60	Complete Rate Group 1	50.000	Each	504.80	25240.00	INR Twenty Five Thousand Two Hundred & Forty Only
64.70	P & F ISI marked (IS:3854) 6 amp. flush type switch including cutting hole in tile and making connection testing etc. as required.					
64.80	Complete Rate Group 1	500.000	Each	15.20	7600.00	INR Seven Thousand Six Hundred Only
65.00	P & F ISI marked (IS:3854) 16 amp. flush type switch including cutting hole in tile and making connection testing etc. as required.					
65.10	Complete Rate Group 1	100.000	Eacg	37.60	3760.00	INR Three Thousand Seven Hundred & Sixty Only
66.00	P & F of 3 pin 6 amp. flush type socket including cutting hole in tile and making connection testing etc. as required.					
66.10	Complete Rate Group 1	500.000	Each	16.00	8000.00	INR Eight Thousand Only
67.00	P & F 3/6 pin 16 amp flush type socket including cutting hole in tile and making connection testing etc. as required.					
67.10	Complete Rate Group 1	100.000	Each	41.60	4160.00	INR Four Thousand One Hundred & Sixty Only

Bidder Name :		-				
	PF	RICE SCHE	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
68.00	P & F ISI marked 6 amp bakelite batten/angle holder including making connection testing etc. as required.					
68.10	Complete Rate Group 1	100.000	Each	16.00	1600.00	INR One Thousand Six Hundred Only
69.00	P & F ISI marked 6 amp bakelite unbreakable 3 pin plug top including connection testing etc. as req					
69.10	Complete Rate Group 1	100.000	Each	24.00	2400.00	INR Two Thousand Four Hundred Only
70.00	P & F ISI marked 16 amp bakelite unbreakable 3 pin plug top including making connection testing etc.					
70.10	Complete Rate Group 1	100.000	Each	36.00	3600.00	INR Three Thousand Six Hundred Only
71.00	P & F socket size flush type 120/280 watt rotary 5 step fan regulator including making connection te					
71.10	Complete Rate Group 1	150.000	Each	168.00	25200.00	INR Twenty Five Thousand Two Hundred Only
72.00	P & F ISI marked single tone electronic call bell including making connection testing etc. as requir					
72.10	Complete Rate Group 1 100.000 180.00 Each 18,000.00	100.000	Each	180.00	18000.00	INR Eighteen Thousand Only
73.00	P & F following modular accessories made out of unbreakable and fire retardant poly carbonate with s					
73.10	Complete Rate Group 1	500.000	Each	73.60	36800.00	INR Thirty Six Thousand Eight Hundred Only
73.20	6 A 3 pin shuttered socket Complete Rate Group 1	250.000	Each	96.00	24000.00	INR Twenty Four Thousand Only
73.30	6 A one way switch Complete Rate Group 1	250.000	Each	110.40	27600.00	INR Twenty Seven Thousand Six Hundred Only
73.40	16 A 6 pin shuttered socket Complete Rate Group 1	250.000	Each	151.20	37800.00	INR Thirty Seven Thousand Eight Hundred Only
73.50	5 step fan regulator 2 Module Complete Rate Group 1	100.000	Each	368.00	36800.00	INR Thirty Six Thousand Eight Hundred Only
73.60	Blanking plate Complete Rate Group 1	250.000	Each	15.20	3800.00	INR Three Thousand Eight Hundred Only
74.00	P & F following size mounting grid plates with cover plates 1/2 Module					
74.10 74.20	Complete Rate Group 1	250.000	Each	55.20	13800.00	INR Thirteen Thousand Eight Hundred Only
74.30	3 Module					

Bidder						
Name :		TOP COLLE				
C1		RICE SCHE		F.C. ( 1	TOTAL	TOTAL AMOUNT
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
74.40	Complete Rate Group 1	150.000	Each	59.20	8880.00	INR Eight Thousand Eight Hundred & Eighty Only
74.50	8 Module					
74.60	Complete Rate Group 1	100.000	Each	128.80	12880.00	INR Twelve Thousand Eight Hundred & Eighty Only
74.70	10/ 12 Module					
74.80	Complete Rate Group	50.000	Each	160.00	8000.00	INR Eight Thousand Only
75.00	P & F following size hot dip galvanized M.S. box of 20 SWG with earthing terminal in recess/ surface					
75.10	1-2 Module					
75.20	Complete Rate Group 1	250.000	Each	32.00	8000.00	INR Eight Thousand Only
75.30	3 Module					
75.40	Complete Rate Group 1	150.000	Each	37.60	5640.00	INR Five Thousand Six Hundred & Forty Only
75.50	8 Module					
75.60	Complete Rate Group 1	100.000	Each	76.00	7600.00	INR Seven Thousand Six Hundred Only
75.70	10/ 12 Module					
75.80	Complete Rate Group 1	50.000	Each	104.00	5200.00	INR Five Thousand Two Hundred Only
76.00	SITC of quick make and quick break 4 POLE current limiting MCCB having following current rating, short circuit breaking capacity at 440/415 V, 50 Hz; O/L & S/C settings and conforming to IS 60947-2 / IEC 60947-2 with front face and centralised adjustable, line load interchangeability, having positive isolation capability, provision for UVR, shunt trip, earth fault trip, push (test) to trip, including making connections with lugs & spreaders, etc. as required.					
76.10	With Thermal Magnetic release					
76.20	up to 100 Amp , 16 kA, adjustable O/L & fixed S/C setting, Ics = 100 % Icu					
76.30	Complete Rate Group 1	20.000	Each	4640.00	92800.00	INR Ninety Two Thousand Eight Hundred Only
77.00	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with aluminium conductor of IS:1554 P-I / IS:7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,IInd class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size.					

Bidder						
Name :						
		RICE SCHE			TOTAL	TOTAL AMOUNT
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
77.10	10.0 Sq.mm 2 core Complete Rate Armoured	3500.000	Mtr	109.60	383600.00	INR Three Lakh Eighty Three Thousand Six Hundred Only
77.20	16.0 Sq.mm 4 core Complete Rate Armoured	2500.000	Mtr	142.40	356000.00	INR Three Lakh Fifty Six Thousand Only
77.30	35.0 Sq.mm 3.5 core Complete Rate Armoured	3500.000	Mtr	201.60	705600.00	INR Seven Lakh Five Thousand Six Hundred Only
77.40	50.0 Sq.mm 3.5 core Complete Rate Armoured	3500.000	Mtr	239.20	837200.00	INR Eight Lakh Thirty Seven Thousand Two Hundred Only
77.50	185.0 Sq.mm 3.5 core Complete Rate Armoured	1500.000	Mtr	733.60	1100400.00	INR Eleven Lakh Four Hundred Only
78.00	Supplying and making one end termination with heavy duty single compression brass gland SIBG type, heavy duty aluminium lugs duly crimped with crimping tool, PVC tape etc for following size of Armoured PVC insulated & PVC sheathed/ XLPE aluminium conductor cable of 1100 volt grade as required of size.					
78.10	2 x 10.0 sq.mm Complete Rate	100.000	Per set	44.00	4400.00	INR Four Thousand Four Hundred Only
78.20	4 x 16.0 sq.mm Complete Rate	50.000	Per set	86.40	4320.00	INR Four Thousand Three Hundred & Twenty Only
78.30	3.5 x 35.0 sq.mm Complete Rate	50.000	Per set	95.20	4760.00	INR Four Thousand Seven Hundred & Sixty Only
78.40	3.5 x 50.0 sq.mm Complete Rate	50.000	Per set	105.60	5280.00	INR Five Thousand Two Hundred & Eighty Only
78.50	3.5 x 185.0 sq.mm Complete Rate	20.000	Per set	316.00	6320.00	INR Six Thousand Three Hundred & Twenty Only
79.00	Maintenance free Gel Earthing with Pipe in pipe / Pipe in strip technology filled with anti corrosive conductive compound ( CPRI Tested ) below the ground in 150 - 200 mm dia. earth pit & surrounding filled with required mineral filling compound ( MFC should have hygroscopic property to retain the moisture for long time to create low resistance zone ) and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size 300mm x 300mm complete testing of earth resistance as required. of following sizes.					
79.10 79.20	With Strip in Pipe Technology with 80 - 100 micron GI Coating GI pipe 3000 mm long ,63 / 80mm, Inner strip 50 mm					
19.40	x 3 mm copper					

D: 11						
Bidder Name :						
- tuille i	 	RICE SCHE	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
79.30	Complete Rate group-I	10.000	Per set	10390.40	103904.00	INR One Lakh Three Thousand Nine Hundred & Four Only
80.00	S & Laying following size earth wire/strip in horizontal or vertical run in ground/surface/recess including riveting, soldering, saddles, making connection etc. as required.					
80.10	25mm x 6mm G.I. ( Hot Dipped ) Strip					
80.20	Complete Rate group-I	250.000	Mtr	88.00	22000.00	INR Twenty Two Thousand Only
81.00	P & F Star rated double ball bearing capacitor start, aluminium body & blade ceiling fan with down rod up to 30 cm with 3 x 1.5 sq.mm pvc insulated flexible copper conductor making connection testing etc. as required					
81.10	1200 mm Sweep 5 Star rated					
81.20	Complete Rate Group-I	50.000	Each	1516.80	75840.00	INR Seventy Five Thousand Eight Hundred & Forty Only
81.30	P&F of Double ball bearing, capacitor start single phase metallic blade fresh air fan, in existing opening including cost of hardware, flexible copper conductor, making connections, testing etc. as required.					
81.40	300 mm sweep					
81.50	Complete Rate Group-I	10.000	Each	1484.80	14848.00	INR Fourteen Thousand Eight Hundred & Forty Eight Only
82.00	P&F of Heavy duty capacitor start, Double ball bearing 900/1400 RPM single phase ISI marked Exhaust fan,IS:2312 marked in existing opening including making connections testing etc. as required					
82.10	300 mm sweep(900/1400 RPM)					
82.20	Complete Rate Group-I	42.000	Each	2401.60	100867.20	INR One Lakh Eight Hundred & Sixty Seven and Paise Twenty Only
	P & F of capacitor start, metal body, metal blade three speed wall mounting fan of following sweep with the help of anchor bolts including making connection testing etc. as required.					
83.10	400 mm sweep(Oscillating type)					
83.20	Complete Rate Group-I	26.000	Each	2119.20	55099.20	INR Fifty Five Thousand &Ninety Nine and Paise Twenty Only

Bidder						
Name:						
		RICE SCHE	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
84.00	P & F of IP20 LED ceiling / recessed / suspended mounting light fixture made from CRCA sheet steel housing, high purity / transmisivity diffuser for uniform light distribution. High efficiency driver electronics having efficiency > 85% and in compliance to IEC standards (Integral with light fixture). Power Consumption of 40W / 50W / 60W ~ 3000/3300/4200 lumens, System lumen efficacy of 70 - 80 lm/Watt output suitable for 2x36WFTL / 2x36W CFL / 3x36W CFL light fixtures, life time of 50,000 burning hours with 70% initial lumens maintained. CCT 3000°K, 4000°K & 6000°K. Fixtures shall be CE compliance. Approved Make:- Philips, CG, Bajaj, Wipro, Surya, Havell's, HPL, K-Lite, Lighting Science.					
84.10	Recessed Mounting					
84.20	36W LED light fixture 2'x2' with acrylic / prismatic front cover.					
84.30	Complete Group-1	70.000	Each	5000.00	350000.00	INR Three Lakh Fifty Thousand Only
85.00	P & F extra down rod of 15 mm dia . ERW (Electrical resistance welded ) of 1.6mm nominal thick medium duty steel pipe including cutting, threading, drilling, fixing quarter pin etc as reqd.					
85.10	Complete Rate Group-I	100.000	Mtr	71.20	7120.00	INR Seven Thousand One Hundred & Twenty Only
86.00	P & F of IP20 LED batten type light fixture made from CRCA sheet steel housing suitable for moutning LED tube system (integral driver), Power Consumption of 18W / 36W 1500-3000 lumens, system lumen efficiency 80 lm/Watt output, life time of 50,000 burning hours with 70% initial lumen maintained. CCT 3000°K, 4000°K & 6000°K. Approved Make:- Philips, CG, Bajaj, Wipro, Surya, Havell's, HPL, K-Lite, Lighting Science.					
86.10	4' LED Tube shape fixture 18W					
86.20	Complete Group-1	200.000	Each	1800.00	360000.00	INR Three Lakh Sixty Thousand Only

Bidder Name :						
Name:	PI	RICE SCHE	OH E			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
87.00	SITC of wall/ free standing floor mounted dust and vermin proof compartmentalised cubical panel made out of CRCA sheet , required hardware ,duly treated for derusting in 7 tank process with dephosphating and with powder coating on both side of panel in desired shade The panel having PU/ Neoprene rubber gasket of not less than 3mm thickness , separate detachable gland plate M.S. base channel ,hinged door with locking arrangement for equipment/switchgear . Thickness of sheet shall not be less than 1.6 mm up to 600 mm length / width of any compartment and be of 2.0 mm above 600 mm. Load bearing structure shall be of 2.0 mm thick sheet supported by base M.S. channel if required . Side walls and cable alley compartments having bolted type doors with / without detachable extension type structure. (only outer area on all sides shall be measured & panel to be fabricated from CPRI approved fabricator)					
87.10	Complete Rate Group 1	50.000	Sqm	2201.60	110080.00	INR One Lakh Ten Thousand &Eighty Only
88.00	P & F paper phenolic resin bonded laminates confirming to IS: 2036 - 1995 for boxes/ frames including making holes for switches etc, with brass screws, washers/ zinc plated nut and bolts as required.					
88.10	6.4 mm thick					
88.20	Complete Rate Group 1	3.000	Sqm	712.80	2138.40	INR Two Thousand One Hundred & Thirty Eight and Paise Forty Only
89.00	Supplying and fixing of Aluminium / Copper bus bar by means of SMC / DMC type insulator, high tensile nuts and bolts spring washers in existing panel including bending , cutting in required shape and size and colour coding with heat shrinkable PVC sleeves.  Electrolytic grade Aluminium bus bar					
89.10 89.20	Complete Rate Group 1					IND Circulated 10
	1	2.000	Kg.	336.00	672.00	INR Six Hundred & Seventy Two Only
	P & F in position frame made out of M.S. angle (riveted or welded) finished with two coats of red oxide and enamel paint including cutting, welding, holes etc.of following sizes as required.  50mm x 50mm x 6mm					
90.10	Complete Rate Group 1	200.000	Mtr	250.40	50080.00	INR Fifty Thousand &Eighty Only

Bidder Name :						
	PF	RICE SCHE	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
91.00	Supply, Fabricating & installing following sizes of powder coated perforated M.S. cable trays including horizontal and vertical bends, reducers tees,cross members and other accessories as required and duly suspended from the ceiling with M.S. suspenders, fastners, supports etc. as required.					
91.10	450mm x 62.5mm x 2.0mm					
91.20	Complete Rate	250.000	Mtr	686.40	171600.00	INR One Lakh Seventy One Thousand Six Hundred Only
91.30	600mm x 62.5mm x 2.0mm					
91.40	Complete Rate	250.000	Mtr	860.00	215000.00	INR Two Lakh Fifteen Thousand Only
91.50	750mm x 62.5mm x 2.0mm					
91.60	Complete Rate	250.000	Mtr	1013.60	253400.00	INR Two Lakh Fifty Three Thousand Four Hundred Only
91.70	900mm x 62.5mm x 2.0mm					
91.80	Complete Rate	250.000	Mtr	1209.60	302400.00	INR Three Lakh Two Thousand Four Hundred Only
92.00	Supply, Fabricating & installing following sizes of powder coated ladder type M.S. cable trays with rungs at span of 250mm including horizontal and vertical bends, reducers tees,cross members and other accessories as required and duly suspended from the ceiling/wall with M.S. suspenders etc. as required.					
92.10	450mm x 62.5mm x 2.0mm					
92.20	Complete Rate	250.000	Mtr	554.40	138600.00	INR One Lakh Thirty Eight Thousand Six Hundred Only
92.30	600mm x 62.5mm x 2.0mm					
92.40	Complete Rate	250.000	Mtr	640.80	160200.00	INR One Lakh Sixty Thousand Two Hundred Only
92.50	750mm x 62.5mm x 2.0mm					
92.60	Complete Rate	250.000	Mtr	811.20	202800.00	INR Two Lakh Two Thousand Eight Hundred Only
92.70	900mm x 62.5mm x 2.0mm					
92.80	Complete Rate	250.000	Mtr	919.20	229800.00	INR Two Lakh Twenty Nine Thousand Eight Hundred Only

Bidder Name :						
	PI	RICE SCHE	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
93.00	P & F of IP20 LED Recessed / Surface Mounted, Round / Sqaure Non-Dimmable Downlight with diecast aluminum housing & Heat Sink for heat dissipation, high purity reflector with external driver having efficiency > 85% and in compliance to IEC standards. Power Consumption of = 7W / 10W / 15W / 18W with ~ 500 / 750 / 1100 / 1250 lumens, System Lumen efficacy of 70 lm / watt output suitable to replace 1x18W /2x18W / 2x 26W CFL Downlights, life time of 50000 Burning Hours with 70% of intial Lumen maintaned. CCT 3000°K , 4000°K & 6000°K. Fixture shall be CE compliance. Approved Make:- Philips, CG, Bajaj, Wipro, Surya, Havell's, HPL, K-Lite, Lighting Science.					
93.10	Recessed Mounting					
93.20	LED Downlight 14/15W					
93.30	Complete Group-1	50.000	Each	1156.00	57800.00	INR Fifty Seven Thousand Eight Hundred Only
94.00	SITC of Air Cooled split type Air conditioners complete with Indoor unit(IDU), Out door unit (ODU), surface / concealed copper Refrigerant piping with insulation (EP foam pipe section) upto 3 Mtr (IDU to ODU), copper power cable upto 4 Mtr (IDU to ODU), R-22/R-410 Refrigerant, Remote, suitable for 400/230V +10% of 50 Hz ,1 /3 phase AC supply capable of performing cooling, dehumidification, air circulation of following capacity with Scroll / reciprocating / rotary compressor as specified					
	Hi Wall/Ceiling Wall Split					
94.20	1.5 TR with 5 star rating of BEE  Complete Rate Group-I	60.000	Each	47036.00	2822160.00	INR Twenty Eight Lakh Twenty Two Thousand One Hundred & Sixty Only
95.00 95.10	SITC of Interconnecting refrigerant pipe work with closed cell elastomeric nitrile rubber tubular insulation between each set of indoor & outdoor units as per specifications including chase cutting, supports etc. as required.  9.53 mm					
95.10	Complete Rate Group-I					INR Three Lakh Four
95.30	12.7 mm	1000.000	Mtr	304.00	304000.00	Thousand Only
95.30	Complete Rate Group-I	1000.000	Mtr	400.00	400000.00	INR Four Lakh Only
96.00	S & F of rigid CPVC (20mm) drain piping of 6 kg/cm2 with 6mm thick nitrile rubber insulation	1000.000	IVILI	400.00	400000,00	IN TOUL LAKE OILLY
96.10	Complete Rate Group-I	2500.000	Mtr	220.00	550000.00	INR Five Lakh Fifty Thousand Only
97.00	S & F of FR PVC insulated & sheathed 3 core flexible copper conductor ISI marked (IS:694) of 1.1 kV grade of following rating:					

Bidder Name :						
Name:	PI	RICE SCHEI	OH E			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
97.10	2.5 Sq.mm					
97.20	Complete Rate Group-I	3500.000	Mtr	76.80	268800.00	INR Two Lakh Sixty Eight Thousand Eight Hundred Only
98.00	Supply & fixing MS powder coated stand suitable for 1.0/1.5/2.0 Tr outdoor type of Split AC.					
98.10	Complete Rate Group-I	60.000	Each	840.00	50400.00	INR Fifty Thousand Four Hundred Only
	SITC of ducting made from GSS of class VIII & fabricated as per IS:655 and as per approved drawings & designs including the cost of hangers, supports , angle , expansion fasteners , closed cell neoprene gasket T&P etc. as required of following gauge:					
99.10	1.00mm (20 G)					
99.20	Complete Rate Group-I  P&F Recessed/ Surface mounting heavy duty	150.000	Sqm	706.40	105960.00	INR One Lakh Five Thousand Nine Hundred & Sixty Only
	horizontal type sheet steel Distribution board phophatised/ powder painted complete with suitable rating insulated copper bus bar, shorting link, neutral link, earth link and din bar,masking sheet, conforming to IS13032 & IS8623 including making internal DB terminations with copper lugs, testing etc. as required.					
100.10	Double door (Three phase)					
100.20	12 Way					
100.30	Complete Rate Group 1	12.000	Each	2816.00	33792.00	INR Thirty Three Thousand Seven Hundred & Ninety Two Only
101.00	Supply and fixing of Double louvered extruded aluminum supply air grills without dampers. Front louvers fixed & rear louvers movable.					
101.10	Complete Rate Group-I	50.000	Sqm	6750.40	337520.00	INR Three Lakh Thirty Seven Thousand Five Hundred & Twenty Only
	Supply , Drawing and Testing of 4 pair, 24 AWG UTP Cat 6 Cable as per latest ammendments of TIA /EIA 568 B.2-1 Specifications in existing MS/PVC Conduits including making connections to Information outlets and Patch Panels with ferruling at both ends for identification with necessary tools for punching, stripping, crimping and testing required					
102.10	Complete Rate Group 1	15000.000	Mtr	28.80	432000.00	INR Four Lakh Thirty Two Thousand Only

Bidder Name :						
- Tunic .	PI	RICE SCHE	DIII F			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
103.00	Supply and Installation of Information outlets made of high impact plastic body ABS FR Grade with spring loaded collapsible shutters in jack Recess, suitable for Cat 6 application complying to latest ammendments EIA/ TIA 568 B. 2-1 Specifications in existing modular /MS Boxes along with necessory connections as required					
103.10	Complete Rate Group 1	150.000	Each	304.00	45600.00	INR Forty Five Thousand Six Hundred Only
	Supply & fixing of Faceplate for Flush / Surface Mount Information Outlets Single Aperture with screw hole covers & Icon Tree Size 86mmX86mm					
104.10	Single Aperture					
104.20	Complete Rate Group 1	100.000	Each	78.72	7872.00	INR Seven Thousand Eight Hundred & Seventy Two Only
104.30	Dual Aperture					
104.40	Complete Rate Group 1	50.000	Each	85.76	4288.00	INR Four Thousand Two Hundred & Eighty Eight Only
104.50	Quad Aperture					
104.60	Complete Rate Group 1	20.000	Each	93.44	1868.80	INR One Thousand Eight Hundred & Sixty Eight and Paise Eighty Only
105.00	P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with Copper conductor of IS:1554 P-I / IS:7098 P - I of Group 1 of approved make in ground as per IS:1255 including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,IInd class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size.					
105.10	1.5 Sq.mm 2 core Complete Rate Unarmoured	1000.000	Mtr	88.00	88000.00	INR Eighty Eight Thousand Only
105.20	2.5 Sq.mm 2 core Complete Rate Unarmoured	1000.000	Mtr	88.00	88000.00	INR Eighty Eight Thousand Only
105.30	4.0 Sq.mm 4 core Complete Rate Unarmoured	1000.000	Mtr	203.20	203200.00	INR Two Lakh Three Thousand Two Hundred Only
105.40	6.0 Sq.mm 4 core Complete Rate Unarmoured	1000.000	Mtr	272.00	272000.00	INR Two Lakh Seventy Two Thousand Only

Bidder						
Name :	The state of the s	NOT COLLE	DITE			
C1		Constitution		Fatherstad	TOTAL	TOTAL AMOUNT
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	In Words
105.50	Supply , Installation, Testing and Comissioning of Wall mounted Communication rack with glass doors, handles ,lock , Top and Bottom Cable entries, Supports for mounting rack on wall , Cable managers, one Fan, Equipment mounting hardware, power supply box for supplying power to switches, fans etc along with earth continuity kit, Mcb, indicator, moulded power supply cable					
105.60	12 U(44 mm ) wall mounted Complete Rate Group 1	6.000	Each	10000.00	60000.00	INR Sixty Thousand Only
106.00	S & F of PVC trunking system for cable management including finishing accessories like corners, tee,					
106.10	100/105mm x 50mm					
106.20	Complete Rate Group 1	800.000	Mtr	540.00	432000.00	INR Four Lakh Thirty Two Thousand Only
	150/160mm x 50mm					
106.40	Complete Rate Group 1	1000.000	Mtr	920.00	920000.00	INR Nine Lakh Twenty Thousand Only
107.00	Supply , Installation, OTDR Testing & Fusion Splicing of Fiber Multi mode Pigtail of [50/125um OR 62.5/125um] glass Fiber Optic Cable as per latest ammendments of TIA /EIA 568B.3 , GR 20 CORE / UEC 794-1/ EN 187000 Standard Specifications including ST II / SC/LC/MT-RJ/PC connector as per requirements.					
107.10	Complete Rate Group 1	25.000	Each	960.00	24000.00	INR Twenty Four Thousand Only
108.00	Supply ,Installation and Testing of indoor 1 pair multimode [ 50/125um OR 62.5/125um ] glass Fiber Optic Patch Cords of three mtr length as per latest ammendments of TIA /EIA 568B.3 and IEC 794 Standard Specifications including ST II / SC/LC/MT-RJ/PC connectors at both ends as per requirements.					
108.10	Complete Rate Group 1	50.000	Each	1600.00	80000.00	INR Eighty Thousand Only
	Supply ,Installation and Testing of 19 " Rack mounted/ surface mounted aluminium / CRS powder coated multimode glass Fiber Optic Cable Patch panel / LIU along with cable manager, adapters for ST II/ SC/LC/MT-RJ/PC					
109.10	6 Ports					
109.20	Complete Rate Group 1	2.000	Each	4480.00	8960.00	INR Eight Thousand Nine Hundred & Sixty Only
	12 Ports					
109.40	Complete Rate Group 1	2.000	Each	5440.00	10880.00	INR Ten Thousand Eight Hundred & Eighty Only

Bidder Name :						
	PI	RICE SCHE	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
110.00	Supply , Installation, OTDR Testing & Fusion Splicing of Fiber singlemode Pigtail [ 9 micron ] glass Fiber Optic Cable as per latest ammendments of TIA /EIA 568B.3 , GR 20 CORE / UEC 794-1/ EN 187000 Standard Specifications including ST II / SC/LC/MT-RJ/PC connector as per requirements.					
110.10	Complete Rate Group 1	20.000	Each	880.00	17600.00	INR Seventeen Thousand Six Hundred Only
111.00	Supply ,Installation and Testing of indoor 1 pair singlemode [ 9 micron ] glass Fiber Optic Patch Cords of three mtr length as per latest ammendments of TIA /EIA 568B.3 and IEC 794 Standard Specifications including ST II / SC/LC/MT-RJ/PC connectors at both ends as per requirements					
111.10	Complete Rate Group 1	20.000	Each	1480.00	29600.00	INR Twenty Nine Thousand Six Hundred Only
	Supply ,Installation and Testing of 19 " Rack mounted/ surface mounted aluminium / CRS powder coated singlemode glass Fiber Optic Cable Patch panel / LIU along with adapters for ST II/SC/LC/MT-RJ/PC					
112.10	6 Ports			1		
112.20	Complete Rate Group 1	2.000	Each	4480.00	8960.00	INR Eight Thousand Nine Hundred & Sixty Only
112.30	12 Ports					
112.40	Complete Rate Group 1	2.000	Each	5440.00	10880.00	INR Ten Thousand Eight Hundred & Eighty Only
112.50	24 Ports					
112.60	Complete Rate Group 1	2.000	Each	8960.00	17920.00	INR Seventeen Thousand Nine Hundred & Twenty Only
113.00	Supplying and drawing PVC/ Polythene insulated and PVC sheathed unarmoured/ armoured telephone cable with 0.5 mm dia. Tinned / annealed copper conductor taped &confirming to ITD specification S/WS -113C of approved make in existing surface or recessed conduit/casing capping.					
113.10	Unarmoured Telephone cable in existing surface or recessed conduit/casing capping.					
113.20						
113.30	Complete Rate Group	8000.000	Mtr	10.40	83200.00	INR Eighty Three Thousand Two Hundred Only

Bidder Name :						
	PF	RICE SCHE	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
114.00	Jelly filled armoured (PIJF) Armoured telephone cable including excavation of 30cmx75cm size trench, 25 cm thick under layer of sand,IInd class bricks covering, refilling earth,compaction of earth, making necessary connection, testing etc. as required of size.					
114.10	50 pair					
114.20	Complete Rate Group 1	2000.000	Mtr	353.60	707200.00	INR Seven Lakh Seven Thousand Two Hundred Only
115.00	P & F of IP67 IK10 protected Buried uplight LED fixture with aluminium housing, LED 15W - 25W, 220V-240V, 50Hz LEDs with available in quick connecting cable coupled with various mounting accessories. Driver shall be high efficiency having efficiency > 85% and in compliance to IEC standards (Integral with light fixture). system life of 25000 Burning Hours with 70% of initial Lumens maintained. Light output in Green, Cool white or Warm White Colour as per engineers choice. Fixtures shall be CE compliance. Approved make: Philips, Keselec, Schreider.					
115.10	LED Uplight Round/square					
115.20	Complete Group-1	50.000	Each	5957.60	297880.00	INR Two Lakh Ninety Seven Thousand Eight Hundred & Eighty Only
116.00	P & F of IP 65 protected LED Post-Top-Light system with Die cast housing, poycarbonate diffuser, 40 - 60W, 220-240V, 50Hz (integrated Driver), LED lamps supplied with pre-wired cable of 1 mtr. Driver shall be high efficiency having efficiency > 85% and in compliance to IEC standards (Integral with light fixture).system life of 25000 Burning Hours with 70% of initial Lumens maintained. Light output in Cool white or Warm White Colour as per engineers choice. Fixtures shall be CE compliance. Approved make: Philips, Keselec, Schreider.					
116.10	40W LED Post Top Fixture					
116.20	Complete Group-1	50.000	Each	10560.00	528000.00	INR Five Lakh Twenty Eight Thousand Only

Bidder Name :						
	PI	RICE SCHE	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
117.00	P & F of IP 65 protected LED Street Light Luminaire on existing brackets. Fixture made of powder coated single piece pressure die cast aluminium housing with heat dissipation fins on housing with UV stablized PC/ Toughened glass cover and lens/reflector. Input power (including driver loss) range from 20-25W/30-40W/80-90W/ 110-120W with luminous Efficacy > 80 Lumen/W (warm white) & > 85 lumen/W (cool white) (As per LM79). LEDs of Cree/Nichia/OSram/Philips make is to be used at 1W/2W per LED, CRI > 70 and CCT 2700 K - 6500K. The integral SMPS based electronic driver must have efficiency > 85%, Power factor > 0.95, THD < 20% and input Voltage range of 90-270 VAC at 50 Hz. System life of 25000 Burning Hours with 70% of initial Lumens maintained. Fixtures must be in compliance with IS/CE Standards. Approved make: Philips, Bajaj, Surya					
117.10	IP - 65 Protected LED Street Light Luminaire					
117.20	LED Street Light fixture 20-25 Watt					
117.30	Complete Group-1	15.000	Each	3022.80	45342.00	INR Forty Five Thousand Three Hundred & Forty Two Only
118.00	P & F Krone module with base frame in the recess / surface made out of 16 SWG sheet steel box, front openable, having locking arrangements duly powder painted.,including dressing, ferruling and punching of telephone cable with krone tool etc. as required.					
118.10	100 Pairs					
	Complete Rate Group 1	25.000	Mtr	3157.60	78940.00	INR Seventy Eight Thousand Nine Hundred & Forty Only
119.00	Supplying and fixing of power plug point Modular accessories on hot dipped galvanized modular on surface or in recessed with suitable size of grid plate with cover plate including cost of modular 16 amp. Switch and socket outlet, making connection, testing, etc. as required.					
119.10	Complete Rate Group 1	100.000	Mtr	430.40	43040.00	INR Forty Three Thousand &Forty Only
120.00	Supply and erection of GI Octagonal / Conical pole of following length and dimension as per table E-10 with base plate on the cement concrete foundation of M-20 grade (1:1.5:3) with the help of anchor bolts of grade 6.8 (IS: 1367 P III ). The pole shall have a weatherproof flush door and locking arrangements. The complete work shall be supervised and certified by the manufacturers for satisfactory supply, erection, testing and commissioning.					

Bidder Name :						
	p <sub>I</sub>	RICE SCHE	DIII F			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
120.10	Octagonal MS Poles made of S-355JO grade steel sheet , folded lengthwise to obtained Octagonal shape, having single longitudinal seam weld and hot dipped galvanised internally & externally in accordance with IS 2629. (See Table E - 10 for specs.) 7 Mtr. Complete Rate Group 1	10.000	Each	9440.00	94400.00	INR Ninety Four Thousand Four Hundred Only
121.00	Supply, Erection and Fixing of hot dipped galvanised Overhang (48.3 X 3.25 mm) with cap (400 x 88.9 / 114.3 x 3.25 mm) over the existing poles Single arm overhang Complete Rate Group 1	6.000	Mtr	712.00	4272.00	INR Four Thousand Two Hundred & Seventy Two Only
121.10	Double arm overhang Complete Rate Group 1	4.000	Mtr	1248.00	4992.00	INR Four Thousand Nine Hundred & Ninety Two Only
122.00	P / L of Double wall corrugated HDPE pipe confirming to IS:14930 P - 1 & 2 with HDPE Coupler at 1 mtr. Depth below the ground for laying cable including making the trench and back filling , compaction of earth as required of Gemini or IS:14930 marked make. Outer Dia. / Inner dia. 90 / 76 mm Complete Rate	1500.000	Mtr	120.00	180000.00	INR One Lakh Eighty Thousand Only
123.00	SITC of Cutting back up surface up to 2 Mtr. Depth by digging by Bogi including all layers of crust for laying pipe line etc. and making good to original condition (excluding cost of bitumen) Horticulture Works	500.000	Mtr	288.00	144000.00	INR One Lakh Forty Four Thousand Only
124.00	Supply of Chemical Fertilizers at store in bags weighing not less than 50 kg. each including loading unloading & transporation etc.					
124.10	D.A.P.	2.000	Per Bag 50Kg	902.50	1805.00	INR One Thousand Eight Hundred & Five Only
125.00	Supply and Stacking good earth at site complete including loading unloading and transporation etc.	10.000	Cum	142.50	1425.00	INR One Thousand Four Hundred & Twenty Five Only
126.00	Supply of different sized earthen pots at site/ store including loading unloading & transportation etc complete:					
126.10	Earthen pot 300 mm size.	500.000	Each	30.40	15200.00	INR Fifteen Thousand Two Hundred Only
127.00	Supply of different varities of tree / shrubs / climbers according to height and age of the plant at site including loading/ unloading & transportation etc. complete:					
127.10	Different varrities of shrubs 900 mm.	1000.000	Each	152.00	152000.00	INR One Lakh Fifty Two Thousand Only
128.00	Supply of different varietis of palms indoor plants in polyethylene bags / earthen pots according to height. growth & age of the plant at site including loading. unloading & transportation etc. complete:  Desi Crotons.	50.000	Each	47.50	2375.00	INR Two Thousand Three Hundred & Seventy Five Only
128.10	Selective Varieties of Crotons.	50.000	Each	133.00	6650.00	INR Six Thousand Six Hundred & Fifty Only

Bidder Name :						
	l PI	RICE SCHE	DULE			
S1.	Item Description	Quantity	Units	Estimated	TOTAL	TOTAL AMOUNT
No.	•	~ ,		Rate	AMOUNT	In Words
128.20	Rubber plants etc.	50.000	Each	118.75	5937.50	INR Five Thousand Nine Hundred & Thirty Seven and Paise Fifty Only
128.30	Daffen Bachia.	50.000	Each	237.50	11875.00	INR Eleven Thousand Eight Hundred & Seventy Five Only
128.40	Arecca Palm.	50.000	Each	570.00	28500.00	INR Twenty Eight Thousand Five Hundred Only
128.50	Song of India.	50.000	Each	190.00	9500.00	INR Nine Thousand Five Hundred Only
128.60	Aglonmia	50.000	Each	142.50	7125.00	INR Seven Thousand One Hundred & Twenty Five Only
128.70	Drassina	50.000	Each	190.00	9500.00	INR Nine Thousand Five Hundred Only
128.80	Singonium with Moss stick.	50.000	Each	237.50	11875.00	INR Eleven Thousand Eight Hundred & Seventy Five Only
128.90	Miscellaneous.	50.000	Each	380.00	19000.00	INR Nineteen Thousand Only
129.00	Maintenance of Roads Side Plantation Prunning & trumming and cutting of old big trees on the road side The contractor will deposit the cut wood in the Deptt.	100.000	Per Tree	47.50	4750.00	INR Four Thousand Seven Hundred & Fifty Only
	Earth work in surface excavation not exceeding 30cm. in depth but exceeding 1.5 meter in width as well as10 Sqm on plan including disposal of excavated earth up to 50 Mtr. and lift up to 1.5 Mtr. disposed soil to be levelled and neatly dressed: All kinds of soil	100.000	Sqm	22.50	2250.00	INR Two Thousand Two Hundred & Fifty Only
	Earth, sand, lime, morrum manure or sludge					
131.10	For 5 Km.	30.000	Cum	45.90	1377.00	INR One Thousand Three Hundred & Seventy Seven Only
	As Per Order No. JDA/Sr.Horti./2015-16/D-148 Dated 08/03/2016 Approved by CF					
	Supply & Plantation of plants					
	Supply & Plantation of selected specimen plants including mortality replacement, loading - unloading transportation and maintenance for 30 days after planting the plants					
132.30	Cycus revolata 3'-4' Dia	15.000	Each	1800.00	27000.00	INR Twenty Seven Thousand Only
132.40	Cycus circinalis 4'-5' Dia	15.000	Each	3200.00	48000.00	INR Forty Eight Thousand Only
132.50	Juniprus chinensis 5'-6'	15.000	Each	675.00	10125.00	INR Ten Thousand One Hundred & Twenty Five Only
132.60	Phoenix roebilinii 3'-4' ht dia 4'-5'	15.000	Each	3500.00	52500.00	INR Fifty Two Thousand Five Hundred Only

Bidder						
Name :	DI	OICE SCHE	DITE			
Sl.	Item Description	Quantity	Units	Estimated	TOTAL	TOTAL AMOUNT
No.	item Description	Qualitity	Omis	Rate	AMOUNT	In Words
132.70	Roystonea venezuelana 10'-12'	15.000	Each	2200.00	33000.00	INR Thirty Three Thousand Only
132.80	Washintonia filifera 5'-6'	10.000	Each	5500.00	55000.00	INR Fifty Five Thousand Only
	mortility replacement loading - unloading transportation and maintenance for 30 days after planting the plants					
133.10	Ficus Panda topiary dia 3'-4'	35.000	Each	900.00	31500.00	INR Thirty One Thousand Five Hundred Only
133.20	Ficus Starlight 4'-5'	30.000	Each	900.00	27000.00	INR Twenty Seven Thousand Only
134.00	Supply & Plantation of selected specimen plants including mortality replacement, loading - unloading transportation					
134.10	Poincittia 1' - 1.5' ht pune variety	50.000	Each	220.00	11000.00	INR Eleven Thousand Only
135.00	Supply & Plantation of Golden Bamboo size 6' to7' including mortality replacement, loading unloading transportation	150.000	Each	260.00	39000.00	INR Thirty Nine Thousand Only
136.00	Supply & Plantation of Budha Bamboo size 4' to5'including mortality replacement, loading - unloading transportation	50.000	Each	360.00	18000.00	INR Eighteen Thousand Only
137.00	Pulmeria Rubra 8'-10' height, Girth 20 to 25 cm at collar ht. multibranching in 25 x 25 poly bag Including loading unloading transportation.		Each	2644.00	105760.00	INR One Lakh Five Thousand Seven Hundred & Sixty Only
138.00	Supply of Coco Peat including unloading & transportation at site Block size 300 m x 300 mm x 1500 mm Comperision 5:1 Experision 1:5 E.C less than 1000 micro	100.000	P.Kg	50.00	5000.00	INR Five Thousand Only
139.00	Supply of Vermi Compost including unloading & transportation at site.	300.000	P.Kg	5.00	1500.00	INR One Thousand Five Hundred Only
140.00	Supply of different varities of Bougainvallia having multibranching ht. 2.5 - 3 feet, crown dia 2 - 2.5 feet & stem girth 7-10 cm.	40.000	Each	1000.00	40000.00	INR Forty Thousand Only
141.00	Supply & Plantation of Plumeria singaporensis having multibranching ht. 2.5 - 3 feet, crown dia 2 - 2.5 feet & stem girth 7-10cm.	40.000	Each	1100.00	44000.00	INR Forty Four Thousand Only
142.00	Supply of circular cement pots 24" size with decorative art/paintings at various roads, circle, traingle, median & greenbelt including filling of good earth & manure (3:1 ratio) insectiside loading - unloading transportation at site (as per design)	100.000	Each	700.00	70000.00	INR Seventy Thousand Only
143.00	Maintenance of plants, planted in 24" size pots including 15 time watering & 2 time hoeing weeding in a month and Coloring one time in 3 month	120.000	Each	28.08	3369.60	INR Three Thousand Three Hundred & Sixty Nine and Paise Sixty Only

Bidder Name :		-				
	PI	RICE SCHE	DULE			
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
144.00	Supply of rectangular RCC frame minimum 20 mm thick pots/Planters with paintings at various roads, Park, circle, traingle, median & greenbelt including filling of good earth & manure (3:1 ratio) insectiside loading - unloading transportation at site.(2 L x 1.25 B x 1.5 H.)	20.000	Each	800.00	16000.00	INR Sixteen Thousand Only
145.00	Fibers Pots/Planters in White color					
145.10	Chronical size					
145.20	18" x 18" x 36"	30.000	Each	3600.00	108000.00	INR One Lakh Eight Thousand Only
145.30	14" x 14" x 18"	30.000	Each	3200.00	96000.00	INR Ninety Six Thousand Only
145.40	Tray Size					
145.50	14" x 14" x 36"	20.000	Each	2500.00	50000.00	INR Fifty Thousand Only
145.60	12" x 12" x 36"	20.000	Each	2200.00	44000.00	INR Forty Four Thousand Only
146.00	Square Size					
146.10	14" x 14" x 20"	20.000	Each	2250.00	45000.00	INR Forty Five Thousand Only
146.20	12" x 12" x 18"	20.000	Each	2000.00	40000.00	INR Forty Thousand Only
146.30	18" x 18" x 14" Soccer size	30.000	Each	2400.00	72000.00	INR Seventy Two Thousand Only
146.40	10" x 10" x 12" Round Size	30.000	Each	1850.00	55500.00	INR Fifty Five Thousand Five Hundred Only
	Non BSR Civil & Electrical items					
147.00	Stone work (machine cut edges) for Wall cladding Veneering work up to 15 m height with combination of 30-40 mm thick Pink Sand stone (BansiPaharpur) and Red Sand Stone (Karauli ) backing filled with high strength epoxy stone adhesive formulated for the spot bonding method in average 9-12 mm thickness to be secured to the backing by means of stainless steel cramps (minimum 2 cramp per sqm area) which are further secured in the existing wall with 75-100 mm stainless steel fastener complete with scrubbing of old painted wall surface, dry and wet cleaning ,uprooting of vegetation and other debrish Exposed face machine cut.	1275.200	sqm	6800.00	8671360.00	INR Eighty Six Lakh Seventy One Thousand Three Hundred & Sixty Only
148.00	Add extra for Epoxy tile grout joint for 3-5 mm wide filled with epoxy grout of selected colour shade and brand as per EI Epoxy brand-Laticrete, pidilite, ultratech or equivaent	6390.000	mtr	65.00	415350.00	INR Four Lakh Fifteen Thousand Three Hundred & Fifty Only
149.00	Providing & Fixing 1 mm thick superior quility laminate approved make on existing door including peeling of existing laminate or enemel paint complete with Teak wood lipping and finished with both side 1 mm thick superior quility laminate of approved make , as per selection & as per direction of Engineer in Charge.	630.000	Sqm	1030.00	648900.00	INR Six Lakh Forty Eight Thousand Nine Hundred Only

Bidder						
Name :	The state of the s	NCE COUE	DITE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
150.00	Providing & Fixing teakwood beading 20x50mm door frame on new/ existing door frame with approved shade of malamine polish on beading and door frame including peeling of existing polish/enamel paint complete with as per drawing and design approved by Engineer in Charge.	780.000	Rmt	255.00	198900.00	INR One Lakh Ninety Eight Thousand Nine Hundred Only
151.00	Providing & Fixing Bullet stopper with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.		No.	555.00	66600.00	INR Sixty Six Thousand Six Hundred Only
152.00	Providing & Fixing door buffer 75 mm with 19 mm dia having minimun 2.5 mm rubber at top with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.	120.000	No.	685.00	82200.00	INR Eighty Two Thousand Two Hundred Only
153.00	Providing & Fixing hinge 100x25x3mm, with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.	360.000	No.	700.00	252000.00	INR Two Lakh Fifty Two Thousand Only
154.00	Providing & Fixing tower bolt 150mm, model type V - hex with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.	30.000	No.	800.00	24000.00	INR Twenty Four Thousand Only
155.00	Providing & Fixing AL drop 200 mm with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.	120.000	No.	1200.00	144000.00	INR One Lakh Forty Four Thousand Only
156.00	Providing & Fixing model no. 405 ARM Mortice handle set with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.	10.000	No.	4440.00	44400.00	INR Forty Four Thousand Four Hundred Only
157.00	Providing & Fixing Lock body size 230 mm with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.	10.000	No.	1100.00	11000.00	INR Eleven Thousand Only
158.00	Providing & Fixing cylinder 60 mm one side key and one side nob with computerised key and with base material -brass and finish of antique, satin, ss or as per direction of Engineer in Charge.		No.	1115.00	11150.00	INR Eleven Thousand One Hundred & Fifty Only
159.00	Providing & Fixing SS plate kick plate size 200mm x 900mm, thickness 1.5 mm with base material - brass and finish of antique, satin, SS.On surfaces of doors, wooden paneling etc as per direction of Engineer in Charge.	10.000	No.	12000.00	120000.00	INR One Lakh Twenty Thousand Only
160.00	Add Extra in marble/other flooring work for upto 50 mm wide strip of Green/White/ Jaisalmer stone in flooring work as per direction of Engineer in Charge		Mtr	50.00	21783.00	INR Twenty One Thousand Seven Hundred & Eighty Three Only
161.00	Granite polish work on surface (Horizontal, inclined, vertical) to give mirror surface finish to laid granite as per direction of Engineer-in-Charge.	586.350	sqm	850.00	498397.50	INR Four Lakh Ninety Eight Thousand Three Hundred & Ninety Seven and Paise Fifty Only

Bidder Name :						
ivanic .	PI	RICE SCHEI	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
162.00	Fix Glass Windows: Supply and fixing aluminium fix glass windows using aluminium profiles (45mmx 57mm 0.980kg/mtr) for outer frame, with glazing clip (0.287 kgs/mtr) duly Powder Coated in desired shade. All joineries of frames will be screwless joinery using mechanical corner joints. Allignment Corner Joint & All mullions and transoms will be connected to main frame by T Joint. Entire frame will be factory made frame and all slots, holes and required cutouts will be done by specially designed machines.6mm clear toughened glass shall be fixed with 1.5mm EPDM Gasket inside and specially designed insertion type co extruded gasket from outside. All Aluminium profiles, hardware accessories and colour to match with existing reception area of JDA Campus window shall be used as per direction of EI and windows shall be made as per approved shop drawing and instruction of engineer in charge. Brand -Alfen, hindalco or equivalent dismantled material like aluminium window scrap, broken glass, etc. shall be disposed from out side the JDA campus. The item includes buy back price of dismantled Aluminium scrap	93.036	sqm	14000.00	1302504.00	INR Thirteen Lakh Two Thousand Five Hundred & Four Only
163.00	Partly openable Windows with signle shutter: Supply and fixing aluminium partly openable windows (Side Hung/ Top Hung) windows using aluminium profiles (45mmx 57mm 0.980kg/mtr) for outer frame, (0.940kgs/ MTr) for glass shutter with glazing clip (0.287 kgs/mtr) duly Powder Coated in desired shade. The outer frame will be a single profile to accomodate glass and mesh shutter. All hinges/ Friction Stay, Multipoint handle, Retain Leaf Arm (Window Stay) will be as ecommended by EI. All joineries of frames will be screwless joinery using mechanical corner joints. Allignment Corner Joint & All mullions and transoms will be connected to main frame by T Joint. Entire frame will be factory made frame and all slots, holes and required cutouts will be done by specially designed machines.6mm clear toughened glass shall be fixed with 1.5mm EPDM Gasket inside and specially designed insertion type co extruded gasket from outside. Brand -Alfen, hindalco or equivalent All Aluminium profiles, hardware ,accessories and colour to match with existing reception area window shall be used as per direction of EI and windows shall be made as per approved shop drawing and instruction of engineer in charge. The dismantled material like aluminium window scrap, broken glass, etc. shall be disposed from out side the JDA campus. The item includes buy back price of dismantled Aluminium scrap	464.584	sqm	16500.00	7665636.00	INR Seventy Six Lakh Sixty Five Thousand Six Hundred & Thirty Six Only

Bidder Name :										
	PI	RICE SCHEI	DULE							
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words				
164.00	Partly openable Windows with double shutter: Supply and fixing aluminium partly openable windows (Side Hung/ Top Hung) windows using aluminium profiles (45mmx 57mm 0.980kg/mtr) for outer frame, (0.940kgs/ MTr) for glass shutter with glazing clip (0.287 kgs/mtr) duly Powder Coated in desired shade. The outer frame will be a single profile to accomodate glass and mesh shutter. All hinges/ Friction Stay, Multipoint handle, Retain Leaf Arm (Window Stay) will be as ecommended by El. All joineries of frames will be screwless joinery using mechanical corner joints. Allignment Corner Joint & All mullions and transoms will be connected to main frame by T Joint. Entire frame will be factory made frame and all slots, holes and required cutouts will be done by specially designed machines.6mm clear toughened glass shall be fixed with 1.5mm EPDM Gasket inside and specially designed insertion type co extruded gasket from outside. Brand -Alfen, hindalco or equivalent. All Aluminium profiles, hardware ,accessories and colour to match with existing reception area window shall be used as per direction of El and windows shall be made as per approved shop drawing and instruction of engineer in charge. The dismantled material like aluminium window scrap, broken glass, etc. shall be disposed from out side the JDA campus. The item includes buy back price of dismantled Aluminium scrap	113.541	sqm	17200.00	1952905.20	INR Nineteen Lakh Fifty Two Thousand Nine Hundred & Five and Paise Twenty Only				
165.00	Providing & Fixing Signage and Name plate in 2 mm thick satin brass PU finish SS plate with acrylic sheet area upto 720 sqcm	90000.000	Sqcm	6.00	540000.00	INR Five Lakh Forty Thousand Only				
166.00	Providing and Fixing folding chair wall mounted chairs made of polypropylene or ABS with metal Folding seat Main Building having capacity 130-150 kg as per attached photograph	240.000	No.	5950.00	1428000.00	INR Fourteen Lakh Twenty Eight Thousand Only				
167.00	P & F 1st quality Vitrified Homogenous High Thickness Industrial/Heavy duty Unglazed, Uncoated, Metal Pressed Tiles having Smooth Surface Finish on floor, skirting and steps etc.in different sizes (thickness20mm) with water absortion less than or equal 0.08% and conforming to IS 15622 of approved make in all colour and shade, laid with 20 mm thick CM 1: 4 including grounting the joints with white cement and matching pigment etc complete.Make: Restile, Kazaria, Nitco or equivalent size 600 mm X 600 mm	1175.000	sqm	1700.00	1997500.00	INR Nineteen Lakh Ninety Seven Thousand Five Hundred Only				

Bidder						
Name :	pi	RICE SCHEI	OH E			
S1.	Item Description	Quantity	Units	Estimated	TOTAL	TOTAL AMOUNT
No.	_			Rate	AMOUNT	In Words
168.00	Providing and fixing 1st quality standard Marble printed/ Granite Shade or Light/dark shad glazed tiles confirming to IS: 13753 & IS:15622 of size 300mm x 600mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar).	1591.000	sqm	1000.00	1591000.00	INR Fifteen Lakh Ninety One Thousand Only
169.00	Providing & Fixing Premium Quality white glazed vitreous china Sanitary Wares (IS:2556 Mark) of approved make as per direction of Engineer-incharge including cutting and making good the wall and floor. Wall Mounting European type W.C.	35,000	Each	9000.00	315000.00	INR Three Lakh Fifteen Thousand Only
170.00	Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades ceramic glazed vitrified tiles with water absortion less than or equal to 0.08% confirming to IS:13753 & IS: 15622 on walls, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar). Size 600mm x 1200mm	1278.000	sqm	1450.00	1853100.00	INR Eighteen Lakh Fifty Three Thousand One Hundred Only
171.00	Providing & Fixing chair for wall hung W.C. Gabrial or equivalent marka	125.000	Each	1600.00	200000.00	INR Two Lakh Only
172.00	Providing & Fixing Concealed cistern with Floor mounting frame and flush plate of superior quality and approved sample by Engineer-in-charge.	127.000	Each	8100.00	1028700.00	INR Ten Lakh Twenty Eight Thousand Seven Hundred Only
	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 380x350x890mm sizes respectively with urinal with auto flush sencer, including painting of fittings and brackets, cutting and making good the walls and floors wherever required Urinal with sensor concealed type flushing valve Jaguar, hindware or equivalent make	104.000	Each	15900.00	1653600.00	INR Sixteen Lakh Fifty Three Thousand Six Hundred Only
174.00	Providing & fixing Urinal divider (Thickness 12mm, Overall Height 1195, Depth 450, ) complete with all Accessories ,Screw Wall Plug marka GREENLAM , deco, marino or equivalent	25.000	Each	7000.00	175000.00	INR One Lakh Seventy Five Thousand Only
175.00	Providing and fixing of wall paper upto 525 width and 10.00 mtr. Length as per selection and direction of E.I. on vertical or horizontal surface after making it smooth and good for wall paper installation. Complete with scaffolding and adhesive to be used for total installation.	351.500	sqm	1100.00	386650.00	INR Three Lakh Eighty Six Thousand Six Hundred & Fifty Only
176.00	Spray painting in approved shade and approved quality with Duco paint of required colour to give even shade with two or more coats by compressor including sand papering, NC putty filler coat etc complete in all respect as per design given by Engineeer incharge on new work.	1017.800	sqm	1850.00	1882930.00	INR Eighteen Lakh Eighty Two Thousand Nine Hundred & Thirty Only

Bidder								
Name :	PRICE SCHEDULE							
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
177.00	Nano technology water proofing or anti stain protection coating 5-7 layer process for increasing life of all stone fascia/facades/flooring or stone building and damage control protection, life 7-9 years, warranty 5 years before coating washing of stone and degreasing of that area is done 1 coat. (Removing of algae/ moss/ blackness/ stains/rust etc. is extra) then after drying doing 1 coat of Nono technology hydrophobic prime. After this on dry area Nano technology water proofing treatment in 3 coats wet on wet. In case of anti stain treatment 2 top coats of anti stain, anti slippery, natural transparent high shine or matt chemical treatment is done.	784.500	sqm	890.00	698205.00	INR Six Lakh Ninety Eight Thousand Two Hundred & Five Only		
178.00	Providing & Fixing Commercial Ply 4 mm thick as per IS 710: 1976 BWR of approved make on existing door, as per selection & as per direction of Engineer in Charge.	200.000	Sqm	560.00	112000.00	INR One Lakh Twelve Thousand Only		
179.00	Providing and Fixing laminated flooring wooden floor with HDF board with EIR texture, unlin locking system, AC5 laminated flooring, V groove and vax coated lock Brand: WS, BBC or equivalent minimum thickness 10 mm	167.355	Sqm	2700.00	451858.50	INR Four Lakh Fifty One Thousand Eight Hundred & Fifty Eight and Paise Fifty Only		
180.00	Providing and Fixing Reducer , Door profile , skirting 60 mm (wooden)	10.000	Mtr	425.00	4250.00	INR Four Thousand Two Hundred & Fifty Only		
181.00	Providing and Fixing Door profile in metal ( S.S finish )	120.000	Mtr	820.00	98400.00	INR Ninety Eight Thousand Four Hundred Only		
182.00	Providing and fixing Charcoal Louvers size 2440x120x12 mm thickas per design zebra 700 brand Euro Pratik, ventura , Maria Décor, Ultimo or equivalent	113.130	Sqm	500.00	56565.00	INR Fifty Six Thousand Five Hundred & Sixty Five Only		
183.00	Providing and fixing as per drawing and direction of EI Charcoal Louvers 12 mm thick Size: 2440x315x7mm brand Euro Pratik, ventura, Maria Décor, Ultimo or equivalent	144.000	Sqm	3600.00	518400.00	INR Five Lakh Eighteer Thousand Four Hundred Only		
184.00	Providing and Fixing SS water tank 500 ltr 5 layer insulated with a Thick Layer of High Density German Layer PUF insulation from top, sides and Bottom As well. 1st layer – 316L / 316 Ti/ 2205 Duplex / 904L Stainless Steel.316L - SURGICAL STAINLESS STEEL, 316Ti TITANIUM STAINLESS STEEL 2205 - DUPLEX STAINLESS STEEL 904L - SUPER AUSTENITIC STAINLESS STEEL 2nd layer – Fire Retardant Thermal Insulation. 3rd layer – GL Panel 4th layer – High Density Puff 5th layer – 304 Austenitic Stainless SteelThe Inner layer of the tank shall be 1.0 mm customized inner layer as per the weather condition 5 layer brand PNB H2O Plus , ipure , or equivalent as per direction of EI	5.000	Each	69000.00	345000.00	INR Three Lakh Forty Five Thousand Only		

Bidder Name :							
	PRICE SCHEDULE						
Sl. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words	
185.00	Providing and Fixing SS water tank 1000 ltr. 5 layer insulated with a Thick Layer of High Density German Layer PUF insulation from top, sides and Bottom As well. 1st layer – 316L / 316 Ti/ 2205 Duplex / 904L Stainless Steel.316L - SURGICAL STAINLESS STEEL, 316Ti TITANIUM STAINLESS STEEL 2205 - DUPLEX STAINLESS STEEL 904L - SUPER AUSTENITIC STAINLESS STEEL 2nd layer – Fire Retardant Thermal Insulation. 3rd layer – GL Panel 4th layer – High Density Puff 5th layer – 304 Austenitic Stainless SteelThe Inner layer of the tank shall be 1.0 mm and customized as per the weather condition 5 layer brand PNB H2O Plus , ipure , or equivalent as per direction of EI	17.000	Each	98000.00	1666000.00	INR Sixteen Lakh Sixty Six Thousand Only	
186.00	Water proofing of Mechanically& well-prepared surface of roof and wall surface by preparation. Cleaning and removing g all loose dirt, dust, laitance, etc. by manual wire brush or mechanical means. Corner and all joints sealing by making Gola, pasting required by polymer modified mortar mixed with SBR latex.  1st coat of SBR Latex over the prepared surface. Chipped fib net over the joints, & prepared area, champ ring with MYK Arment Tufcrete. Apply 2nd & 3rd coat of MYK AqvaArm-WPU- 1K (Singal Component PU Waterproofing Coating) over the prepared area. Chemical brand , Fosroc, Pidilite, Laticrete or equivaent	1530.000	sqm	900.00	1377000.00	INR Thirteen Lakh Seventy Seven Thousand Only	
	Providing and fixing in position Jodhpur stone kerb stones of size 150mm x 300mm & cut to shape as per with exposed face fine chiselled dressed fixing & Jointing / pointing of Cement Mortar 1:3 using pigment as per drawing & instruction of Engieer in charge, complete in all respect.	320.000	mtr	900.00	288000.00	INR Two Lakh Eighty Eight Thousand Only	
188.00	Providing anf Fixing Flooring with Cobble stone of approx. Size 125x125x75 mm (thick) laid on 25 mm average thick cement mortar 1:3 (1 cement: 3 Coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the stone, laid in approved pattern complete in all respect as per direction of Engineer-in-charge.	192.000	sqm	1775.00	340800.00	INR Three Lakh Forty Thousand Eight Hundred Only	
189.00	Providing and Fixing Modular Work stations ,60 mm thick Base- Powder coated extruded aluminium profile with dual wire raceway and pin up board/white board partitions , side- made up of 18 mm thick ISI marked Prelam particle board with duly sealed edges with PVC edgeband, Pedestal - Wooden pedestal having 3 drawers, made up of 18 mm thick made up of prelam particle board with duly sealed edges with PVC edgeboard , Top- made up of 25 mm thick prelam particle board having size 1200x600x750/1200 mm or as per direction of EI	108.000	per seat	12450.00	1344600.00	INR Thirteen Lakh Forty Four Thousand Six Hundred Only	

Bidder						
Name :	pī.	RICE SCHE	DIII F			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
190.00	Providing and Fixing Modular Workstations 60 mm thick Powder coated extruded aluminium profile with dual wire raceway and pin up board/white board partitions, side- made up of 18 mm thick ISI marked Prelam particle board with duly sealed edges with PVC edgeband, Pedestal - Wooden pedestal having 3 drawers, made up of 18 mm thick made up of prelam particle board with duly sealed edges with PVC edgeboard, Top- made up of 25 mm thick prelam particle board having size 1500x600x750/1200 mm or as per direction of EI	12.000	per seat	14750.00	177000.00	INR One Lakh Seventy Seven Thousand Only
191.00	Supply of Executive table of size 1800x900x750 , top thickness 25mm duly moulded and sides 36mm with 3 drawer pedestal .		No.	17500.00	175000.00	INR One Lakh Seventy Five Thousand Only
192.00	Supply of Executive table of size 2400x1050x750 with 25 mm thick prelaminated Particle board and top thickness 25mm duly edge banded, having side tablesof size 450x450x1000mm, five drawers and two shutters. Top and gable ends made up of Pre lam particle boards edges duly sealed with PVC edgeband.		No.	46000.00	460000.00	INR Four Lakh Sixty Thousand Only
193.00	Supply of Medium back mesh revolving chair Synchro mechanism BIFMA certified gas lift Chrome base Castor wheels 16mm hot press ply PU Moulded foam on seat Fix arm rest	120.000	No.	4300.00	516000.00	INR Five Lakh Sixteen Thousand Only
194.00	Supply of Executive chair and decorators make 16mm hot press ply Sleepwell foam 32 density Approved leatherette Torsion mechanism Bifma certified gas lift Chrome base 60mm castor wheels	10.000	No.	9000.00	90000.00	INR Ninety Thousand Only
	Supply of Wooden table of size 1200x600x750 mm with one drawer and one shutter . Top duly postformed 25mm thick made up of Particle board edges duly sealed with PVC edgeband . Gable ends made up of 18mm thick Pre lam board , edges duly sealed with PVC edgeband .	5.000	No.	7900.00	39500.00	INR Thirty Nine Thousand Five Hundred Only
196.00	Supply of Visitor chair 16mm hot press ply on seat and back . Chrome arms Heavy duty cushioned MS frame duly powder coated .	10.000	No.	4300.00	43000.00	INR Forty Three Thousand Only
197.00	Providing and fixing Stainless steel (Grade-304)hollow section round/square tubes	6.288	kg	520.00	3269.76	INR Three Thousand Two Hundred & Sixty Nine and Paise Seventy Six Only

Bidder Name :						
	PI	RICE SCHEI	DULE			
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words
198.00	Supply of Moving "MOBILE ELECTRO-HYDRAULIC SCISSOR LIFT", Capacity: up to 350 kg, Lifting Powered Mobility/Locomotion Manual Push Pull,. No. of Pairs 6, Platform Size 2100mmL x 1200mmW, Lowered Height 1800mm, Lifting Height 8200mm, Max Platform Height 10000mm, Working Height 12000mm, Cylinder Hydraulic single acting cly, Hydraulic Cylinder 63Ø, Railings 3 Side Railings, 1 Side Door, Electric Motor/ Power Pack 3 HP AC, Siemens 2.2kW, DC, Robust, Battery 24V,Unik/Union/EXIDE, In DC Charger Included, In DC Battery Discharge Indicator Included,In DC, Wheels Solid Rubber Wheels, Floor Locks/Brakes Included, Tank Capacity 40L, Valve Block Hitek/VTek, Pump Capacity 9 LPM, Dowty, Power Supply 415/460V 3 Ph AC For DC Charger 1ph AC Hydraulic Hoses Parker/Super,Return line Hydroline, Pressure Gauge Wik, Suction Strainer Hydac, Bell Housing & Coupling Hyzen, 3 Ph AC operated	1.000	Each	600000.00	600000.00	INR Six Lakh Only
199.00	Supply and fixing Water Level Controller, Automatically Operate The Monoblock Motor, 40 Amp Load Capacity, With following specification: Automatically Switched OFF the motor as soon as the tank is filled with the water. It eliminates manual efforts and provides a flawless automatic operation. Solves the water tank overflow problem by switching off the motor at the correct time. Automatically Switched ON the motor when the water level decreased to a certain level, throughout.  Technical Specs: Input supply: 1nput supply: 440 V Load capacity: 40 Amp Potential Free Output: C1-C2.Brand Gelco, ITC,	7.000	Each	8600.00	60200.00	INR Sixty Thousand Two Hundred Only
199.10	Viraal or equivalent Supply and Fixing ELECTRICAL FLOAT SWITCH with following specification Rated voltage: 3v DC Rated current: 16A Working temperature: 0 c < water temperature 80c Mechanical endurance:100000 times Electrical endurance: 50000 times Protection grade: ip68cs.Brand Gelco, ITC, Viraal or equivalent	63.000	Each	2275.00	143325.00	INR One Lakh Forty Three Thousand Three Hundred & Twenty Five Only
201.00	Electrical Non BSR Items  Dismentlaing of existing duct from site of any gauge including removing of Sand cement/ Nitrile rubber insulation cost include shifting of duct to store/ yard and removing of debries from site including labour, scaffolding etc as required complete in all respect. All as per pre approved by Engineer in charge. The dismantled material like fall ceiling shall be disposed from out side the JDA campus. The item includes buy back price of dismalted air colling duct.	350.000	Sqm	110.00	38500.00	INR Thirty Eight Thousand Five Hundred Only

Bidder								
Name : PRICE SCHEDULE								
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
202.00	Upgradation of NEC SV8100 Communication Server into NEC SV9100 IP Communication Server - Ver.13 TOTAL PORTS - 900 and Digital Phones - 160, VOIP Network, Remote Server - 3nos with Network Software, uMobility, Bridge Conference, PC Based Console, 42U -19"Rack with MDF - 600Pai. The existing material shall be disposed from out side the JDA campus. The item includes buy back price of dismantled material		SET	1100000.00	1100000.00	INR Eleven Lakh Only		
203.00	Supply, fixing and termination of 1200 MDF ADC KRONE	1.000	Each	65000.00	65000.00	INR Sixty Five Thousand Only		
204.00	MDF to System Patch Cord - 10M	150.000	Each	300.00	45000.00	INR Forty Five Thousand Only		
205.00	Supply, fixing and termination of 3x3"PVC Box with RJ 11 Socket	200.000	Each	200.00	40000.00	INR Forty Thousand Only		
206.00	CO Recessed Ap1220 with IR Remote Drop Grid Outer 20/20" Blade 14" (35cm) Fully ABS Body with 360 Degree Grill False Ceiling Fan, False Ceiling Cabin Fan 1.5x1.5 with Roto Grill With Remote		Each	4300.00	215000.00	INR Two Lakh Fifteen Thousand Only		
207.00	Replacement of existing sign board to new LED sign board with the size as already installed in JDA with following specifications: Acrylic Sheet-3mm (imported), LED Module-Samsung Single Colour, Water Proof Transformer-Startec, Letter rising-3", Timer/Contrcat-L&T, Part . Replacement Warrenty-3 Years, All internal wiring shall be 2.5 Sq. mm flexible Cu Conductor with water proof joints, Total 52 Alphabets and 4 Nos. JDA logo and complete body shall be water proof covering. The dismantled material of JDA logo shall be disposed from out side the JDA campus. The item includes buy back price of dismantled JDA logo.	1.000	Set	450000.00	450000.00	INR Four Lakh Fifty Thousand Only		
208.00	SITC of 8 MP Bullet Camera with 1/2.8" progressive CMOS or better and 2.7 mm-13.5 mm Motorized VF lens with 3 years warranty, Detailed specifications in Annexure 1, MAF Required	25.000	Each	34000.00	850000.00	INR Eight Lakh Fifty Thousand Only		
209.00	SITC of Micro SD Card 128 GB for PTZ and Bullet cameras, Flash Memory Type Micro SDHC; SDXC, Ideal for Android smartphones and tablets, and MIL cameras, Up to 120MB/s transfer speeds	5.000	Each	1100.00	5500.00	INR Five Thousand Five Hundred Only		
210.00	SITC of 64 Channel NVR with Quad-core embedded processor and Hard disk slot of 8 SATA III ports, up to 16TB each, 1 eSATA port with 3 years warranty, Detailed specifications in Annexure 2, MAF Required	1.000	Each	115000.00	115000.00	INR One Lakh Fifteen Thousand Only		
	SITC of 8 Port PoE Switch with 2 port SFP with 3 years warranty, Detailed specifications in Annexure 3, MAF Required	6.000	Each	11000.00	66000.00	INR Sixty Six Thousand Only		
212.00	SITC of 6F OFC Single mode G652D type of Fibre with 3 years warranty, Detailed specifications in Annexure 4, MAF Required		Each	115.00	345000.00	INR Three Lakh Forty Five Thousand Only		

Bidder		_						
Name :								
PRICE SCHEDULE								
S1. No.	Item Description	Quantity	Units	Estimated Rate	TOTAL AMOUNT	TOTAL AMOUNT In Words		
	SITC of 6 Port LIU with pigtail with 3 years warranty, Detailed specifications in Annexure 5, MAF Required	6.000	Each	4400.00	26400.00	INR Twenty Six Thousand Four Hundred Only		
	SITC of OFC Patch cord 2 mtr, Detailed specifications in Annexure 6, MAF Required	12.000	Each	250.00	3000.00	INR Three Thousand Only		
	SITC of HDD 4 TB for recording ,4TB HDD is 3.5 inch HDD interface with SATA 6GB/s and 64 Cache (MB). Image Perfect firmware supports 24×7 surveillance-optimized workloads tuned to record about 90% of the time and play back video footage the remaining 10%, and supports more cameras recording at higher resolutions than traditional drives,Hard Disk Interface- Raid	4.000	Each	11000.00	44000.00	INR Forty Four Thousand Only		
216.00	SITC of 1.5 sq. mm armoured Copper Electric Power cable, 3 Core , Armouring : Single armouring of galvanised steel strip / wire along the wall	500.000	mtr	95.00	47500.00	INR Forty Seven Thousand Five Hundred Only		
217.00	SITC of Outdoor Rack at each pole with 3 years warranty, Detailed specifications in Annexure 7, MAF Required	6.000	dozen	15000.00	90000.00	INR Ninety Thousand Only		
218.00	SITC of 5 KVA UPS in control room with 3 years warranty, Detailed specifications in Annexure 8	1.000	Each	180000.00	180000.00	INR One Lakh Eighty Thousand Only		
219.00	SITC of 55 Inch LED Display at control room, Detailed specifications in Annexure 9	1.000	Each	55000.00	55000.00	INR Fifty Five Thousand Only		
220.00	SITC of 42U Rack at control room with 3 years warranty, Detailed specifications in Annexure 10	1.000	Each	45000.00	45000.00	INR Forty Five Thousand Only		
221.00	SITC of LIU at control room with 3 years warranty, Detailed specifications in Annexure 11	1.000	Each	24000.00	24000.00	INR Twenty Four Thousand Only		
222.00	All in all maintenance for Cameras for 3 Years	1.000	Per Year	30000.00	30000.00	INR Thirty Thousand Only		
Total in	Figures				82484263.11	INR Eight Crore Twenty Four Lakh Eighty Four Thousand Two Hundred & Sixty Three and Paise Eleven Only		
Quoted Rate in Figures			Select		0.00	INR Zero Only		
Quoted Rate in Words				IN	R Zero Only	1		