IAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Main Block, First Floor, (MB-FF), MF-104, Main Building, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru, Marg, Jaipur - 302004

Telephone: +91-141-2569696 e.mail: Manojdubey.dubey2@gmail.com

No.:-JDA/EE-12/2024-25/D-

Dated:

NOTICE INVITING BID

NIB No.: JDA/EE-12/01/2024-25

UBN No.:

Online Bids are invited up-to 06:00 PM of 17.07.2024 for "Civil repair and Maintenance work in Zone 12 ,JDA Area ,Jaipur". The last date for Applying Bid and making online payment on JDA portal is up-to 06:00 PM of 17.07.2024 The estimated cost of NIB is Rs. 95.46 Lacs. Details may be seen in the Bidding Document at our office or the State Public Procurement Portal website www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in/jda

To participate in the bid, bidder must:

- A. Participate in Tender & Deposit Payment on 'Online Tender Participation' Portal of JDA at https://jda.urban.rajasthan.gov.in/jda or by Single-Sign-On at http://service.jaipurjda.org.
- B. Submit e-Bid on 'e-Procurement Portal' of GOR at www.eproc.rajasthan.gov.in

(Manoj Kumar Dabeki) Executive Engineer 12

OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

	IB No. : JDA/EE-12/1/2024-25
ame & Address of the Procuring ntity	Name: Executive Engineer Zone-12 [Inviting Authority] MG-GF-35C Building, Ram Kishore Vyas Bhavan, Indira Circle JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan Telephone: +91 141-2569696
lame of work	e.mail: Manojdubey.dubey2@gmail.com Civil repair and Maintenance work in Zone 12 ,JDA Area ,Jaipur
id Procedure	
PTA COLUMN	Single-Stage [Like Single-stage Two part open competitive e-Bid procedure at http://eproc.rajasthan.gov.in]
Bid Evaluation Criteria (Selection Method)	➤ L-1 [Like Least Cost Based Selection (LCBS)-L1]
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	> Websites: http:/www.eproc.rajasthan.gov.in,www.jda.urban.rajasthan.gov.in
Estimated Procurement Cost	> INR Rs. 95.46 Lacs (Ninety Five Lacs Forty Six Thousand Only)
Website for online Bid application and payment *	 ➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. ○ Bidding document fee: Rs. 1500.00 ○ RISL Processing Fee: Rs. 1500.00 ○ Requisite Bid Security Deposit. ○ The Bidders are required to submit Bid security, cost of Bidding documents, and Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between the End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of the requisite fee, the bid of the concerned bidder will be considered as non-responsive and shall be liable for rejection
Bid Security Deposit (in favor of Secretary, JDA, Jaipur)	 Amount (INR: 2% (Rs. 190224.00) For A AA,B, & C class contractors registered in the appropriate class with CPWD, Postal, Telegram, Railway, MES, Other State Government/Central Government undertakings/organizations of Estimated Procurement Cost. (The bidder must capable to bid in the bid as per their enlistment) 0.5 % (Rs.47731.00) for Bidder registered as a contractor in the appropriate class in JDA (AA, A,B, & C Class). In case of Departments of the State Government and undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the State Government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security. If a joint Venture is allowed in the Bid then 2% (Rs.190224.00) shall be deposited by bidders (Joint Venture firm) (Joint Venture not allowed)
Start/ End Date for Bid Applying Bid	➤ Start Date: 08/07/2024 at 09:30 AM onwards ➤ End Date: 17/07/2024 at 06:00 PM

and making Online Payment on JDA portal*	➤ In case EMD in form BG Original Bank Guarantee is to be submitted in MG-GF-35C Building, Ram Kishore Vyas Bhavan, Indira Circle,
2 45	JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan by 08.07.24 from
Bid Submission on e-Procurement Portal of GOR**	9.30 AM to 22.07.2024 up to 11.30 PM > Start Date: 08/07/2024 at 09:30 AM onwards > End Date: 17/07/2024 at 06:00 PM
Date/Time/Palace of pre-Bid	> NIL
Date/Time/ Place of Technical Bid Opening	> NIL
Date/ Time/ Place of Financial Bid Opening	22/07/2024 at 1.30:00 AM MG-GF-35C Building, Ram Kishore Vyas Bhavan, Indira Circle, JawaharLal Nehru Marg, Jaipur 302004 (Rajasthan
Bid Validity	> 120 days from the bid submission deadline
Time Period	➤ 12 (Twelve) Months
A&F/Job No.	>73/2024-25

Procedure for bidding:

Single part bid system:

Single part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Documents and Docket-2 being for Financial Bid.

Docket-1:- is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/bidder time printed category.

Docket-2:- is for financial bid.

The financial bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

1. Two part bid system:

Two part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.

Docket-1:- There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee alongwith copy of GST registration, signed Annexure "B" and copy of enlistment as contractor/ bidder in required category. Folder-II is for bid document and folder-III is for technical bid.

Docket-2:- There will two separate folders-1 is for financial bid and 2 is for bill of quantities.

The technical bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure "B" are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee

SCHEDULE AND SPECIFICATIONS

SCHEDULE – A: INFORMATION USEFUL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates given in Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

SCHEDULE – B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT

The drawing may be seen in the office of the undersigned.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR: List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standards laid down in the Indian standard & or the standards laid down in the detailed specifications of the work by the contractor. Qualified personnel required as per the contractor enlistment rules shall have to be engaged at site by the Contractor. The authority reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE - E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of the issue of the work order and complete within time limits.

SCHEDULE – G: ATTACHED SEPARATELY BASED ON APPLICABLE BSRs IN JDA.

SCHEDULE - H: SPECIAL CONDITION: Attached Separately.

SCHEDULE - I: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY.

The Bid Processing fee is payable in favor of M.D. RISL & Cost of bid document & Bid Security is payable in Favour of the Secretary, JDA, Jaipur. Bidders have to pay bid processing fees, cost of bidding documents, and Bid Security Online. If a bidder opts to deposit the bid security through bank guarantee, the bank guarantee should be valid for the next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission documents uploaded on the E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of the on-line tendering system of JDA i.e. D.D (E&B) in room No. 215N Extension building, JDA, JLN marg, Jaipur, as per specified in bidding documents,

Annexure-1. Special Conditions of Contract regarding defect liability period.

Annexure-2A. Bank guarantee will be in specified Performa enclosed with this bidding document for

Annexure-2B. Bank guarantee will be in specified Performa enclosed with this bidding document for

Annexure-A. Compliance with the code of integrity and no conflict of interest (RTPP Act/Rules).

Annexure-B. Declaration by the bidder regarding qualifications (RTPP Act/Rules).

Annexure-C. Grievance Redressal during the procurement process (RTPP Act/Rules).

Annexure-D. Additional Conditions of Contract (RTPP Act/Rules).

Annexure-E. Process for Tender Participation & Depositing Payment on 'Online Tender _ Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of

> EXECUTIVE ENGINEER -12 अधिकाषीं अभियन्ता ज.वि.प्रा. जयपुर

SPECIAL CONDITIONS

SCHEDULE 'H'

- 01. If there is any typographical error or otherwise in the 'G' Schedule, the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
- O2. The bidder shall follow the provisions of the builder labour regulation and abolition Act, 1970 & Rule, 1971.
- O3. The JDA shall have the right to cause an audit for technical examination of the work and the final bills of the bidder including all supporting vouchers, abstracts etc. to be made within two years after payment of the final bills and if as a result of such audit, any amount is found to have been overpaid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed, the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover the such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less then that was due to him under the contract in respect of work executed by him under it, the amount of such underpayment shall be paid by the JDA to the bidder.
- 4. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the performance security of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may be deducted from any sum then due or which at any time their contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
- 5. The rate quoted by the bidder shall remain valid for a period of 120 days from the date of opening of the bids.
- 6. By submission of the Bid the bidder agrees to abide by all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
- 7. No conditions are to be added by the bidder and the conditional Bid is liable to be rejected.
- 8. If any bidder withdraws his Bid prior to the expiry of said validity period given at S. No. 5 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the authority or fails to commence the work in the specified period, fails to execute the agreement the authority shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of bid security given in any form absolutely. If any bidder, who has submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for six months from participating of Biding in JDA in addition to forfeiture of bid security/ Performance Security and other action under agreement
- 9. Any material not conforming to the specifications collected at the site have to be removed by the bidder within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after the expiry of 3 days period.
- 10. The material collected at the site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed fully on the work.
- 11. The rates provided in the Bidding documents are inclusive of all Taxes and royalties otherwise specified.
- 12. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule, Source/borrow pit area for the earth shall have to be arranged by the Bidder at his own cost.
- 13. Undersigned has full right to reject any or all Bids without giving any reasons.
- 14. As per the Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."

- Special Conditions of the Contract regarding the Defect Liability Period (DLP) for works costing Rs. 15.
- 16.
- The Bidder is required to submit a copy of their enlistment as a contractor. 17.
- Conditions of RPWA-100 will be mandatory & acceptable to the bidder. 18.
- The bidder will have to install display boards at the site of work as directed by Engineer in charge. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 19. 2013 and amendments issued from time to time by the Finance Department, GOR shall be applicable. If there are any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall prevail. 20.
- In case the rate received in the bid is below than BSR rate, additional Performance security shall be deposited by the bidder as per Rule 75 (A) of RTPP Rules. 21.
- The Annexure "B" (RTPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking for any clarification. 22.
- Contractors enlisted in JDA, should be get reviewed periodically. The registered bidder who has not been reviewed within a period of 5 years 3 months, shall not be allowed to participate in the bid. Contractors enlisted in other departments shall be as per the provision of PWF&AR.

Executive Engineer- 12 JDA, Jaqurga अधिशाषी अभियन्ता ज.वि.प्रा. जयपुर

Specified Bank Guarantee Performa for Bid Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

То		
Sec Sub	cretary, Jaipur Development Authority, Jaipur b:	
Ban	nk Guarantee No dated	for lamount of Security in figures lin words of
beh	half of[I	Name of the Ridder against Rid Security for
the.	2	Name of the Bidder against bid Security to
DA.	Jaipur WHEREAS,	Iname of Ridder with address! (hereinafter
calle	led "the Bidder") has submitted his Bid	for the work of
******	(here in after	r called " the Bid ").
KNC	OW ALL PEOPLE by these presents that we	
	(Name of	Bank) of having our registered office at
-		country] having our registered office at
	(hereinafter called "the E	Bank") are bound unto Secretary, Jaipur
Deve	velopment Authority. (Hereinafter called "th	(in words) only for which
That 1. Na	gns by these presents. t on demand of JDA , this Bank Guarantee is cashab lame of Bank:	le at the following branch in Jaipur City.
2. Na	ame of the branch with branch code:	
3. Ad	ddress:	
4. E-1	-Mail Id:	
5. Te	elephone No.	
6. Fax	ax No.:	
SEALI	LED with the Common Seal of the said Bank this	day of of 20
гне С	CONDITIONS of this obligation are:	
1) 2) 3)	if the Bidder withdraws his Bid during the period of if the Bidder refuses to accept the correction of error of the Bidder, having been notified of the acceptant	ors in his bid.
	period of Bid validity; (a) fails or refuses to execute the Form of Agreemen	nt in accordance with the Instructions to
	Bidders, or (b) fails or refuses to furnish the Performance Secur	rity, in accordance with the Instructions to

Bidders:

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through IFSC code No ICIC0006754. Bank Account No. 675401700518 on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date	Signature of the Bank		1
Witness	Seal		4
[Signature, Name, and Address]			

[Note: To be furnished on appropriate non-judicial stamps & should be valid for the next 7 months from the bid opening date]

Specified Bank Guarantee Performa for Performance Security

Section - 6
Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

То	cashable at the branch of the bank in Jaipur City.
Secretary, Ja	aipur Development Authority, Jaipur
Sub:	
the WHEREAS, Bidder")	for [amount of Security in figures] [in words] on behalf or [Name of the Bidder] against Performance Security for
KNOW ALL P	PEOPLE by these presents that we
Authority. ((Name of Bank) of having our registered office at [name of country] having our registered office at (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Hereinafter called "the Employer") in the sum of Rupees [Amount of Figures] (in words) only for which payment will and truly to be made to the er, the Bank binds itself, its successors, and assigns by these presents.
	nand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City.
1. Name of E 2. Name of t 3. Address: 4. E-Mail Id: 5. Telephone 6. Fax No.:	he branch with branch code:
SEALED with	the Common Seal of the said Bank this day of of 20
	undertake to pay to the Employer up to the above amount upon receipt of his first written nin valid period of this guarantee.
Validity, as sta	Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid sted in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of on(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later e date.
ICICI Bank, JDA	amount covered under the above Bank Guarantee shall be automatically credited to the accounts of JDA in A Campus, Jaipur through ISFC code No ICIC0006754. Bank Account No. 675401700518 on the date of expiry unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its
Date	Signature of the Bank
Witness	Seal
[Signature, N	ame and Address] furnished on appropriate non-judicial stamps.]

Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- Not offer any bribe, reward or gift or any material benefit either directly or indirectly in (a) exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
- Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or (b) other benefit or avoid an obligation;
- Not indulge in any collusion, Bid-rigging or anti-competitive behavior to impair the (c) transparency, fairness and progress of the procurement process;
- Not misuse any information shared between the procuring entity and the bidders with an (d) intent to gain an unfair advantage in the procurement process;
- Not indulge in any coercion including impairing or harming or threatening to do the same, (e) directly or indirectly, to any party or to its property to influence the procurement process;
- Not obstruct any investigation or audit of a procurement process; (f)
- (g) Disclose conflict of interest, if any; and
- Disclose any previous transgressions with any entity in India or any other country during the (h) last three years or any debarment by any other procuring entity.

Conflict of interest:

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- Have controlling partners/shareholders in common; or (a)
- Receive or have received any direct or indirect subsidy from any of them; or (b)
- Have the same legal representative for purposes of the bid; or
- have a relationship with each other, directly or through common third parties, that puts them (c) in a position to have access to information about or influence on the bid of another bidder, or (d) influence the decisions of the procuring Entity regarding the bidding process; or
- The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. (e) However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or (f)
- Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity (g) as engineer-in-charge/consultant for the contract.

(RTPP Act/Rules)

Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

Declaration by the	Bidder
In relation to my/our Bid submitted toin response to their Notice inviting the submitted tohereby de	og Rids No
Transparency in Public Procurement Act, 2012 that:	
 I/we possess the necessary professional, technical, competence required by the Bidding Document issue I/we have fulfilled my/our obligation to pay such o state government or any local authority as specified if the second of the subject of legal proceedings for any of the and not the subject of legal proceedings for any of the life of the second of the subject of legal proceedings for any of the subject of legal proceedings for any of the life of the subject of legal proceedings for any of the life of the subject of legal proceedings for any of the life of the subject of legal proceedings for any of the life of the subject of legal proceedings for any of the life of the subject of legal proceedings for any of the life of the legal proceedings for any of the life of the legal proceedings for any of the life of the legal proceedings for any of the life of the legal proceedings for any of the life of the legal proceedings for any of the life of the life	f the taxes payable to the union and the in the Bidding Document. being wound up, not have my/our affairs ave my/our business activities suspended e foregoing reasons; not have, been convicted of any criminal or the making of false statements or a ter into a procurement contract within a of this procurement process, or not have
	Signature of the bidder
Date:	Name:
Place:	Designation:
	Address:
	Lich tho

Note:- Annexure "B" is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking any clarification.

Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority:

For works costing up to Rs. 300.00 Lakhs -

Jaipur Development Commissioner, JDA, Jaipur.

For works costing above Rs. 300.00 Lakhs -

Executive Committee, JDA, Jaipur.

The designation and address of the Second Appellate Authority: For works costing up to Rs. 300.00Lakhs -

Executive Committee, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs -

Principle Secretary/ACS, Urban Development & Housing Department, GOR, Jaipur.

(1)

Filing an appeal: if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which, he feels

Provided that after the declaration of a bidder as successful the appeal may be filed only by a

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only

The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date (2)

- If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the (3) procuring entity, as the case may be, may file a second appeal to the second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.
- No appeal shall lie against any decision of the procuring entity relating to the following (4)
 - matters, namely: -
 - (a) Determination of the need of procurement (b) Provisions limiting the participation of bidders in the bid process
 - (c) The decision of whether or not to enter into negotiations
 - (d) Cancellation of a procurement process
 - (e) Applicability of the provisions of confidentiality
- (5)

An appeal under Para (1) or (3) above shall be in the annexed form along with as many Form of Appeals: -

«८०८९६ गक्सटेशन : (6001): फक्स - +91-141-2574555

copies as there are respondents in the appeal. Every appeal shall be accompanied by an order appealed against, if any,

(a) Affidavit verifying the facts stated in the appeal and proof of payment of fee, (b)

- (c) Every appeal may be presented to the first appellate authority or second

 The appellate authority, as the case may be, in person or through registered post or authorized representative.
- (6) Fee for filing Appeal: -
- (a) Fee for the first appeal shall be rupees two thousand five hundred and for the second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a scheduled bank in India payable in the name of the appellate authority concerned.
- (7) Procedure for disposal of Appeal: -
- (a) The first appellate authority or second appellate authority as the case may be, upon the filing of the appeal, shall issue notice accompanied by a copy of the appeal, affidavit and documents, if any, to the respondents and fix a date of hearing
- (b) On the date fixed for hearing, the first appellate authority of the second appellate authority, as the case may be shall-
- (i) Hear all the parties appeal presenting before him; and
- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide a copy of the order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during the evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected unless in the opinion of the procuring entity, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

Procuring Entity's Right to Vary quantities.

- (i) At the time of award of the contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of the contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provided in the conditions of the contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of the last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule, all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

ocess for Tender Participation & Depositing Payment on 'Online Tender farticipation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan: -

A*Process for Tender Participation & Depositing Payment on 'Online Tender Participation' Portal of JDA

- a) Bidder can access 'Online Tender Participation' Portal of JDA at https://jda.urban.rajasthan.gov.in/jda or by Single-Sign-On at http://service.jaipurjda.org.
- b) Create user Login with a valid mobile number to register yourself for various Online Services of JDA. c) Select 'Proceed as Citizen' and then 'Proceed for Subscription' for 'Tender Online Payment'. The prevailing plan for getting registered for tendering process of JDA is Rs. 500.00 with a validity period of 3
- d) After successful payment, re-login and upload required documents for KYC (Know Your Client) compliance as per the type of entity viz. Individuals/ Company/ Partnership Firms/ Trusts & foundations. Besides, Bank Passbook / Cancelled Cheque consisting of Bank Account, IFSC Code is mandatory to be uploaded, to refund the bid security of unsuccessful bidder.
- e) After receiving the payment successfully and approving KYC documents the bidder will be authenticated by JDA for taking part in Tender.

2-Deposit Tender Fee, RISL processing fee and Bid Security (EMD)

- Option-1: Payment Gateway (Aggregator) The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.
- Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS) If the bidder selects payment mode as EFT (NEFT/RTGS), "Paying Slip for EFT (NEFT/RTGS)" will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

3-Deposit Bid Security (EMD)

The Bid Security (EMD) can be submitted through Bank Guarantee (BG). Bidder may opt Bank Guarantee (BG) against Bid Security (EMD), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on 'Online Tender Participation' Portal of JDA before paying balance amount (Tender Fee + RISL Processing Fee). This balance amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

4-Obtain Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt based on which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the 'Bid Participation Receipt' will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the 'Bid Participation Receipt' will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) 'Bid Participation Receipt' will be available on Login of Bidder on JDA portal.

B-**Bid Submission on 'e-Procurement Portal' of Government of Rajasthan

1- Online e-Bid can be submitted after registration at e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in

- It is mandatory to upload Bid Participation Receipt with the bid submission.

 Details of online payment available on Tondor participation Portal of JDA 2-Note
- Details of online payment available on Tender Participation Portal of JDA have to be filled in 'offline on the submission of the submission of e-Procurement portal of JDA have to be filled in 'offline on the submission of the submission of the submission.

 - Bidder (authorized signatory) shall submit their offer on-line in electronic formats both for technical and In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to
- To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can approved corrections against the Code etc. Bidders who procure the same from any CCA approved certifying agency, i.e., TCs, Safe crypt, n Code etc. Bidders who already have a valid Digital Signature Certificate (NCC) need not procure a new DSC. Also, bidders must already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on http://enroc.raiasthan.gov.in/hiddors_already_registered_on_http://eproc.raiasthan.gov.in/ register on http://eproc.rajasthan.gov.in (bidders already registered on http://eproc.rajasthan.gov.in
- JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow
- speed; choking of web site due to heavy load or any other unforeseen problems. Bidders are also advised to refer "Bidders Manual Kit" available at e-Proc website for further details about
- Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested in training may contact e-Procurement Cell, DoIT&C

Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in

Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

- The procuring entity reserves the complete right to cancel the bid process and reject any or all of the
- No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9- Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only
- 10- The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the

	Jaipur Development Authority, Jaipur. Bid Participation Po	
	Bid Partie: Bid Partie:	
Bid Detail	Bid Participation Receipt	
Bid ID:	Date & Time:-	
Bid Title:		
Bid Value:	Procurement Entity:-	
Bidder Detail	Di L	
Name of Entity:	Bid Opening Place:	
Registration Type:	Mobile No.:	
Payment Mode:	Instrument Amount:	
nstrument No.:	Payment Channel:	
	Instrument Date:	
Pates Detail		
Sr No		

Sr. No.	
Event Name 1 Publishing Date Event Date	
2 Bid Opening Date	7
o - ute	

Specific Instrument fo			
strument Number			-
	Head Name	Amount	
	Tender Fee	····ount	Date
/-	RISL Processing Fee		
10.5 D	Rid Socurity 5		
ier Detail: Jaipur Deve	Plopment Authority	Challan Number:	

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in.

JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

Name of work :- Miscellaneous civil repair works in zone 12 area JDA Jaipur

G-Schedule

S.	Particular	Qty	Unit	Rate	Amount
No 1	Excavation in Soil using Hydraulic Excavator and Tippers with			-10.00	
1	disposal upto 1000 m Excavation for roadwork in soil with				
	hydraulic excavator of 0.9 cum bucket capacity including cutting				
	and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and				
	transporting to the embankment location with a lift upto 1.5 m and				
	lead upto 1000 m as per MoRD Specification Clause 302.3	1875.000	C	26 10	49027 50
2	Granular Sub-base with Well Graded Material (Table		Cum	26.10	48937.50
	400.1) By Mix in Place Method Construction of granular				
	sub-base by providing well graded material, spreading				
	in uniform layers with Tractor Mount Grader on				
	prepared surface, mixing by mix in place method with				
	rotavator at OMC, and compacting with smooth				
	wheel roller to achieve the desired density, complete as				
	per MoRD Specification Clause 401.				
	i) For Grading I Material	562.500	Cum	400.50	225281.25
3	Granular sub-base/base/surface course with local				
	materials (Table 400.13) by mix in place method normal				
	Construction of granular sub-base by providing local material spreading in uniform layers with motor grader				
	on prepared surface, mixing by mix in place method with				
	rotavator at once and compacting with smooth wheel				
	roller to achieve the desired density complete as per				
	Clause 401.4 as per MoRD SpecifiUsing naturally				
	occuring gravel Using naturally occuring gravel				
		1556.250	Cum	360.00	560250.00
4	Wet Mix Macadam				
	Providing, laying, spreading and compacting graded				
	stone aggregate to wet mix macadam specification				
	including premixing the material with water at OMC in mechanical mixer (Pug Mill), carriage of mixed material				
	by tipper to site, laying in uniform layers in sub-				
	base/base course on a well prepared sub-base and				
	compacting with smooth wheel roller of 80 to 100kN				
	weight to achieve the desired density including lighting,				
	barricading and maintenance of diversion, etc as per				
	Tables 400.11 & 400.12 and MoRD Specification Clause				
	406. By Mechanical Means with all lead and lift				
		843.750	Cum	1071.00	903656.25
5	Random Rubble stone masonry for with hard stone in foundation and plinth in Cement Sand mortar above 30 CM thick				
L	wall in Cement Mortar 1:4 (1-Cement: 4-Sand).	351.000	Cum	1984.50	696559.50
6	Earth work in excavation by mechanical means (Hydraulic Excavator				
)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and				
	ramming of bottoms, lift upto 1.5 m, including taking out the				
	excavated soil and depositing and refilling of jhiri with watering &				
	ramming and disposal of surplus excavated soil as directed with in a lead of 50 meter.				
	All kinds of soils	531.000	Cum	111.60	59259.60
7	Brick masonry with F.P.S. bricks of class designation 75 in	551.000	Cum	111.00	37237.00
	foundation and plinth with bricksCement mortar 1:6 (1 cement:6	100.000		2604.60	460000000
8	coarse sand) G.I Barbed Wire Fencing 1.8 m high Providing and fixing 1.8 m	180.000	Cum	2604.60	468828.00
0	high GI barbed wire fencing with 2.4 m RCC M15 grade 150 mm x				
	150 mm concrete post placed every 3 m centre-to-centre founded in				
	M15 grade cement concrete, 0.6 m below ground level, every 15th				
	post, last but one end post and corner post shall be strutted on both sides and end post on one side only and provided with 12 horizontal				
	lines and 2 diagonals interwoven with horizontal wires, fixed with GI				
	staples, turn buckles etc. complete as per Clause 1705.	600.000	Mtr	436.50	261900.00
<u> </u>		550.000	17161	TJU.JU	201700.00

		T	T		
9	Providing and laying in position cement concrete				
	including curing, compaction etc. complete in specified				
	grade excluding the cost of centering and shuttering - All				
	work up to plinth level.				
	M20 grade Nominal Mix				
	1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone				
	aggregate 20mm nominal size).	58.500	cum	3246.30	189908.55
10	Providing and laying in position cement concrete				
	including curing, compaction etc. complete in specified				
	grade excluding the cost of centering and shuttering - All				
	work up to plinth level.				
	M10 grade Nominal Mix				
	1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone				
				2200.50	204000 21
	aggregate 20mm nominal size).	127.125	cum	2398.50	304909.31
11	Cement Concrete Pavement				
	Construction of un-reinforced, dowel jointed at expansion and				
	construction joint only, plain cement concrete pavement, thickness as				
	per design, over a prepared sub base, with 43 grade cement or any				
	other type as per Clause 1501.2.2 M30 (Grade), coarse and fine				
	aggregates conforming to IS:383, maximum size of coarse aggregate				
	not exceeding 25 mm, mixed in a concrete mixer of not less than 0.2				
	cum capacity and appropriate weigh batcher using approved mix				
	design, laid in approved fixed side formwork (steel channel, laying				
	and fixing of 125 micron thick polythene film, wedges, steel plates				
	including levelling the formwork as per drawing), spreading the				
	concrete with shovels, rakes, compacted using needle, screed and				
	plate vibrators and finished in continuous operation including				
	provision of contraction and expansion, construction joints, applying				
	debonding strips, primer, sealant, dowel bars, near approaches to				
	bridge/culvert and construction joints, admixtures as approved,				
	curing of concrete slabs for 14-days, using curing compound and				
	water finishing to lines and grade as per drawing and MoRD				
	Specification Clause 1501 including vaccum dewatering process				
	with all required equipments				
		169.500	Cum	5188.50	879450.75
12	Providing and Laying of Interlocking M-30 grade Concrete				
	Block Pavements having thickness 80 mm as per drawings				
	and MoRD Specification Clause 1504with M-30 Grade 0.30				
	Mtr x 0.30 Mtr x 0.15 Mtr Edge Blocks.				
	Category 'B': Dentated only two side like I,Z,T shape as per				
	IRC:SP:63-2004	500.000	sqm	693.00	346500.00
13	Providing and Laying of Interlocking M-30 grade Concrete Block		- 1	0,2.00	2.0200.00
	Pavements having thickness 100 mm as per drawings and MoRD				
	Specification Clause 1504with M-30 Grade 0.30 Mtr x 0.30 Mtr x				
	0.15 Mtr Edge Blocks.				
	Category 'B': Dentated only two side like I,Z,T shape as per				
	IRC:SP:63-2004	500.000	sqm	877.50	438750.00
14	Providing and fixing of Reinforced Ferro cement Drain cover				
	designed for class "AA" loading duly marked on cover with				
	adequate steel reinforcement having thickness 75 mm to 150				
	mm anti- corrosive bitumen painted M.S. plate Rim and on				
	• •				
	M.S. lifting hooks admixture like plasticizer bond improving				
	compound shrinkage resistance compound abrasion resistant				
	complete as per approved design etc.				
14.1	for drain Opeining Size 300 to 450 mm Standard Drain Cover				
	Size 600mm x 800mm x 75mm	14.400	sqm	1363.50	19634.40
14.2	for drain Opeining Size 451 to 700 mm Standard Drain Cover	-	1		. •
	Size 1000mm x 800mm x 100mm	24.000	sqm	1579.50	37908.00
14.3	for drain Opeining Size 701 to 1200 mm Standard Drain Cover		<u> </u>		
-	Size 1500mm x 600mm x 125mm	18.000	sqm	2011.50	36207.00
14.5	for drain Opeining Size 1201 to 1500 mm Standard Drain Cover				
	Size 2100mm x 500mm x 150mm	10.500	sqm	2871.00	30145.50
15	Marking Centre Line and stop lines etc. on road as per IRC pattern				
	with thermoplastic paint of approved quality and make without glass				
	beads laid on the road surface at temperature 160" C with a special				
	applicator machine complete with a special applicator machine				
	complete with labour material and traffic diversion arrangements.	1555 000		105.50	766055 50
		1755.000	sqm	436.50	766057.50
16	Supply of 'L' type Bollard made out of 1.25 mm thick M.S. sheet				
	height 134 cm, welded in circular type ring section having upper dia				
	15 cm. and lower dia 21 cm with another attachment of 15x15 cm				
	circular section with 15 cm. face plate and hold fast at bottom, whole				
	body is processed in white stoving enamel and red reflective 3 hands,				
	each of 7.5 cm end one reflective sheet of 15 cm. dia provided to it				
	complete in all respect.	50.000	Each	1435.50	71775.00
<u></u>		30.000	Eacii	1433.30	/1//3.00

_		1			
17	Supply of Swiss type of Hazard marker, made out of 2 mm thick				
	M.S. sheet size of box is 15x15 cm with hold fast at bottom, the				
	body is painted in orange stoving enamel paint with white/high				
	intensity grade micro-prismatic type sheeting, on all four side.	100.000	Each	787.50	78750.00
18	Production & Supply of kandhal readymade cold bituminous	100.000	Lacii	767.50	78730.00
10	patching mix in 50kg plastic lined, sturdy bags for repair of potholes				
	in adverse climatic condition including the bituminous mix with a				
	minimum of 5.6% MC-800 Cutback Bitumen (containing a suitable				
	antistripping agent) by weight of mix and in strict conformance to				
	gradation and other requirements such as 6-month storage life as per				
	the attached specification, transportation with all lead and lift				
	complete in all respects as per direction of engineer-in-charge.				
	compress in an respect as per anceston of engineer in enanger	36960.000	P. Kg	11.00	406560.00
20	Labour charges for placing and compacting kandhal readymade cold				
	bituminous patching mix in potholes in adverse weather including				
	cleaning of potholes, placing and compacting the mix, sprinkling				
	sand to prevent pick up by traffic and documentation of patches, with				
	all leads and lift complete in all respects as per direction of engineer-	26060 000	D Va	2.00	72020 00
21	in-charge.	36960.000	P. Kg	2.00	73920.00
21	Providing and fixing reinforced concrete precast kerb stone ordand				
	R.Mtr of M-20 grade cement concrete 120 cm long having 4 Nos.				
	bars of 8 mm dia hysd and stirrups 6 Nos of 6 mm dia as per IS with				
	in built provision of interlocking of jointing and lifting compaction of reinforced concrete by mechanical and table vibrators jointing at				
	site with cement mortar 1:4 complete in all respect as directed by				
	Engineer incharge on: 100 mm thick cement concrete 1:4:8 (1				
	Cement: 4 Coarse sand: 8 stone aggregate 20 mm thick nominal				
	size) including excavation of earth and cutting of BT road cutting of				
	WBM road etc. and disposal of surplus material with all lead and lift.				
	The size of kerb shall be $(11.5+16.5)/2*30+(16.5*7.5)$				
		200.000	Rmtr	617.00	123400.00
22	Dismantling of Flexible Pavements				
	Dismantling of Flexible Pavements and disposal of dismantled				
	materials upto a lead of 100 m, stacking serviceable and				
	unserviceable materials separately as per MoRD Specificatio clause				
	202				
	By Mechanical Means				
	Bituminous Courses	93.750	Cum	115.20	10800.00
23	Demolishing cement concrete manually/ by mechanical means	73.730	Cum	113.20	10000.00
23	including disposal of material within 50 metres lead as per				
	direction of Engineer-in-charge.				
		112 700			
	1: 3: 6 or richer mix.	112.500	Cum	397.80	44752.50
24	ID '11' D 11' .1 C(/ C 1 1 11 \ W'.1 11				
	Building Rubbish Stone metal (Grit and ballast etc.) With all				
	lead & lift	318.750	Cum	59.40	18933.75
25		318.750	Cum	59.40	18933.75
25	lead & lift	318.750 1875.000	Cum Cum	59.40 54.00	18933.75 101250.00
	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift				
25 26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on				
	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed	1875.000	Cum	54.00	101250.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge.				
	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed	1875.000	Cum	54.00	101250.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift	1875.000	Cum Per Hour	54.00	101250.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge.	1875.000	Cum	54.00	101250.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift	1875.000	Cum Per Hour	54.00	101250.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15)	1875.000	Cum Per Hour Per shift of 8	54.00 745.00	101250.00 298000.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75	1875.000	Cum Per Hour Per shift of 8	54.00 745.00	101250.00 298000.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur	1875.000	Cum Per Hour Per shift of 8	54.00 745.00	101250.00 298000.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges	1875.000 400.000 200.000	Cum Per Hour Per shift of 8 Hours	54.00 745.00 1290.00	101250.00 298000.00 258000.00
26 27 28	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely.	1875.000	Cum Per Hour Per shift of 8	54.00 745.00	101250.00 298000.00
26	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire	1875.000 400.000 200.000	Cum Per Hour Per shift of 8 Hours	54.00 745.00 1290.00	101250.00 298000.00 258000.00
26 27 28	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely.	1875.000 400.000 200.000	Cum Per Hour Per shift of 8 Hours	54.00 745.00 1290.00	101250.00 298000.00 258000.00
26 27 28	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire	1875.000 400.000 200.000	Cum Per Hour Per shift of 8 Hours	54.00 745.00 1290.00	101250.00 298000.00 258000.00
26 27 28	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge	1875.000 400.000 200.000 30.000	Cum Per Hour Per shift of 8 Hours Hours Per shift of 8 Hours	54.00 745.00 1290.00 2500.00	101250.00 298000.00 258000.00
26 27 28 29	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge Supply of Dumpers on hire charges with driver, cleaner and POL	1875.000 400.000 200.000 30.000	Cum Per Hour Per shift of 8 Hours Hours Per shift of 8 Hours Per shift of 8	54.00 745.00 1290.00 2500.00	101250.00 298000.00 258000.00
26 27 28 29	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge	1875.000 400.000 200.000 30.000	Cum Per Hour Per shift of 8 Hours Hours Per shift of 8 Hours	54.00 745.00 1290.00 2500.00	101250.00 298000.00 258000.00
26 27 28 29	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge Supply of Dumpers on hire charges with driver, cleaner and POL	1875.000 400.000 200.000 30.000	Cum Per Hour Per shift of 8 Hours Hours Per shift of 8 Hours Per shift of 8	54.00 745.00 1290.00 2500.00	101250.00 298000.00 258000.00 75000.00
26 27 28 29	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge Supply of Dumpers on hire charges with driver, cleaner and POL different sites of JDA region as Directed by Engineer in chargr	1875.000 400.000 200.000 30.000	Cum Per Hour Per shift of 8 Hours Hours Per shift of 8 Hours Per shift of 8	54.00 745.00 1290.00 2500.00	101250.00 298000.00 258000.00 75000.00
26 27 28 29	lead & lift Earth, Sand, Lime, Morrum manure or sludge With all lead and lift Supply of JCB (excavator cum loader) Type 3D on hireincluding POL & driver at different sites as Directed by Engineer in charge. Supply of 35 Hp Diesel Tractor Trolly with hydraulic lift trolly on hire with driver, cleaner and POL at different site of JDA Region as directed by engineer in Charge. (1*1*15) Supply of Hydraulic Proclain Bucket capacity above 0.75 cum for Flood control works in JDA region, JDA, Jaipur including all transportation loading, unloading charges completely. Supplying of 35 HP Diesel Tractor with blade on hire with driver, cleaner and POL at different sites of JDA region at Directed by Engineer in charge Supply of Dumpers on hire charges with driver, cleaner and POL different sites of JDA region as Directed by Engineer in chargr	1875.000 400.000 200.000 30.000	Cum Per Hour Per shift of 8 Hours Hours Per shift of 8 Hours Per shift of 8	54.00 745.00 1290.00 2500.00	101250.00 298000.00 258000.00 75000.00

32	Providing and fixing of precast concrete interlocking				
	blocks of M 30 grade 60mm thick manufactured from				
	fully computerised automatic stationery hydraullic				
	vibropressed machine and fully computerised automatic				
	batching plant of class A1/A2 as per BS 6717:2001. The				
	CC interlocking paving blocks be laid on average 50mm.				
	thick bed of coarse sand and the joint is to be filled with				
	fine sand. Laying procedure on compacted sub-base as				
	defined. Complete job is to be executed as per the				
	instruction of Engineer incharge. The rates to be				
	inclusive of all lead, Lifts and taxes. General				
	specification of blocks:				
	1) Shape as defined by Engineer incharge				
	2) Tensile splitting strength and braking load as per BS				
	6717:2001				
	3) Color: Grey cement natural colour				
	4) Variation in dimension: Less than 1.6mm.				
	5) Variation in thickness: Less than 3.2mm				
	6) Abrasion: As per BS: 6717:2001	1000	sqm	337.5	337500.00
33	P & F of cement concrete precast kerb or dand of M-20 grade upto	1000	Sqiii	337.3	337300.00
	60 cm length over 20 mm thick base of cement mortar				
	1:6 including earth work, cutting of B/T road, cutting of WBM road				
	etc. & jointing with cement mortar 1:4 grouted 125 mm in ground of				
	shape as approved by Engineer-in-charge. The rates are inclusive of				
	providing, laying and compacting base concrete 1:4:8 (1 cement : 4				
	coarse sand: 8 graded stone aggregate of 20 mm thick nominal size) 100 mm thick below dand/kerb complete in all respect. The size of				
	kerb be 15 cm x 32.5 cm with round at top.				
	nero de 13 cm x 32.3 cm with round at top.				
		750,000	Donator	106.00	70500.00
2.4		750.000	Rmtr	106.00	79500.00
34	Repair to stone masonary in cement sand mortar 1:6 with	200.000			
2.5	old and new stone.	200.000	sqm	165.60	33120.00
35	Providing and laying Precast reinforced cement concrete Box culvert section of M-40 grade designed for 'AA' class loading as per IRC				
	specifications including the effect of impact, EQ etc. complete on				
	firm base of 200mm thick lean concrete of M-10 grade with				
	aggregate of size 40mm nominal of following internal sizes. The				
	work includes required safety measures, construction of drain for				
	diversion of flowing water, cost of design of RCC Precast Box and				
	its proof checking from IIT/MNIT Jaipur etc. complete in all respect				
	as per specification Size 1.00 M x 1.00 M				
	512C 1.00 141 X 1.00 141				
26		20.000	Mtr	10600.00	212000.00
36	Painting with synthetic enamel paint of approved brand				
	and manufacture to give an even shade				
	One or more coats on old work.:				
		3600.000	sqm	18.00	64800.00
37	Beldar	800.000	Per day	153.00	122400.00
38	Raising/lowering of masonary manhole chamber of sewer system				
	including lifting the R.C.C. roof slab dismentling/				
	increasing the height of masonary wall with cement mortar 1:4, replacing back the displaced R.C.C. roof slab in position,				
	including repairing of joint to the entire satisfaction of Engineer-In-				
	Charge. The work includes providing barricading during				
	construction, putting sign board/cauton board for safety purpose,				
	providing material like cement, sand, required stone and all tuman				
	masonary where ever required and all machinery like crane, tools and				
	ا میں اور				
1	plants required for the Job in all respect, work also includes curing				
	where ever required and site clearance. (Dir. Engg. /D-143 dt.				
	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011)	35.000	Nos	1500.00	52500.00
37	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and	35.000	Nos	1500.00	52500.00
37	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type	35.000	Nos	1500.00	52500.00
37	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium	35.000	Nos	1500.00	52500.00
37	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75	35.000	Nos	1500.00	52500.00
37	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium	35.000	Nos	1500.00	52500.00
37	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per	35.000	Nos	1500.00	52500.00
37	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450	35.000	Nos	1500.00	52500.00
37.1	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per	35.000		1500.00 2745.00	52500.00 54900.00
37.1	where ever required and site clearance. (Dir. Engg. /D-143 dt. 28.02.2011) Providing and fixing of retro-reflectorised cautionary, mandatory and informatory sign as per IRC:67 made of encapsulated lens type reflective sheeting vide Clause 1701.2.3 fixed over aluminium sheeting, 1.5 mm thick supported on a mild steel angle iron post 75 mm x 75 mm x 6 mm firmly fixed to the ground by means of properly designed foundation with M15 grade cement concrete 450 mm x 450 mm x 600 mm, 600 mm below ground level as per drawings and MoRD Specification Clause 801		Nos Each Each		

38	Providing and fixing of retro-reflectorised cautionary,				
	mandatory and informatory sign as per IRC:67 made of				
	encapsulated lens type reflective sheeting vide Clause				
	1701.2.3, fixed over aluminium sheeting, 1.5 mm thick				
	supported on GI pipe 50 mm dia firmly fixed to the ground by				
	means of properly designed foundation with M-15 grade				
	cement concrete 450 mm x 450 mm x 600 mm, 600 mm below				
	ground level as per drawings and MoRD Specification Clause				
	1701				
	800x600 mm rectangular	20.000	Each	4770.00	95400.00
39	Construction of Embankment with Material Obtained				
	from Roadway Cutting Construction of embankment with				
	approved materials deposited at site from roadway				
	cutting and excavation from drain and foundation of				
	other structures graded and compacted to meet				
	requirement of Tables 300.1 and 300.2 as per MoRD				
	Specification Clause 301.5				
		1500.000	Cum	31.50	47250.00
40	Supplying of Cat's Eye made of aluminium alloy size				
	75x100x22 mm having 21 biconvex lenses embedded in	1000 000	Each	100.00	100000 00
	circular disk of ABS plastic on each side.	1000.000		180.00	180000.00
41	Providing of Mud pump with hose pipe in required length on				
	hire charges with P.O.L., the pump should be completed with		Per shift of 8		
	suction and delivery attachment as per site requirement. 20		Hours		
	HP Mud pump tractor mounted with driver, operator and helper	30.000		1900.00	57000.00
	Total	20.000		1700.00	9546224.36
	10tai		1		5575227.50