

जयपुर विकास प्राधिकरण, जयपुर

इन्दिरा सर्किल, जे.एल.एन. मार्ग, जयपुर

क्रमांक/जविप्रा/अधि.अभि.(RRP-2)/2025-26/3

दिनांक: 08.09.2025

बिड आमंत्रण सूचना

बिड संख्या— अधि.अभि.(रिंग रोड़— II)/03/2025-26

जयपुर विकास प्राधिकरण रिंग रोड़ परियोजना— II में “Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase -II, JDA, Jaipur” कार्य जिसकी लागत **रु. 103.82 लाख** के लिए दिनांक **19.09.2025** सायंकाल **6:00 बजे** तक ऑन लाईन निविदा आमंत्रित की जाती हैं। विस्तृत विवरण, जो कि निविदा प्रपत्र में उपलब्ध है, अद्योहस्ताक्षरकर्ता के कार्यालय में अथवा राजस्थान सरकार के उपापन पोर्टल **www.sppp.raj.nic.in** व **www.eproc.rajasthan.gov.in** एवं जयपुर विकास प्राधिकरण की वेबसाईट **www.jda.urban.rajasthan.gov.in** पर देखी जा सकती है।
(UBN No. JDA2526WSOB00416)

निविदादाता को निविदा में भाग लेने हेतु आवश्यक है कि :-

1. जयपुर विकास प्राधिकरण की वेबसाईट **www.jda.urban.rajasthan.gov.in** पर पंजीकृत हो। निविदा शुल्क व आर.आई.एस.एल. प्रक्रिया शुल्क केवल ऑन लाईन ही देय होगी। बोली प्रतिभूति ऑनलाईन अथवा बैंक गारन्टी के द्वारा दी जा सकती है।
2. ऑन लाईन निविदा में भाग लेने हेतु राजस्थान सरकार के पोर्टल **www.eproc.rajasthan.gov.in** पर पंजीकृत हो।



अधिशाली अभियन्ता (रिंग रोड़— II)

जविप्रा, जयपुर।

JAIPUR DEVELOPMENT AUTHORITY

Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004
Telephone: +91-141-2569696 e.mail: ee.rrp2@jaipurjda.org

No. JDA/EE(RRP-2)/2025-26/3

Date : 08.09.2025

NOTICE INVITING BID

NIB No. : EE (RRP-II)/02/2025-26

Online Bids are invited **upto 6.00 PM of 19.09.2025** or "**Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase -II, JDA, Jaipur**" Estimated cost **Rs. 103.82 Lacs**. Details may be seen in the Bidding Document at our office or the website of State Public Procurement Portal: www.sppp.rajasthan.gov.in, www.eproc.rajasthan.gov.in and www.jda.urban.rajasthan.gov.in

(UBN No. JDA2526WSOB00416)

To participate in the bid, bidder has to be:

1. Registered on JDA website www.jda.urban.rajasthan.gov.in. For participating in the Bid, the Bidder has to apply for the Bid and pay the Bidding Document Fee & RISL Processing Fee online only and Bid Security declaration stamp.
2. Registered on e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in for online e-Bid submission.

(Pankaj Agarwal)

Executive Engineer (RRP-II)

JDA, Jaipur

OFFICE OF THE JAIPUR DEVELOPMENT AUTHORITY, JAIPUR

NIB No.- EE(RRP-II)/2025-26/NIB-3	
Name & Address of the Procuring Entity	➤ Name: Executive Engineer (RRP-II), Jaipur Development Authority ➤ Address: Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan) ➤ Email: ee.rrp2@jaipurjda.org
Name of work	➤ Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase -II, JDA, Jaipur
Bid Procedure	➤ Single-stage Two part open competitive eBid procedure at http://eproc.rajasthan.gov.in
Bid Evaluation Criteria (Selection Method)	➤ L1 [Like Least Cost Based Selection (LCBS)-L1]
Websites for downloading Bidding Document, Corrigendum's, Addendums, etc.	➤ Websites: www.sppp.rajasthan.gov.in , www.eproc.rajasthan.gov.in , www.jda.urban.rajasthan.gov.in
Estimated Procurement Cost	➤ INR 103.82 Lacs
Website for online Bid application and payment *	➤ Website: www.jda.urban.rajasthan.gov.in ➤ For participating in the Bid, the Bidder has to apply for this Bid and pay the Bidding Document Fee, RISL Processing Fee and Bid Security Deposit, online only. ○ Bidding document fee: Rs. 1000/- ○ RISL Processing Fee: Rs. 2000/- ○ Requisite Bid Security Deposit. ○ The Bidders are required to submit Bid security, cost of Bidding documents, and Bid processing fees through online payment after registering with JDA on www.jaipurjda.org/e-services/e-tender portal. There should be a gap of 3 working days between the End date for Bid Applying, Online Payment & Bid Submission and Bid Opening date. In the absence of the requisite fee, the bid of the concerned bidder will be considered as non-responsive and shall be liable for rejection
Bid Security Deposit (in favor of Secretary, JDA, Jaipur)	➤ Amount (INR: 2% For A & AA class contractors registered in the appropriate class with CPWD, Postal, Telegram, Railway, MES, Other State Government/Central Government undertakings/organizations of Estimated Procurement Cost. (The bidder must capable to bid in the bid as per their enlistment) ➤ 0.5 % for Bidder registered as a contractor in the appropriate class in JDA. ➤ In case of Departments of the State Government and undertakings, Corporations, Autonomous bodies, Registered Societies, Cooperative Societies which are owned or controlled or managed by the State Government and Government undertakings of the Central Government shall submit a bid securing declaration in lieu of bid security. ➤ If a joint Venture is allowed in the Bid then 2% shall be deposited by bidders (Joint Venture firm)
Start/ End Date for Bid Applying Bid on Eproc and making Online Payment on JDA portal*	➤ Start Date: 10.09.2025 09:00 AM ➤ End Date: 19.09.2025 upto 6.00 PM ➤ In case EMD in form BG Original Bank Guarantee is to be submitted in Jaipur Development Authority, JLN Marg, Jaipur by 23.09.2025 from 10.00 AM to 25.09.2025 up to 05.30 PM

Date/Time/Palace of pre-Bid	➤ N/A
Date/ Time/ Place of Technical Bid Opening	➤ N/A
Date/ Time/ Place of Financial Bid Opening	➤ 26.09.2025 at 11.00 AM First Floor, Judicial Block, Ram Kishore Vyas Bhavan, Indira Circle, Jawahar Lal Nehru Marg, Jaipur – 302004 (Rajasthan)
Bid Validity	➤ 120 days from the bid submission deadline
Time Period	➤ 06 Months
A&F/Job No.	➤ 196/2025-26

Procedure for bidding:

Single part bid system:

Single part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Documents and Docket-2 being for Financial Bid.

Docket-1:- is for proof of deposition of Bid Security, cost of bidding document and bid processing fee along with copy of GST registration, signed Annexure “B” and copy of enlistment as contractor/ bidder in required category.

Docket-2:- is for financial bid.

The financial bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure “B” are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee.

1. Two part bid system:

Two part (Two-envelope) (2 docket) system would be adopted, Docket-1 being for Technical Bid and Docket-2 being for Financial Bid.

Docket-1:- There will be three separate folders- Folder-1 is for proof of deposition of Bid Security, cost of bidding document and bid processing fee alongwith copy of GST registration, signed Annexure “B” and copy of enlistment as contractor/ bidder in required category. Folder-II is for bid document and folder-III is for technical bid.

Docket-2:- There will two separate folders-1 is for financial bid and 2 is for bill of quantities.

The technical bid will be opened only for bidders whose proper Bid Security, copy of GST registration, proof for deposition of bidding document fee, RISL processing fee, copy of enlistment of contractor in the required category and signed Annexure “B” are found to be in order. Bid Security will be accepted only in the form of online deposition or in the form of Bank Guarantee

SCHEDULE AND SPECIFICATIONS

SCHEDULE – A: INFORMATION USEFUL FOR THE CONTRACTORS:

The bidder should see the site and fully understand the conditions of the site before bidding and include all leads, lift etc for the material in his item rate/percentage to be quoted on the rates given in Schedule 'G'. The work shall be carried out in accordance with the Rajasthan PWD detailed specification and to the entire satisfaction of the Engineer – In – Charge of the work.

SCHEDULE – B: LIST OF THE DRAWING TO BE SUPPLIED BY THE DEPARTMENT

The drawing may be seen in the office of the undersigned.

SCHEDULE – C: LIST OF THE DRAWING TO BE SUPPLIED BY THE CONTRACTOR: List of the drawing to be supplied by the contractor NIL. But the contractor shall have to arrange at his own cost drawings required for the work after deposition necessary cost with JDA.

SCHEDULE - D: TEST OF THE MATERIALS:

The test of the materials and workmanship shall be conducted by the JDA staff as necessary. The result of such tests should confirm to the standards laid down in the Indian standard & or the standards laid down in the detailed specifications of the work by the contractor. Qualified personnel required as per the contractor enlistment rules shall have to be engaged at site by the Contractor. The authority reserves the right to engage such staff and recover the expenses from the contractor on such account in case of his failure to do so.

SCHEDULE – E: SAMPLES OF THE MATERIALS:

The sample of the materials to be used by the contractor shall be deposited 15 days in advance with the Engineer In charge and be got approved by him before use.

SCHEDULE - F: TIME OF COMPLETION:

The work should start within 10 days of the issue of the work order and complete within time limits.

SCHEDULE – G: ATTACHED SEPARATELY BASED ON APPLICABLE BSRs IN JDA.

SCHEDULE – H: SPECIAL CONDITION: Attached Separately.

SCHEDULE – I: COST OF TENDER DOCUMENTS, PROCESSING FEES & BID SECURITY.

The Bid Processing fee is payable in favor of M.D. RISL & Cost of bid document & Bid Security is payable in Favour of the Secretary, JDA, Jaipur. Bidders have to pay bid processing fees, cost of bidding documents, and Bid Security Online. **If a bidder opts to deposit the bid security through bank guarantee, the bank guarantee should be valid for the next seven months after the bid opening date. A copy of the such bank guarantee will be required to be attached with the bid submission documents uploaded on the E-procurement portal of GOR. The bank guarantee will be physically handed over upto prescribed time to Nodal officer of the on-line tendering system of**

JDA i.e. D.D(E&B) in room No. 215N Extension building, JDA, JLN marg, Jaipur, as per specified in bidding documents,

Annexure-1. Special Conditions of Contract regarding defect liability period.

Annexure-2A. Bank guarantee will be in specified Performa enclosed with this bidding document for Bid Security.

Annexure-2B. Bank guarantee will be in specified Performa enclosed with this bidding document for Performance Security.

Annexure-A. Compliance with the code of integrity and no conflict of interest (RTPP Act/Rules).

Annexure-B. Declaration by the bidder regarding qualifications (RTPP Act/Rules).

Annexure-C. Grievance Redressal during the procurement process (RTPP Act/Rules).

Annexure-D. Additional Conditions of Contract (RTPP Act/Rules).

Annexure-E. Process for Tender Participation & Depositing Payment on 'Online Tender _ Participation' Portal of JDA & Bid Submission on 'e-Procurement Portal' of Government of Rajasthan.



**EXECUTIVE ENGINEER (RRP-2)
JDA, Jaipur**

SPECIAL CONDITIONS

SCHEDULE 'H'

01. If there is any typographical error or otherwise in the 'G' Schedule, the rates given in the relevant BSR on which Schedule 'G' has been prepared, shall prevail.
02. The bidder shall follow the provisions of the builder labour regulation and abolition Act, 1970 & Rule, 1971.
03. The JDA shall have the right to cause an audit for technical examination of the work and the final bills of the bidder including all supporting vouchers, abstracts etc. to be made within two years after payment of the final bills and if as a result of such audit, any amount is found to have been overpaid / excess in respect of any work done by the bidder under the contract or any work claimed by him to have been done under this contract and found not to have been executed, the bidder shall be liable to refund such amount and it shall be lawful for the JDA to recover the such sum from him in the manner prescribed in special condition no. 8 or any other manner legally permissible and if it is found that the bidder was paid less than that was due to him under the contract in respect of work executed by him under it, the amount of such underpayment shall be paid by the JDA to the bidder.
4. Wherever any claim against the bidder for the payment of a sum of money arises out of under the contracts, the JDA shall be entitled to recover the sum by appropriating in part or whole of the performance security of the bidder, In the event of the security being insufficient or if no security has been taken from the bidder then the balance of the total sum recoverable as the case may be deducted from any sum then due or which at any time their contract with the JDA should this sum be sufficient to recover the full amount recoverable. The bidder shall pay to JDA on demand the balance remaining due. The JDA shall further have the right to affect such recoveries under P.D.R. Act.
5. The rate quoted by the bidder shall remain valid for a period of 120 days from the date of opening of the bids.
6. By submission of the Bid the bidder agrees to abide by all printed conditions provided in the PWD manual from 64 (Chapter 3-para 36) and subsequent modification.
7. No conditions are to be added by the bidder and the conditional Bid is liable to be rejected.
8. If any bidder withdraws his Bid prior to the expiry of said validity period given at S. No. 5 or mutually extended prior or makes modifications in the rate, terms and conditions of the Bid within the said period which are not acceptable to the authority or fails to commence the work in the specified period, fails to execute the agreement the authority shall without prejudice to any, other right or remedy, be at liberty to forfeit the amount of bid security given in any form absolutely. If any bidder, who has submitted a Bid does not execute the agreement or start the work or does not complete the work and the work has to be put to rebidding he will stand debarred for six months from participating of Bidding in JDA in addition to forfeiture of bid security/ Performance Security and other action under agreement
9. Any material not conforming to the specifications collected at the site have to be removed by the bidder within a period of 3 days of the instruction, issued by the Engineer -In charge in writing failing which, such material shall be removed by the Engineer-In charge at risk and cost of the bidder after the expiry of 3 days period.
10. The material collected at the site and paid provisionally shall remain under the watch and ward of the bidder till it is consumed fully on the work.
11. The rates provided in the Bidding documents are inclusive of all Taxes and royalties otherwise specified.
12. No extra lead of earth/material shall be paid over and above as specified in 'G' Schedule, Source/ borrow pit area for the earth shall have to be arranged by the Bidder at his own cost.
13. Undersigned has full right to reject any or all Bids without giving any reasons.
14. As per the Supreme Court decision "All contracts with Governments shall require registration of workers under the building and other construction workers (Regulation of Employment and Conditions of Service) Act, 1996 and extension of benefits to such workers under the etc."

15. Special Conditions of the Contract regarding the Defect Liability Period (DLP) for works costing Rs. 25.00 lacs and more shall be applicable (Annexure-I).
16. The Bidder is required to submit a copy of their enlistment as a contractor.
17. Conditions of RPWA-100 will be mandatory & acceptable to the bidder.
18. The bidder will have to install display boards at the site of work as directed by Engineer in charge.
19. All the provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules, 2013 and amendments issued from time to time by the Finance Department, GOR shall be applicable. If there are any contradictions in existing special conditions and provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 provisions of THE RAJASTHAN TRANSPARENCY IN PUBLIC PROCUREMENT ACT, 2012 and Rules 2013 shall prevail.
20. In case the rate received in the bid is below than BSR rate, additional Performance security shall be deposited by the bidder as per Rule 75 (A) of RTPPP Rules.
21. The Annexure "B" (RTPPP Act/Rules) is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking for any clarification.
22. Contractors enlisted in JDA, should be get reviewed periodically. The registered bidder who has not been reviewed within a period of 5 years 3 months, shall not be allowed to participate in the bid. Contractors enlisted in other departments shall be as per the provision of PWF&AR



Executive Engineer (RRP-2)
JDA, Jaipur

SPECIAL CONDITIONS OF CONTRACT REGARDING DEFECT LIABILITY PERIOD (DLP) FOR WORKS COSTING RS.**25.00 LACS AND MORE****Table-1**

S.No.	Type of work	DLP Period
1.	Bridge Work	5 Years
2.	CD Work	5 Years
3.	CC Road. PQC Work	5 Years
4.	CC tiles/Krebs/medians	5 Years
5.	Drains	3 Years
6.	Roads	
	(i) Two-layer WBM/GSB	6 months or one full rainy season whichever is later
	(ii) For Renewal/Strengthening	
	(a) BT up to 30 mm thickness	1 Years
	(b) BT above 30 mm to up to 40 mm	2 Years
	(c) BT above 40 mm to up to 90 mm	3 Years
	(d) BT above 90 mm thickness	5 Years
	(iii) New Roads	
	(a) BT up to 90 mm	3 Years
	(b) BT more than 90 mm	5 Years
7.	Compound wall	3 Years
8.	Building Work	
	(i) Work pertaining to Sanitary work electrical works, Joinery works and painting work.	2 Years
	(ii) Work pertaining to the Building structure and other civil works	5 Years
9.	Electric work except for maintenance	3 years
10.	Sewer/Water supply including STP and water supply-related work except for maintenance works.	3 Years

1. ROAD-WORKS

- 1.1 The Defect Liability Period (DLP) for all Road works excluding patch repair work shall be as per the above table. Road works executed by the Contracting agency shall be maintained by them at their own cost for completion (DLP) from the actual date of completion of work as per the clause in the Contract Agreement and Special Condition of the Contract.
- 1.2 No extra payment shall be made to the contracting agency on account of maintenance of Road works and removal of defect during the Defect Liability Period.
- 1.3 The word "Road Works" means all new Road Works construction, widening, strengthening, up-gradation and renewal works
- 1.4 The word "Maintenance of Road Works during Defect Liability Period" means
 - (i) Routine maintenance of Road Works,
 - (ii) To remove the defect as & when appear in part and the entire structure of Road Works, in the specified time and keeping the Road Surface with good riding quality and
 - (iii) Damages due to improper drainage/drains, local flooding, depressions on roads etc.
- 1.5 The contracting agency shall do the routine maintenance of Road works, including pavement, road side and cross drains including surface drains to the required standards and keep the entire road surface and structure in Defect free conditions during the entire period of routine maintenance, which begins at the completion of the construction work and ends after complete (DLP).
- 1.6 The routine maintenance shall consist of the routine maintenance operation defined in the manual for the maintenance of roads of MoRTH and shall be carried out accordingly.
- 1.7 The routine maintenance activities and their periodicity.

S.No.	Name of Item/Activity	Frequency of operations in one year
1	Restoration of rain cuts and dressing of berms.	Once in a year, generally after rains.
2	Making up of shoulders.	As and when required.
3	Maintenance of Bituminous surface road and/or gravel road/WBM road including filling potholes and patch repairs etc.	As and when required.
4	Insurance of proper functioning of drains including civil maintenance and desalting of drains. (If constructed by the same Road agency or not)	As and when required.
5	Maintenance of road signs. (If installed by the same Road agency)	Maintenance as and when required. Repainting once in every one and a half years.
6	Road Marking, Kerb Stone / Dand. (If done by the same Road agency)	Thermoplastic Paint Maintenance as and when required. Repainting once in everyone & a half year. Ordinary Paint Maintenance as and when required. Repainting thrice in every year.
7	Damages beyond the control of the agency.	Road cuts made by various agencies for utility, duly permitted by JDA / JNN will have to be repaired by the agency on the same rates of the contract agreement till DLP.

2. General

2.1 Inspection of works during the Defect Liability Period

2.1.1 The contracting agency shall undertake a joint detailed inspection along with Engineer-in-charge/A.En., at least once in three months in case of all Road works. The Engineer-in-charge can reduce this frequency in case of an emergency. The Contracting agency shall forward to the engineer in charge the record of inspection and rectification immediately after the joint inspection. The Contracting agency shall pay particular attention to those road sections, which are likely to be damaged during the rainy season.

2.1.2 One register has to be maintained by every AEN for recording the inspection details of works in his jurisdiction under defect liability period.

2.2 Conditions Regarding Performance Security

2.2.1 Security for DLP-

The contracting agency shall have to furnish Performance Security in the form of Bank Guarantee valid from the actual date of completion, which shall be assigned by the Engineer-in-charge.

2.2.2 The release of PS amount shall be as per following table 2 :-

S.No.	Released PS \ DLP Period	1 Year	2 Years	3 Years	5 Years
1.	After 1 year	100%	40%	20%	10%
2.	After 2 year		60%	20%	10%
3.	After 3 year			60%	10%
4.	After 4 year				20%
5.	After 5 year				50%

The Performance Security will be released as per the above table after a satisfactory performance certificate issued by Engineer-In-Charge:-

2.2.3 Forfeiture of Performance Security

In case the contracting agency fails to rectify the defects within the stipulated period notified to him by the Engineer-in-charge concerned under the contract agreement, the Engineer-in-charge shall serve a final notice for 5 days time reckoned from the date of issue of notice to rectify the defects. In case the contracting agency not responding to the notice and fails in the rectification of defects the Engineer-in-charge will get the defect removed at the risk and cost of the contracting agency. Action such as encashment of Bank Guarantee and action under enlistment rules etc. shall also be taken against the contracting agency by the competent authority.

1.2.4 Force Majeure

The defect that arises due to earthquakes, cyclones, and natural calamities shall not be the responsibility of contracting agency.

2.2.5 Various conditions for managing DLP are as under :-

- (i) At the time of completion of work, final component shall be worked out for each individual item like BT/CC/tiles/ drains etc. (as per different categories in Table-I), DLP shall be operative based upon type of individual item ex:- CC-5 years, BT-1/2/3/5 years, Drain-3 years etc.
- (ii) If any work, amount is less than Rs. 25 lacs but later on due to extra/excess work, if amount of final work crosses more than Rs. 25 lacs, DLP shall be operative as per rule for each individual item.
(iii) Similarly, if any work is more than Rs. 25 lacs but after finalization amount of work is less than Rs. 25 lacs, DLP should be operative for six months or rainy season whichever is later.
- (iv) During DLP period if contractor fails to repair any work even after the issue of 7 days written notice, the same work shall be got executed by the respective Executive Engineer at the contractor's risk and cost. This process shall be applicable throughout the DLP period. After completion of DLP period in such works contractor should be debarred and blacklisted, from JDA for three years as per RTPP rule 2012 and 2013 where his defaults twice in a single agreement or in two different works.
- (v) Quarterly Inspection as per rules shall be carried out and DLP registers shall be maintained by respective Executive Engineers to monitor the DLP repairs.
- (vi) Special and regular inspection shall also be carried out as per order no. JDA/XEN & TA to DE-I/2014-15/D-223 dated 12.03.2015 and order no. SE (PMGSY) CIRCULAR 2006/D-115 dated 04.05.2006 Point no. 3.
- (vii) In case JDA feels to take up work on any existing DLP road due to any reason, the following procedure should be adopted:
 - (a) At the time of withdrawal total liability of repairs as per DLP conditions to be carried out and the contractor shall be asked to complete the same. After completion of assessed repairs, DLP period shall be released after deduction amt. as per following table-III.

Table-3

% Recovery on withdrawal of DLP of work order	1 Year	2 Year	3 Year	4 Year	5 Year
DLP period					
1 Year	1.12	-	-	-	-
2 Year	2.55	1.43	-	-	-
3 Year	4.38	3.26	1.83	-	-
5 Year	9	7.88	6.45	4.62	2.47

Note:- Calculation is to be done on a quarterly basis.

- (b) In case the Contractor fails to carry out these repairs, same shall be carried out at his risk and cost. If the total amt. of such repairs works out to be more than the total retained amount of PS same shall be recovered from other works and as per PDR rules. The amount as per Table 3 is also to be deducted in addition to this amount.
 - (viii) Based upon the type of work, DLP conditions for works to be carried out during the DLP period with their frequency of the respective type of work shall be prepared by respective SE's after approval of these periods.
3. In case patch repairs/civil maintenance works costing more than Rs. 25.00Lakhs, defect liability period will as per clause 37(C) of Contract Agreement.

Executive Engineer (RRP-2)
JDA, Jaipur

Specified Bank Guarantee Performa for Bid Security

Section - 6

Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.

To

Secretary, Jaipur Development Authority, Jaipur

Sub:

Bank Guarantee No. _____ dated _____ for [amount of Security in figures] [in words] on behalf of _____ [Name of the Bidder] against Bid Security for the.....J

DA Jaipur WHEREAS, _____ [name of Bidder with address] (**hereinafter called “the Bidder”**) has submitted his Bid dated for the work of(here in after called “ the Bid ”).

KNOW ALL PEOPLE by these presents that we _____
_____ (Name of Bank) of having our registered office at
_____ [name of country] having our registered office at
_____ (hereinafter called “the Bank”) are bound unto Secretary, Jaipur Development Authority. (Hereinafter called “the Employer”) in the sum of Rupees _____ **[Amount of Security in figures]** _____ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA , this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:

2. Name of the branch with branch code:

3. Address:

4. E-Mail Id:

5. Telephone No.

6. Fax No.:

SEALED with the Common Seal of the said Bank this _____ day of _____ of 20____.

THE CONDITIONS of this obligation are:

- (1) if the Bidder withdraws his Bid during the period of Bid validity specified in the Form of Bid;
- (2) if the Bidder refuses to accept the correction of errors in his bid;
- (3) If the Bidder, having been notified of the acceptance of his Bid by the Employer during the period of Bid validity;
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, or
 - (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders;

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or more of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited in the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code No ICIC0006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date _____ Signature of the Bank _____

Witness _____ Seal _____

[Signature, Name, and Address]

[Note: To be furnished on appropriate non-judicial stamps & should be valid for the next 7 months from the bid opening date]

Specified Bank Guarantee Performa for Performance Security**Section - 6****Form of (Bank Guarantee) -En cashable at the branch of the bank in Jaipur City.**

To

Secretary, Jaipur Development Authority, Jaipur

Sub:.....

Bank Guarantee No. _____ dated _____ for [amount of Security in figures] [in words] on behalf of _____ [Name of the Bidder] against Performance Security for the.....JDA Jaipur

WHEREAS, _____ [name of Bidder with address] (**hereinafter called "the Bidder"**) has submitted his Bid dated _____ for the work of _____(herein after called " the Bid ").

KNOW ALL PEOPLE by these presents that we _____

_____ (Name of Bank) of having our registered office at _____ [name of country] having our registered office at _____ (hereinafter called "the Bank") are bound unto Secretary, Jaipur Development Authority. (Hereinafter called "the Employer") in the sum of Rupees _____ [**Amount of Security in figures**] _____ (in words) only for which payment will and truly to be made to the said Employer, the Bank binds itself, its successors, and assigns by these presents.

That on demand of JDA, this Bank Guarantee is cashable at the following branch in Jaipur City.

1. Name of Bank:
2. Name of the branch with branch code:
3. Address:
4. E-Mail Id:
5. Telephone No.
6. Fax No.:

SEALED with the Common Seal of the said Bank this _____ day of _____ of 20____.

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand within valid period of this guarantee.

This Guarantee will remain in force up to and including the date 30 days after the date of expiration of the Bid Validity, as stated in the Instructions to Bidders, or any such extension thereto as may be agreed by the Bidder, a notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank no later than the above date.

The amount covered under the above Bank Guarantee shall be automatically credited to the accounts of JDA in ICICI Bank, JDA Campus, Jaipur through **ISFC code No ICIC0006754. Bank Account No. 675401700518** on the date of expiry or its validity, unless the agencies get it re-validated well before its expiry date or produce NOC from JDA in writing for its release.

Date _____ Signature of the Bank _____

Witness _____ Seal _____

[Signature, Name and Address]

[Note: To be furnished on appropriate non-judicial stamps.]

Compliance with the Code of Integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- (a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in the procurement process or to otherwise influence the procurement process;
- (b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- (c) Not indulge in any collusion, Bid-rigging or anti-competitive behavior to impair the transparency, fairness and progress of the procurement process;
- (d) Not misuse any information shared between the procuring entity and the bidders with an intent to gain an unfair advantage in the procurement process;
- (e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process;
- (f) Not obstruct any investigation or audit of a procurement process;
- (g) Disclose conflict of interest, if any; and
- (h) Disclose any previous transgressions with any entity in India or any other country during the last three years or any debarment by any other procuring entity.

Conflict of interest:

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A bidder may be considered to be in conflict of interest with one or more parties in the bidding process if, including but not limited to:

- (a) Have controlling partners/shareholders in common; or
- (b) Receive or have received any direct or indirect subsidy from any of them; or
- (c) Have the same legal representative for purposes of the bid; or
- (d) have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the bid of another bidder, or influence the decisions of the procuring Entity regarding the bidding process; or
- (e) The bidder participates in more than one bid in a bidding process. Participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a bidder, in more than one bid; or
- (f) the bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subject of the Bid; or
- (g) Bidder or any of its affiliates has been hired (or proposed to be hired) by the procuring entity as engineer-in-charge/consultant for the contract.

Declaration by the Bidder regarding Qualifications

Declaration by the Bidder

In relation to my/our Bid submitted tofor procurement of
.....
in response to their Notice inviting Bids No.....Dated.....I/wehereby
declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that:

1. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entry;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the state government or any local authority as specified in the Bidding Document.
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offense related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Signature of the bidder

Place:

Name:

Designation:

Address:

Note:- Annexure “B” is mandatory to be fulfilled & signed with seal by the bidder failing which the bid shall summarily be rejected without asking any clarification.

Grievance Redressal during Procurement Process

The designation and address of the First Appellate Authority :

For works costing up to Rs. 300.00Lakhs - Jaipur Development Commissioner, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

The designation and address of the Second Appellate Authority:

For works costing up to Rs. 300.00Lakhs - Executive Committee, JDA, Jaipur.

For works costing above Rs. 300.00Lakhs - Principle Secretary/ACS, Urban Development
& Housing Department, GOR, Jaipur.

(1) Filing an appeal: -

if any bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring entity is in contravention to the provisions of the Act or the rules or the guidelines issued there under, he may file an appeal to First Appellate authority, as specified in the Bidding document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or grounds on which, he feels aggrieved:

Provided that after the declaration of a bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings:

Provided further that in case a procuring entity evaluates the technical bids before the opening of the financial bids, an appeal related to the matter of financial bids may be filed only by a bidder whose technical bid is found to be acceptable.

(2) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.

(3) If the officer designated under Para (1) fails to dispose of the appeal filed within the period specified in Para (2), or if the bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the first appellate authority, the bidder or prospective bidder or the procuring entity, as the case may be, may file a second appeal to the second appellate authority specified in the bidding document in this behalf within fifteen days from the expiry of the period specified in Para (2) or of the date of receipt of the order passed by the first appellate authority, as the case may be.

(4) Appeals not to lie in certain cases: -

No appeal shall lie against any decision of the procuring entity relating to the following matters, namely: -

- (a) Determination of the need of procurement
- (b) Provisions limiting the participation of bidders in the bid process
- (c) The decision of whether or not to enter into negotiations
- (d) Cancellation of a procurement process
- (e) Applicability of the provisions of confidentiality

(5) Form of Appeals: -

- (a) An appeal under Para (1) or (3) above shall be in the annexed form along with as many copies as there are respondents in the appeal.
- (b) Every appeal shall be accompanied by an order appealed against, if any, Affidavit verifying the facts stated in the appeal and proof of payment of fee,

- (c) Every appeal may be presented to the first appellate authority or second
The appellate authority, as the case may be, in person or through registered post or authorized representative.

(6) Fee for filing Appeal: -

- (a) Fee for the first appeal shall be rupees two thousand five hundred and for the second appeal shall be rupees ten thousand, which shall be non-refundable.
- (b) The fee shall be paid in the form of a bank demand draft or banker's cheque of a scheduled bank in India payable in the name of the appellate authority concerned.

(7) Procedure for disposal of Appeal: -

- (a) The first appellate authority or second appellate authority as the case may be, upon the filing of the appeal, shall issue notice accompanied by a copy of the appeal, affidavit and documents, if any, to the respondents and fix a date of hearing
- (b) On the date fixed for hearing, the first appellate authority or the second appellate authority, as the case may be shall-
- (i) Hear all the parties appeal presenting before him; and
- (ii) Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- (c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the appellate authority concerned shall pass an order in writing and provide a copy of the order to the parties to appeal free of cost.
- (d) The order passed under sub-clause (c) above shall also be placed on the state public procurement portal.

Additional Conditions of Contract

1. Correction of arithmetical errors

Provided that a financial bid is substantially responsive, the procuring entity will correct arithmetical errors during the evaluation of financial Bids on the following basis:

- (i) if there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected unless in the opinion of the procuring entity, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- (ii) if there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- (iii) if there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its bid shall be disqualified and its bid security shall be forfeited or its bid securing declaration shall be executed.

2. Procuring Entity's Right to Vary quantities.

- (i) At the time of award of the contract, the quantity of goods, works or services originally specified in the bidding documents may be increased or decreased, by a specified percentage, but such increase or decrease shall not exceed fifty percent, of the quantity specified in the bidding documents. It shall be without any change in the unit prices or other terms and conditions of the bid and the conditions of the contract.
- (ii) If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the bidding document due to change circumstances, the bidder shall not be entitled to any claim or compensation except otherwise provided in the conditions of the contract.
- (iii) In case of procurement of goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 25% of the value of goods of the original contract and shall be within one month from the date of expiry of the last supply. If the supplier fails to do so, the procuring entity shall be free to arrange for the balance supply by limited bidding or otherwise and the extra cost incurred shall be recovered from the supplier.

3. Dividing quantities among more than one bidder at the time of award (In case of procurement of Goods):-

As a general rule, all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, then in such cases, the quantity may be divided between the Bidder, whose Bid is accepted and the second lowest Bidder or even more Bidder in that order, in a fair, transparent and equitable manner at the rates of the Bidder, whose Bid is accepted.

Process for Tender Participation & Depositing Payment on ‘Online Tender Participation’ Portal of JDA & Bid Submission on ‘e-Procurement Portal’ of Government of Rajasthan: -

A*Process for Tender Participation & Depositing Payment on ‘Online Tender Participation’ Portal of JDA

1-Participate in tender

- Bidder can access ‘Online Tender Participation’ Portal of JDA at <https://jda.urban.rajasthan.gov.in/jda> or by Single-Sign-On at <http://service.jaipurjda.org>.
- Create user Login with a valid mobile number to register yourself for various Online Services of JDA.
- Select ‘Proceed as Citizen’ and then ‘Proceed for Subscription’ for ‘Tender Online Payment’. The prevailing plan for getting registered for tendering process of JDA is Rs. 500.00 with a validity period of 3 Years (renewable).
- After successful payment, re-login and upload required documents for KYC (Know Your Client) compliance as per the type of entity viz. Individuals/ Company/ Partnership Firms/ Trusts & foundations. Besides, Bank Passbook / Cancelled Cheque consisting of Bank Account, IFSC Code is mandatory to be uploaded, to refund the bid security of unsuccessful bidder.
- After receiving the payment successfully and approving KYC documents the bidder will be authenticated by JDA for taking part in Tender.

2-Deposit Tender Fee, RISL processing fee and Bid Security (EMD)

- Option-1: Payment Gateway (Aggregator)**
The facility to make payment through Debit Card, Credit Card, Net banking etc., will be available. User can use this facility from anywhere any time till the closing date & time of bid participation.
- Option-2: Electronic Fund Transfer (EFT: NEFT/RTGS)**
If the bidder selects payment mode as EFT (NEFT/RTGS), “Paying Slip for EFT (NEFT/RTGS)” will be generated by the system for the complete amount. The payment can be made from any Bank any Branch using this Paying Slip through NEFT/RTGS (Claim against payment made through EFT in any other JDA bank account will not be acceptable and bidder stands disqualified from participation in the bid applied for). After successful transaction through NEFT/RTGS, as per the standard procedures it may take 4 to 24 hours in process of confirmation of EFT through Auto-Process depending on the time of EFT done. Therefore, option to make payment through EFT (NEFT/RTGS) will be available till 48 hours prior to closing date of bid participation.

3-Deposit Bid Security (EMD)

The Bid Security (EMD) can be submitted through Bank Guarantee (BG). Bidder may opt Bank Guarantee (BG) against Bid Security (EMD), for which bidder requires to prepare BG before applying in the tender. The detail of BG requires to be fed on ‘Online Tender Participation’ Portal of JDA before paying balance amount (Tender Fee + RISL Processing Fee). This balance amount will be paid through Payment Gateway only, option to make balance payment through EFT (RTGS/NEFT) will not be available.

4-Obtain Bid Participation Receipt

After confirming payment, the bidder will get Bid Participation Receipt based on which user will get the payment details along with other details for bidding on e-Procurement portal of GOR.

- In case of BG as the remaining payment will be done through Payment Gateway, on successful transaction the ‘Bid Participation Receipt’ will be generated on real time basis.
- In case complete payment is done through Payment Gateway, on successful transaction the ‘Bid Participation Receipt’ will be generated on real time basis.
- In case complete payment is done through EFT (NEFT/RTGS), on confirmation of payment from ICICI Bank (Auto Process) ‘Bid Participation Receipt’ will be available on Login of Bidder on JDA portal.

B-**Bid Submission on ‘e-Procurement Portal’ of Government of Rajasthan

- Online e-Bid can be submitted after registration at e-Procurement Portal of Government of Rajasthan www.eproc.rajasthan.gov.in

- 2- It is mandatory to upload Bid Participation Receipt with the bid submission.
- 3- Details of online payment available on Tender Participation Portal of JDA have to be filled in 'offline payment' section of e-Procurement portal.

Note

- 1- Bidder (authorized signatory) shall submit their offer on-line in electronic formats both for technical and financial proposal.
- 2- In case, any of the bidders fails to pay the Tender Fee, BSD, and RISL Processing Fee, online (subject to confirmation), its Bid shall not be accepted.
- 3- To participate in online bidding process, Bidders must procure a Digital Signature Certificate (Type III) as per Information Technology Act-2000 using which they can digitally sign their electronic bids. Bidders can procure the same from any CCA approved certifying agency, i.e., TCS, Safe crypt, n Code etc. Bidders who already have a valid Digital Signature Certificate (DSC) need not procure a new DSC. Also, bidders must register on <http://eproc.rajasthan.gov.in> (bidders already registered on <http://eproc.rajasthan.gov.in> before 30-09-2011 must register again).
- 4- JDA will not be responsible for delay in online submission due to any reason. For this, bidders are requested to upload the complete bid well advance in time so as to avoid 11th hour issues like slow speed; choking of web site due to heavy load or any other unforeseen problems.
- 5- Bidders are also advised to refer "Bidders Manual Kit" available at e-Proc website for further details about the e-Tendering process.
- 6- Training for the bidders on the usage of e-Tendering System (eProcurement) is also being arranged by DoIT&C, GoR on a regular basis. Bidders interested in training may contact e-Procurement Cell, DoIT&C for booking the training slot.

Contact No: 0141-4022688 (Help desk 10 am to 6 pm on all working days) e-mail: eproc@rajasthan.gov.in

Address: e-Procurement Cell, JDA, Yojana Bhawan, Tilak Marg, C-Scheme, Jaipur

- 7- The procuring entity reserves the complete right to cancel the bid process and reject any or all of the Bids.
- 8- No contractual obligation whatsoever shall arise from the bidding document/ bidding process unless and until a formal contract is signed and executed between the procuring entity and the successful bidder.
- 9- Procurement entity disclaims any factual/ or other errors in the bidding document (the onus is purely on the individual bidders to verify such information) and the information provided therein are intended only to help the bidders to prepare a logical bid-proposal.
- 10- The provisions of RTPPA Act 2012 and Rules thereto shall be applicable for this procurement. Furthermore, in case of any inconsistency in any of the provisions of this bidding document with the RTPPA Act 2012 and Rules thereto, the later shall prevail.

Jaipur Development Authority, Jaipur.	
Bid Participation Receipt	
	Date & Time:-
Bid Detail	
Bid ID:	Procurement Entity:-
Bid Title:	
Bid Value:	Bid Opening Place:
Bidder Detail	
Name of Entity:	Mobile No.:
Registration Type:	Instrument Amount:
Payment Mode:	Payment Channel:
Instrument No.:	Instrument Date:

Dates Detail		
Sr. No.	Event Name	Event Date
1	Publishing Date	
2	Bid Opening Date	


Specific Instrument for e-Proc Rajasthan			
Instrument Type			
Instrument Number	Head Name	Amount	Date
	Tender Fee		
	RISL Processing Fee		
	Bid Security Deposit		
Issuer Detail: Jaipur Development Authority		Challan Number:	

More details about Registration Process, Terms and Conditions and FAQ along with contact detail is available on JDA website www.jda.urban.rajasthan.gov.in.

Special Condition

Name of work:- Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase -II, JDA, Jaipur

उपरोक्त कार्य प्रारम्भ करने से पूर्व संवेदक को फुटबाल ग्राउण्ड में प्रस्तावित कार्यों के लिए डिजाईन एवं ड्राईंग बनवाकर जविप्रा को प्रस्तुत करनी होगी। जविप्रा की सहमति के उपरान्त संवेदक को ड्राईंग एवं डिजाईन की Proof Checking अपने खर्चे पर एम.एन.आई.टी. जयपुर से करवानी होगी। इस हेतु प्राधिकरण द्वारा पृथक से भुगतान नहीं किया जायेगा।


अधिशायी अभियन्ता (रिंग रोड-द्वितीय)
अधिशायी अभियन्ता (RRP-II)
जविप्रा, जयपुर

Tender Inviting Authority: Jaipur Development Authority, Jaipur

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)						
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT With Taxes	TOTAL AMOUNT In Words
1	Earth work in excavation by mechanical means (Hydraulic Excavator)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sum on plan) including dressing of sides and ramming of bottoms, lift upto 1.5 m, including taking out the excavated soil and depositing and refilling of jhiri with watering & ramming and disposal of surplus excavated soil as directed with in a lead of 50 meter. All kinds of soils	397.7620	Cum.	111.60	44390.239	INR Forty Four Thousand Three Hundred & Ninety and Paise Twenty Four Only
2	Providing and laying in position cement concrete including curing, compaction etc. complete in specified grade excluding the cost of centering and shuttering - All work up to plinth level. M10 grade Nominal Mix 1: 3: 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	88.9880	Cum.	2398.50	213437.718	INR Two Lakh Thirteen Thousand Four Hundred & Thirty Seven and Paise Seventy Two Only
3	Providing and laying cement concrete including curing, compaction etc. complete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, levelling course etc up to floor five level excluding the cost of centering and shuttering M20 grade Nominal Mix 1: 1.5: 3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20mm nominal size)	0.2880	cum	3567.60	1027.469	INR One Thousand & Twenty Seven and Paise Forty Seven Only
4	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Suspended floors, roofs, landings, staircases, balconies, girders, cantilevers, bands, coping bed plates, anchor blocks, sills, chhajjas, lintel, beam, plinth beam etc.	2.5000	sqm	212.40	531.000	INR Five Hundred & Thirty One Only
5	Centering & shuttering with plywood or steel sheets including strutting, propping bracing both ways with steel props and removal of formwork for upto floor five level for : Columns, pillars, posts and struts etc.	75.6000	Sqm.	234.00	17690.400	INR Seventeen Thousand Six Hundred & Ninety and Paise Forty Only
6	Centering and Shuttering with plywood or steel sheets including strutting, propping bracing both ways and removal of formwork for foundation , footings, strap beam, raft, bases of columns etc.	464.4000	Sqm.	99.00	45975.600	INR Forty Five Thousand Nine Hundred & Seventy Five and Paise Sixty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
7	Brick masonry with F.P.S. bricks of class designation 75 in foundation and plinth with bricks Cement mortar 1 : 4 (1 cement : 4 coarse sand)	7.8750	Cum.	2767.50	21794.063	INR Twenty One Thousand Seven Hundred & Ninety Four and Paise Six Only
8	Brick work with F.P.S. bricks of class designation 75 in superstructure above plinth level upto floor V level in all shapes and sizes in : Cement mortar 1 : 4 (1 cement : 4 coarse sand)	150.3910	Cum.	3112.20	468046.870	INR Four Lakh Sixty Eight Thousand & Forty Six and Paise Eighty Seven Only
9	Plaster on new surface on wall in cement sand mortar 1:3 including racking of joints etc. complete fine finish : 12mm thick	180.0000	Sqm.	94.50	17010.000	INR Seventeen Thousand & Ten Only
10	Plaster on new surface on wall in cement sand mortar 1:4 including racking of joints etc. complete fine finish : 25mm thick	498.5080	Sqm.	121.50	60568.722	INR Sixty Thousand Five Hundred & Sixty Eight and Paise Seventy Two Only
11	6 mm thick cement plaster to ceiling of mix 1:3 (1cement : 3-fine sand)	155.0000	Sqm.	67.50	10462.500	INR Ten Thousand Four Hundred & Sixty Two and Paise Fifty Only
12	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. in cement mortar	12.1500	Cum.	335.70	4078.755	INR Four Thousand & Seventy Eight and Paise Seventy Six Only
13	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting (height upto 10 m) , fixing in position and applying a priming coat of approved steel primer all complete:	37665.1080	kg	59.40	2237307.415	INR Twenty Two Lakh Thirty Seven Thousand Three Hundred & Seven and Paise Forty Two Only
14	Steel work in built up tubular trusses including cutting, hoisting (height upto 10 m)fixing in position and applying a priming coat of approved steel primer, welded and bolted including special shaped washers etc. complete. Hot finished welded type tubes.	2160.0000	kg	63.00	136080.000	INR One Lakh Thirty Six Thousand & Eighty Only
15	Providing and fixing steel gate, grating , and grills made of angles, tees, square bars, flats,or black pipe with holdfast and fittings complete as per design and drawing including cutting welding and fabrication with priming coat of red oxide	4900.0000	kg	66.60	326340.000	INR Three Lakh Twenty Six Thousand Three Hundred & Forty Only
16	Extra 10% if square,rectangular hollow tubular sections are used or grill made by flats only	4900.0000	kg	6.66	32634.000	INR Thirty Two Thousand Six Hundred & Thirty Four Only
17	Supplying and fixing of chain link fencing with angle iron posts 50x50x6mm placed at every 3 Mtr. apart 30cm in ground embedded in cement concrete 1:3:6 (30x30x45cm) corner and every tenth post to be struttred with (50 x 50 x 6cm) angle iron provided and fixed and fitted with posts including earth work in excavation etc. complete with chain link size 50mm x 50mm x 3.15mm	60.0000	sqm	392.40	23544.000	INR Twenty Three Thousand Five Hundred & Forty Four Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/ No.	
18	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade including all scaffolding: Two or more coats on new work including preparation of base with primer, putty, lippy etc complete in all respect. 617.5800 Sqm. 45.90 28346.922 INR Twenty Eight Thousand Three Hundred & Forty Six and Paise Ninety Two Only
19	Painting exterior surface of Wall with 100% acrylic exterior paint of approved brand and manufacture to give an even shade with two or more coats including preparation of base with sand papering, primer, putty, etc complete in all respect. New Work 629.3680 Sqm. 77.40 48713.083 INR Forty Eight Thousand Seven Hundred & Thirteen and Paise Eight Only
20	Painting exterior surface of Wall with 100% acrylic exterior paint of approved brand and manufacture to give an even shade with two or more coats including preparation of base with sand papering, primer, putty, etc complete in all respect. Old Work 160.0000 Sqm. 31.50 5040.000 INR Five Thousand & Forty Only
21	With ready mixed red oxide zinc chromate primer of approved brand and manufacture on steel galvanised iron/steel works 810.0000 Sqm. 14.40 11664.000 INR Eleven Thousand Six Hundred & Sixty Four Only
22	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work 2135.1880 Sqm 39.60 84553.445 INR Eighty Four Thousand Five Hundred & Fifty Three and Paise Forty Five Only
23	Providing & fixing of colour coated trapezoidal profile sheet of 1015 mm supply cover width and 1072mm effective supply nominal 28.5 mm deep ribs with subtle square fluting in the five pan at nominal 200 mm centre-to-centre. The end rib shall be designed for anti-capillary action, to avoid any seepage of water through the lateral overlap. The feed material is manufactured out of nominal 0.50 mm Total Coated Thickness (TCT), Hi Tensile steel with min. 550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% Aluminium, 45% Zinc) as per AS 1397 - Zinalume AZ150 (Min. 150 gms/sq.mt total on both sides) with Color bond steel quality paint coat. The paint shall have a total coating thickness of nominal 35 µm, comprising of nominal 20 µm exterior coat on top surface and nominal 5 µm reverse coat on back surface over nominal 5 µm primer coat on both surfaces of approved colour shade by the department. The steel sheet shall be fastened with nominal 40 µm zinc coated or nominal 25 µm zinc-tin alloy coated, Hex head, self-drilling screw as per AS 3566 2002 Class 3 fasteners of approved make (Buildex or equivalent) with EPDM washer as per the requirement considering the profile shape and design load. The fastener size shall be calculated as per the design or manufacturers recommendations. The profile sheet, fastener size etc. shall be approved by the department. The minimum overlap of the sheet should not be less than 75mm. All the accessories like gutter / flashing / capping shall be made from the same material (or manufactures recommendation) which is used for main cladding application. The measurement shall be based on finished/ covered surface area (Lysaght TRIMDEK Tata 123.5000 Sqm 1123.00 138690.500 INR One Lakh Thirty Eight Thousand Six Hundred & Ninety and Paise Fifty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/ Particulars	
24	Providing and fabricating reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding (including cost of binding wire) all complete up to floor five level. Thermo-mechanically Treated bars (Conforming of relevent IS code) 14426.0000 kg 62.10 895854.600 INR Eight Lakh Ninety Five Thousand Eight Hundred & Fifty Four and Paise Sixty Only
25	Excavation in Soil using Hydraulic Excavator and Tippers with disposal upto 1000 m Excavation for roadwork in soil with hydraulic excavator of 0.9 cum bucket capacity including cutting and loading in tippers, trimming bottom and side slopes, in accordance with requirements of lines, grades and cross-sections, and transporting to the embankment location with a lift upto 1.5 m and lead upto 1000 m as per MoRTH Specification Clause 301.3 Granular Sub-base with Well Graded Material (Table 400.1) 94.5000 Cum. 31.00 2929.500 INR Two Thousand Nine Hundred & Twenty Nine and Paise Fifty Only
26	Construction of granular sub-base by providing well graded material, spreading in uniform layers with Tractor Mount Grader on prepared surface, mixing by mix in place method with rotavator at OMC, and compacting with smooth wheel roller to achieve the desired density, complete as per MoRD Specification Clause 401 For Grading III Material 31.5000 Cum. 450.00 14175.000 INR Fourteen Thousand One Hundred & Seventy Five Only
27	Providing and laying in position Ready mix concrete manufactured in fully automatic Batching Plant and transported to site in transit mixer for having continous agitated mixer, manufactured as per approved mix design of specified grade of RCC work including pumping of R.M.C. from transit mixer to site of laying , exculding the cost of centering, shuttering and reinforcement with all lead and lift including cost of admixtures in recommended portion as per IS 9103 to accelerate/retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer in charge . All works upto floor V floor M20 grade Design Mix by using min 400 Kg of cement per cum of concrete M20 grade Nominal Mix / Design Mix 273.4500 Cum. 3902.40 1067111.280 INR Ten Lakh Sixty Seven Thousand One Hundred & Eleven and Paise Twenty Eight Only
28	Add extra for providing richer mixes respectively at all floor levels Providing M-25 grade concrete by using min 410 kg of cement per cum instead of M-20 grade design mix 273.4500 Cum. 51.30 14027.985 INR Fourteen Thousand &Twenty Seven and Paise Ninety Nine Only
29	Grading roof for water proofing treatment with water proffing compound Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) 10.0000 Cum. 2934.00 29340.000 INR Twenty Nine Thousand Three Hundred & Forty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/	
30	"Surface dressing of the ground including removing vegetation and inequalities not exceeding 15cm deep and disposal of rubbish lead up to 50 Mtr. and lift up to 1.5 Mtr.: All kinds of soil" 16200.0000 sqm 5.40 87480.000 INR Eighty Seven Thousand Four Hundred & Eighty Only
31	Laying of lawns including ploughing levelling breaking of clods manuring & removal of stones etc.(Cost of manure or extra good earth to be paid seperately) Maintenance of lawns for 30 days or more till the grass forms a thick lawns free from weeds & fit for moving in the duration of planting if lawn die some where the contractor will replant it at his own cost In rows 5 Cms. apart in either direction 162.0000 100 sqm 6600.00 1069200.000 INR Ten Lakh Sixty Nine Thousand Two Hundred Only
32	Construction of un-reinforced , plain cement concrete pavement M30 (Grade), thickness as per design, over a prepared sub base, with 43/53 grade cement as per Clause 602, coarse and fine aggregates conforming to IS:383, maximum size of coarse aggregate not exceeding 31.5 mm, mixed in a in fully automatic Batching Plant and transported to site in transit mixer for having continuous agitated mixer, manufactured as per approved mix design including pumping of R.M.C. from transit mixer to site of laying , with all lead and lift including cost of admixtures in recommended portion as per IS 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer in charge laid with a Fixed Form Paver (laying and fixing of 150 micron thick polythene Film and finished in continuous operation including provision of contraction and expansion, construction joints, applying debonding strips, primer, sealant near approaches to bridge/culvert and construction joints, admixtures as approved, curing of concrete slabs for 14-days using water finishing to lines and grade as per drawing and MoRTH Specification Clause 602 including vaccum dewatering process with all required equipments (Dowel Bars will be paid seperately). 42.0000 Cum. 6000.00 252000.000 INR Two Lakh Fifty Two Thousand Only
33	Carriage of material from quarry / crusher to work site including loading, unloading and stacking all complete. Earth, Sand, Lime, Morrum manure or sludge 10 Km. 492.2600 cum 79.55 39159.283 INR Thirty Nine Thousand One Hundred & Fifty Nine and Paise Twenty Eight Only
34	Carriage of material from quarry / crusher to work site including loading, unloading and stacking all complete. Building Rubbish Stone metal (Grit and ballast etc.)10 Km. 12.1500 cum 97.95 1190.093 INR One Thousand One Hundred & Ninety and Paise Nine Only
35	Filling available excavated earth (excluding rock) in trenches, plinth side of foundation etc. in layers not exceeding 20 cm. in depth, consolidating each deposited layer by ramming and watering including lead up to 50 meter and with all lift 58.7500 cum 40.50 2379.375 INR Two Thousand Three Hundred & Seventy Nine and Paise Thirty Eight Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
36	Kota stone slab flooring 25 mm thick over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) For area of each slab from 2001 to 5000 Sq.Cm	250.0000	sqm	638.10	159525.000	INR One Lakh Fifty Nine Thousand Five Hundred & Twenty Five Only
37	Kota stone slabs 25 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete For area of each slab from 2001 to 5000 Sqcm	66.0000	sqm	625.50	41283.000	INR Forty One Thousand Two Hundred & Eighty Three Only
38	Providing and fixing Granite stone slab mirror polished and machine edge cut in walls, pillars, steps, Shelves, Sills Counters, Floors etc. laid on 12mm (Av.) thick base of cement mortar 1:3 (1 cement : 3 coarse sand) jointing with white cement mortar 1:2 (1white cement : 2 marble dust) with pigment to match the shade of the marble slab including grinding, rubbing and polishing complete. Jhunjhunu / Jalore (Red / Chocolate Colour) Above 3601 Cm ² Slabs	9.0000	sqm	2402.10	21618.900	INR Twenty One Thousand Six Hundred & Eighteen and Paise Ninety Only
39	Extra for providing edge moulding to 15-18mm thick marble/ Granite stone counters, Vanities etc. including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. Granite Work	20.0000	sqm	153.00	3060.000	INR Three Thousand & Sixty Only
40	Providing and fixing 1st quality standard white, grey, ivory, fume red brown, light green, light blue and other light shades glazed tiles confirming to IS : 13753 & IS : 15622 of size 200mm x 300mm in walls, floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (excluding the cost of cement plaster on walls and pillar).	124.0320	sqm	462.60	57377.203	INR Fifty Seven Thousand Three Hundred & Seventy Seven and Paise Twenty Only
41	Providing and fixing 1st quality MAT finished ceramic tile size 300x300mm confirming to IS : 13755 and IS : 15622 colour such as white, grey, ivory, fume red brown, light green, light blue and other light shades in floors, steps, pillars etc. laid on a bed of neat cement slurry finished with flush pointing in the white cement mixed with pigment to match the shade of the tile complete (including the cost of cement mortar bed 1:4).	30.0630	sqm	506.70	15232.922	INR Fifteen Thousand Two Hundred & Thirty Two and Paise Ninety Two Only
42	Extra for using size above 200x300mm in glazed tiles and for using 400mm x 400mm MAT finished tiles in place of 300mm x 300mm size.	154.0900	sqm	46.26	7128.203	INR Seven Thousand One Hundred & Twenty Eight and Paise Twenty Only
43	P & F 1st quality Vitrified Porcelain Polished tiles on floor, skirting and steps etc. in different size 900 mm X 900 mm	103.0570	sqm	895.50	92287.544	INR Ninety Two Thousand Two Hundred & Eighty Seven and Paise Fifty Four Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/ Particulars						
44	Providing and fixing external grade board solid core single leaf flush door shutters ISI 2202-67 marked using Phenol formal dehyderesin in glue both sides with approved steel fittings complete as per annexure 'A': 30 mm thick (Decorative teak veneer both side)	23.7600	sqm	1601.10	38042.136	INR Thirty Eight Thousand & Forty Two and Paise Fourteen Only
45	Extra for providing external lipping with 2nd class teak wood battens 6 mm minimum depth on all edges of shutters (over all area of door shutter to be measured) Over item no. 8.13.	23.7600	sqm	109.80	2608.848	INR Two Thousand Six Hundred & Eight and Paise Eighty Five Only
46	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixed with rawl plugs and screws or with fixing clips, or with expansion hold fasteners including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC/neoprene felt etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing /panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge.(Glazing and panelling to be paid for separately) : For fixed portion. (Polyester Powder coating aluminum (minimum thickness of Kg powder coating 50 micron)	246.1500	kg	294.30	72441.945	INR Seventy Two Thousand Four Hundred & Forty One and Paise Ninety Five Only
47	For shutters buildup standard tubular sections of openable doors ,windows & ventilators including providing & fixing hinges / rollers etc. and making provision for fixing of fittings wherever required (lockes shall be paid for separately). Polyester Powder coating aluminum (minimum thickness of Kg powder coating 50 micron)	101.8800	kg	314.10	32000.508	INR Thirty Two Thousand and Paise Fifty One Only
48	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVS/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-incharge. (Cost of aluminium snap beading shall be paid in basic item) : With float glass panes of 5.0 mm thickness (weight not less than 13.50 kg/sqm)	33.5350	sqm	613.80	20583.783	INR Twenty Thousand Five Hundred & Eighty Three and Paise Seventy Eight Only
49	P & F White Vitreous China Double Syphonic European W.C. (I.S:2556Mark) with mounted W.V.C. flushing cistern of (IS : 2556 Mark) of 10 litre capacity complete with all necessary internal fittings including cutting and making good the wall and floor.	4.0000	Each	7654.50	30618.000	INR Thirty Thousand Six Hundred & Eighteen Only
50	P & F 1st quality WVC Urinal (IS:2556 mark) with 25mm dia G.I. waste pipe, dome waste couplings, concealed iron brackets or screws etc complete. Flat Back (large) or half stall size 610x400x80mm.	5.0000	Each	2774.70	13873.500	INR Thirteen Thousand Eight Hundred & Seventy Three and Paise Fifty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
51	P&F Marble Urinal Partition slab both sides polished of approved design cut from marble size 900x600mm. Makrana II quality marble having light spots	6.0000	Each	683.10	4098.600	INR Four Thousand & Ninety Eight and Paise Sixty Only
52	P & F W.V.C. Half-Round Channel of approved make in C.M. 1:3, joints finished in white cement of: Size 150mm dia.	10.0000	meter	474.30	4743.000	INR Four Thousand Seven Hundred & Forty Three Only
53	P & F C.P. brass Urinal Spreader for stall urinal of approved make.	5.0000	Each	227.70	1138.500	INR One Thousand One Hundred & Thirty Eight and Paise Fifty Only
54	P & F C.P. brass Doom Waste Coupling 40 mm dia.	10.0000	Each	168.30	1683.000	INR One Thousand Six Hundred & Eighty Three Only
55	P & F WVC wash basin (1st quality, I.S. : 2556 Mark) of approved make with C.I. brackets duly painted, 1 No. 15 mm C.P. Pillar cock (IS : 8934 Mark) & 32 mm C.P. brass waste coupling of approved make, 25 mm G.I. waste pipe complete including cutting & making good the wall.: Size 550 mm x 400 mm	5.0000	Each	1557.00	7785.000	INR Seven Thousand Seven Hundred & Eighty Five Only
56	P & F Bottle Trap of approved make : C.P Brass 40 mm	10.0000	Each	384.30	3843.000	INR Three Thousand Eight Hundred & Forty Three Only
57	P & F Bevelled edge Mirror/mirror with teak wood lipping around of special glass of approved make as per direction of Engineer-in-charge complete with 6mm thick commercial ply base fixed to wooden screws & washers. Other sizes	8.0000	Sqm.	850.50	6804.000	INR Six Thousand Eight Hundred & Four Only
58	P & F Towel Rail or Ring of approved quality/make: C.P. brass Towel Rail elbow type with concealed screws size 600 mm (Heavy duty).	8.0000	Each	315.00	2520.000	INR Two Thousand Five Hundred & Twenty Only
59	P & F Grating of approved quality/make: Stainless Steel Sheet size 125mm dia. Heavy Quality of approved make	8.0000	Each	55.80	446.400	INR Four Hundred & Forty Six and Paise Forty Only
60	P & F Liquid Soap Container with brackets complete of approved make: C.P. brass	5.0000	Each	135.00	675.000	INR Six Hundred & Seventy Five Only
61	P & F Toilet Paper Holder with rod of approved quality/make: C.P. brass heavy & Superior quality.	5.0000	Each	337.50	1687.500	INR One Thousand Six Hundred & Eighty Seven and Paise Fifty Only
62	P & F Shower arm 15mm dia of approved quality/make.C.P.brass heavy & superior quality size 300mm Projection.	5.0000	Each	185.40	927.000	INR Nine Hundred & Twenty Seven Only
63	P & F Extension Pipe for bib cocks of approved quality/make. C.P. brass of Heavy & Superior quality 100 X 15mm.	20.0000	Each	76.50	1530.000	INR One Thousand Five Hundred & Thirty Only
64	P & F Jet spray for water closet with C.P. Copper Tube flange of approved make.	5.0000	Each	217.80	1089.000	INR One Thousand & Eighty Nine Only
65	P & F Bib Cock (IS : 8931 Mark), Superior quality of approved make: C.P. Brass swan - neck, 15mm nominal bore.	6.0000	Each	540.90	3245.400	INR Three Thousand Two Hundred & Forty Five and Paise Forty Only
66	P & F Bib Cock (IS : 8931 Mark), Superior quality of approved make: C.P. Brass Long body, 15mm nominal bore weight not less than 690 gm	7.0000	Each	639.90	4479.300	INR Four Thousand Four Hundred & Seventy Nine and Paise Thirty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
67	P & F Stop Cock (IS :8931 Mark), superior quality & of approved make: C.P. Brass 15mm nominal bore.	5.0000	Each	524.70	2623.500	INR Two Thousand Six Hundred & Twenty Three and Paise Fifty Only
68	P & F Ball Cock (IS :1703 Mark) with Rod & P.V.C. Ball complete : Brass wt.400 gm,15mm.	4.0000	Each	183.60	734.400	INR Seven Hundred & Thirty Four and Paise Forty Only
69	P & F Inlet Connection (Angle Valves) Superior quality, of approved make, for Wash basin, Gyser etc. C.P. Inlet connection 15mm.Brass (IS : 8931 marked)	15.0000	Each	475.20	7128.000	INR Seven Thousand One Hundred & Twenty Eight Only
70	P & F Full-way Valve (IS:778 Mark) or wheel valve of approved make : Gun-metal 20mm nominal bore.	10.0000	Each	262.80	2628.000	INR Two Thousand Six Hundred & Twenty Eight Only
71	P & F Full-way Valve (IS:778 Mark) or wheel valve of approved make : Gun-metal 25mm nominal bore.	4.0000	Each	391.50	1566.000	INR One Thousand Five Hundred & Sixty Six Only
72	P & F Full-way Valve (IS:778 Mark) or wheel valve of approved make : Gun-metal 50mm nominal bore.	5.0000	Each	1084.50	5422.500	INR Five Thousand Four Hundred & Twenty Two and Paise Fifty Only
73	P & F PVC Storage Tank ISI Marked (IS : 12701) indicating the BIS license No), of approved make with cover, 25mm dia 1M long G.I. over-flow pipe & 25 Cm. long wash out pipe with plug & socket, including making connection etc., complete of approved design: 1000 litres capacity.	3.0000	Each	5400.00	16200.000	INR Sixteen Thousand Two Hundred Only
74	Hoisting Charges for each floor : For items 2.26.5 to 2.26.8	3.0000	Each	90.00	270.000	INR Two Hundred & Seventy Only
75	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. (Concealed work including cutting chases and making good the walls etc.) 20mm nominal outer dia pipes	60.0000	Meter	165.60	9936.000	INR Nine Thousand Nine Hundred & Thirty Six Only
76	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. (Concealed work including cutting chases and making good the walls etc.) 25mm nominal outer dia pipes	40.0000	Meter	229.50	9180.000	INR Nine Thousand One Hundred & Eighty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
77	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings, this included jointing of pipes & fittings with one step CPVC solvent cement , trenching refilling & testing of joints complete as per direction of Engineer in Charge. (External work). 50 mm nominal outer dia pipes	40.0000	Meter	430.20	17208.000	INR Seventeen Thousand Two Hundred & Eight Only
78	P & F S.W. Master Trap (Inter-cepting) `A` grade (I.S.: 651 marked) of approved quality /make: 100mm dia	8.0000	Each	261.00	2088.000	INR Two Thousand & Eighty Eight Only
79	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. 110 mm dia	40.0000	Meter	156.60	6264.000	INR Six Thousand Two Hundred & Sixty Four Only
80	P&F rigid PVC Pipe (IS:4985 mark) class II/ (4 Kg. /Cm2.) approved quality /make including joining the pipe with solvent cement rubber ring and lubricant. 160 mm dia	40.0000	Meter	225.00	9000.000	INR Nine Thousand Only
81	P&F rigid PVC pipe fittings (IS: 4985 mark) of approved quality /make including joining the pipe with solvent cement rubber ring and lubricant:					
81.1	Coupler (socket) :110mm dia	20.0000	Each	62.10	1242.000	INR One Thousand Two Hundred & Forty Two Only
81.2	Plain Tee :110mm dia	5.0000	Each	108.90	544.500	INR Five Hundred & Forty Four and Paise Fifty Only
81.3	Door Tee :110mm dia	5.0000	Each	124.20	621.000	INR Six Hundred & Twenty One Only
81.4	Bend 45 :110mm dia	4.0000	Each	73.80	295.200	INR Two Hundred & Ninety Five and Paise Twenty Only
81.5	Door Bend (Top Side) :110mm dia	5.0000	Each	90.00	450.000	INR Four Hundred & Fifty Only
81.6	Vent Cowel :110mm dia	4.0000	Each	32.40	129.600	INR One Hundred & Twenty Nine and Paise Sixty Only
81.7	Pipe Clip :110mm dia	10.0000	Each	20.70	207.000	INR Two Hundred & Seven Only
81.8	Multi floor trap :110mm dia	6.0000	Each	154.80	928.800	INR Nine Hundred & Twenty Eight and Paise Eighty Only
82	Construction of manhole in all type of soil inner size 90 X 60 Cm. 300 mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20 mm thick inside plaster in CM 1:6, finished with floating neat cement, 50mm thick M-15 grade C.C. flooring, making channels, 80mm thick stone slab covering with 40mm thick M-15 grade C.C. flooring, Cement cover with frame of 450mm dia, earthwork etc. complete as per design including disposal of surplus earth within 50 mtr. lead. Depth up to 0.5 M	2.0000	Each	3600.00	7200.000	INR Seven Thousand Two Hundred Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
83	Construction of Man hole, in all types of soil, inner size 1.5 x 1.2 M, with 450mm thick masonry in CM 1:6, 10 Cm. thick cement concrete 1:5:10 in foundation, 20mm thick inside plaster in CM 1:6, finished with floating neat cement, 50 mm thick M-15 grade C.C. flooring making channels, 80 mm thick stone slab covering with 40 mm thick M-15 grade C.C. flooring, Ferro Cement cover with frame of 450mm dia, earthwork etc. complete including disposal of surplus earth within 50 mtr. lead as per design : Depth up to 1.5 M	2.0000	Each	12890.70	25781.400	INR Twenty Five Thousand Seven Hundred & Eighty One and Paise Forty Only
84	Construction of septic Tank in all types of soil with 40 Cm .thick masonry in CM 1:6, 15 Cm thick C.C bed of 1:5:10, M-15 grade C.C flooring & over stone slab covering ,80 mm thick slab ,jointing of slab in CM 1:3. Ralthal, Kharanja, 50 mm thick stone partition walls, 20 mm thick plaster in CM 1:6 finished with neat floating cement, 4 Nos C.I foot rests of approved design ,two No. 450 mm dia each Ferro cement cover with frame, earth work etc. complete as per approved drawing including disposal of surplus earth within a lead of 50 mtr:-Size 230 x110 x150 cm.(for 20 users)	1.0000	Each	23715.00	23715.000	INR Twenty Three Thousand Seven Hundred & Fifteen Only
85	Wiring of light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) in recessed ISI marked MMS (IS:9537 P - III) virgin material PVC conduit & it's ISI marked (IS:3419-1988) accessories, round tiles, 1.2 mm thick Hot Dipped Galvanized Modular Box with earth terminal, 10A Modular switch,Modular face plate with grid plate, 3 pin ceiling rose / Holder /3 way connector, screws, making connections, testing etc. as required. For specification of copper Conductor, Phenolic Laminated sheet's & Electrical/ Wiring accessories refer Chapter E - 04, E - 05 & E - 07 For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
85.1	Short point (up to 3 mtr.)	50.0000	oint P.Pc	359.00	17950.000	INR Seventeen Thousand Nine Hundred & Fifty Only
85.2	Medium point (up to 6 mtr.)	25.0000	oint P.Pc	578.00	14450.000	INR Fourteen Thousand Four Hundred & Fifty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/ Particulars	
86	Wiring of 3/5 pin 6 amp. Light plug point with 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper conductor 1.1 kV grade and 1.5 sq. mm nominal size FR PVC insulated unsheathed flexible copper earth conductor 1.1 kV grade (IS:694) in recessed ISI marked MMS (IS:9537 P - III) PVC conduit & it's ISI marked (IS:3419-1988) accessories, Hot Dipped Galvanized Modular box of 1.2 mm thick with earth terminal, 10 A modular switch, 3/5 pin 6 A modular socket, Modular face plate with grid plate, screws, making connections, testing etc. as required. For specification of copper Conductor, Phenolic Laminated sheet's & Electrical/ Wiring accessories refer Chapter E - 04, E - 05 & E - 07 For additional technical parameters of product / work refer Annexure 'A' attached with this BSR
86.1	On board 25.0000 P.Point 357.00 8925.000 INR Eight Thousand Nine Hundred & Twenty Five Only
86.2	Short point (up to 3 mtr.) 10.0000 P.Point 507.00 5070.000 INR Five Thousand & Seventy Only
87	S&F following sizes (dia.) of ISI marked virgin material MMS (IS:9537 P - III) PVC conduit along with ISI marked (IS:3419-1988) accessories as required in recess including cutting the wall, covering conduit and making good the same as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR
87.1	25 mm. 200.0000 Rmt 56.00 11200.000 INR Eleven Thousand Two Hundred Only
88	Supplying and drawing FR PVC insulated & unsheathed flexible copper conductor as per PWD specification for electrical Works with ISI marked (IS:694) and as per IS 8130 : 2013 of 1.1 kV grade . Wire should be made from 99.90 % purity copper, class 5 stranding in acc. to IS:8130/IEC 60228 for lower watt loss , oxygen free for less chances of oxidization, insulation PVC type A/C/D , flame retardant as per IS 10810-53, better amperage rating as per IS:3961 part 5, in existing surface or recessed PVC/ MS conduit/casing capping making connections with Copper Lugs of suitable size, Ferrules, testing etc. as required. OEM Must have its own in house NABL lab setup for all testing facilities for wires. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR
88.1	2 x 1.5 sq.mm 500.0000 Mtr 43.00 21500.000 INR Twenty One Thousand Five Hundred Only
88.2	2 x 2.5 sq.mm 300.0000 Mtr 61.00 18300.000 INR Eighteen Thousand Three Hundred Only
88.3	1 x 4.0 sq.mm 200.0000 Mtr 48.00 9600.000 INR Nine Thousand Six Hundred Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/	
89	Providing & Fixing of 240/415 V AC MCB with positive isolation of 10 kA breaking capacity (B/C/D tripping characteristic as per type of load and site requirement) 4 KV impulse withstand voltage, ISI marked IS 8818(1996) / conforming to IEC 60898-1 2002, IEC 60947-2, low watt losses, trip free mechanism, energy limiting of class 3 as per IEC, minimum phase termination capacity of 35sq.mm., conductor line load reversibility, IP 20 contact protection and fitted in existing distribution board/sheets, minimum electrical operation 20,000 upto 20 A rating and 10,000 upto 63 A, 5000 for 80 A & above rating including making connections, testing etc. as required. OEM shall have submit NABL / CPRI / ERDA accredited lab type test reports & All as per pre approved by Engineer in charge. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR.
89.1	Single pole MCB (With B/C curve tripping Characteristics), 6 A to 32 A rating
89.2	Four pole MCB (With B/C curve tripping Characteristics), 50/63 A rating
90	Providing & Fixing of ISI marked (IS :3854) twin control non modular 6A switch flush type as per PWD specification for electrical Works, made out from industrial grade Polycarbonate or fire resistant ABS material, including cutting hole in tile and making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work, refer Annexure "A" attached with this BSR.
91	Providing & Fixing of IS 11037:1984 marked non modular socket size flush type 120 watt rotary minimum 5 step fan regulator with CM/L no. printed and made out from industrial grade Polycarbonate or fire resistant ABS material including making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work, refer Annexure "A" attached with this BSR.
92	Providing & Fixing of modular type switch/ bell push duly ISI marked (IS :3854) with CM/L no. printed and made out of unbreakable and fire retardant virgin UV Stabilized Polycarbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating, minimum width of switch toggle(PUSH PART) should not less than 20mm, including all as per pre approved by Engineer in charge, making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR.
92.1	10 A one way switch

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
92.2	16 A one way switch With Led Indicator	14.0000	Each	113.00	1582.000	INR One Thousand Five Hundred & Eighty Two Only
93	Providing & Fixing of modular type lockable feature socket duly made out of unbreakable and fire retardant vergin poly carbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating , including all as per pre approved by Engineer in charge,making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
93.1	6 A 3/5 pin shuttered socket	20.0000	Each	107.00	2140.000	INR Two Thousand One Hundred & Forty Only
93.2	6/16 A shuttered socket	14.0000	Each	176.00	2464.000	INR Two Thousand Four Hundred & Sixty Four Only
94	Providing & Fixing of modular type 120 W Step Fan regulator duly ISI marked (IS 11037:1984) with CM/L no. printed made out of unbreakable and fire retardant vergin poly carbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating , including all as per pre approved by Engineer in charge,making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
94.1	5 step fan regulator 2 Module 360 dgree rotating	8.0000	Each	398.00	3184.000	INR Three Thousand One Hundred & Eighty Four Only
95	Providing & Fixing of following modular accessories as per PWD specification for electrical Works, made out of unbreakable and fire retardant vergin poly carbonate with brass terminals and captive screws & silver alloy contact tip with IP-20 rating , including all as per pre approved by Engineer in charge,making connections, testing etc. as required. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
95.1	USB Charger 1 A - 1 M with BIS mark	5.0000	Each	483.00	2415.000	INR Two Thousand Four Hundred & Fifteen Only
95.2	Blanking plate	20.0000	Each	22.00	440.000	INR Four Hundred & Forty Only
96	Providing & Fixing of following size mounting grid plates with cover plates made from fire retardent UV established high performance engineering plastic suitable for all universal metal boxes for front installation & removal direct fit type complete in all respect.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
96.1	3 Module	11.0000	Each	86.00	946.000	INR Nine Hundred & Forty Six Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
96.2	8 Module	16.0000	Each	155.00	2480.000	INR Two Thousand Four Hundred & Eighty Only
96.3	12 Module	4.0000	Each	214.00	856.000	INR Eight Hundred & Fifty Six Only
97	Providing & Fixing of Wiring Accessories OEM fabricated following size virgin material UPVC modular boxes on surface suitable for modular accessories as required.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .					
97.1	1-2-3 Module	11.0000	Each	98.00	1078.000	INR One Thousand & Seventy Eight Only
97.2	6-8 Module	16.0000	Each	216.00	3456.000	INR Three Thousand Four Hundred & Fifty Six Only
97.3	10-12 Module	4.0000	Each	287.00	1148.000	INR One Thousand One Hundred & Forty Eight Only
98	Providing & Laying P.V.C. / XLPE insulated & P.V.C. sheathed Un-Armoured Aluminium cable confirming to IS:1554 P-I / IS :7098 P - I of 1.1 KV with H4- Grade electrolytic aluminium conductor confirming to IS 8130 of purity >99.6 %, Inner / outer sheath confirming to IS:5831 in existing RCC / Hume / Stoneware / PVC pipe/ open duct/cable trench / Cable tray (with cable tie) including testing etc. as required of following size. OEM must have it's own in house NABL accredited Laboratory for testing procedure as per IS:10810. For additional technical parameters of product / work refer Annexure 'A' attached with this BSR					
98.1	25.0 Sq.mm, 3.5 core	450.0000	Mtr	256.00	115200.000	INR One Lakh Fifteen Thousand Two Hundred Only
99	Plate Earthing as per IS:3043 with Hot dipped G.I. Earth plate of size 600mm x 600mm x 6.0mm by embodying 3 to 4 mtr. below the ground level with 20 mm dia. G.I. 'B' class watering Pipe ,including all accessories like nut, bolts, reducer, nipple, wire meshed funnel, and Heavy duty weather proof polypropylene earth pit chamber with lockable Jam free lid suitable for safe working load 5000 Kg or more of size Top Dia. 225 to 260 mm, Bottom Dia 300 to 350 mm. and Height 250 to 300 mm. and embodying the pipe complete with alternate layers salt and coke/ charcoal, testing of earth resistance for value of 5 ohms or less as required & must record by engineer in charge during site visit and ensure to enter in measurment book.All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .	4.0000	Per Set	5733.00	22932.000	INR Twenty Two Thousand Nine Hundred & Thirty Two Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/	
100	Supply & Laying following size earth wire in horizontal or vertical run in ground/surface/recess including riveting, soldering, saddles, making connection with GI/Cu purity >95% thimble etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .
100.1	8 SWG G.I. (Hot Dipped) Wire 10.0000 Mtr 20.00 200.000 INR Two Hundred Only
101	Providing & Fixing of BEE Star rated copper wounded double ball bearing capacitor start, aluminium body & Metallic blade ceiling fan Conforming to all the performance requirements laid down in IS 374:2019 including all amendments, as applicable ; & Carry BIS licensing (i.e. ISI marking) with down rod up to 80 cm with secondary support safety cable (steel rope) , cotter pin with 3 x 1.5 sq.mm pvc insulated flexible copper conductor making connection testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 1200 mm Sweep BEE 1 Star rated (service value 1890.00)
102	Providing & Fixing of of Double ball bearing, copper wounded capacitor start single phase metallic blade fresh air fan, in existing opening including cost of hardware , flexible 3 core copper conductor ,making connections, testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work, refer Annexure "A" attached with this BSR . 300 mm sweep
103	Providing & Fixing of 400 mm Sweep BLDC technology Oscillating type Wall mounting / Pedestal type fans with Three speed, ON and OFF position, Double Wall bearing with front and back 120 or more ribs guard; Three no. blades, noise level should be <= 75 dB, including fixing with anchor bolts, making connection testing etc. as required. (With Remote) All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . Wall mounting type with Service value 2.0 CMM /W, Min. Air Delivery 71 CMM

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/ Particulars	
104	Providing & Fixing of Heavy duty capacitor start, copper wound Double ball bearing 900/1400 RPM single phase Exhaust fan conforming to IS:2312 ISI marked in existing opening including making connections testing etc. as required. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR . 300 mm sweep(900/1400 RPM) 4.0000 Each 3175.00 12700.000 INR Twelve Thousand Seven Hundred Only
105	Providing & Fixing of IP20, 2'x2' LED Surface/ Recessed mounting Mid power SMD type LED Light fixture not less than 50mm housing depth made from CRCA sheet steel housing, high purity / transmissivity UV stabilized Non -yellowish diffuser for uniform light distribution. High efficiency with 4 KV internal/external surge protection BIS certified isolated driver having efficiency > 85% , with Short & Open circuit protection (Integral with light fixture). System lumen efficacy of ≥ 120 lm/Watt ,THD < 10 % , p.f.≥0.95,CRI >80 , life time of minimum 50000 Burning Hours with , 70% of initial Lumen maintained till life ends , CCT 3000°K / 4000°K / 5700°K /6000°K/6500°K (As per ANSI Bin) , maximum power consumption should not more than the specified rating and Fixture shall be of BIS standard and trade mark certificate (T.C). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing.
105.1	OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79 & LM80) certificate / Report from OEM shall be submitted. All as per pre approved by Engineer in charge. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .
105.2	Minimum lumen output 4200 lm 20.0000 Each 2984.00 59680.000 INR Fifty Nine Thousand Six Hundred & Eighty Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/	
106	Providing & Fixing of IK08, IP 66 protected LED Street Light Luminaire on existing bracket/pole. Fixture made of powder coated single piece pressure die cast aluminum material with heat dissipation fins on housing with UV stabilized PC (UV stablization report submitted for UV cover) /Toughened Glass cover and secondary lens on each LED & should be SMD type of 3 to 5 watt each . The System efficacy >=125 lm/ wt and potted driver & has a unique BIS R number with Input Voltage AC 120 to 270 V AC with High voltage Cutoff @>=300 V AC and Auto resetting Safety , Power Factor >0.95 driver Efficiency >85% ,THD(I) <10% Humidity 10% to 90% RH Working Temp - 5C to 45C . driver current <750mA. The luminaire shall be BIS certified and Trade mark certified. Life Expectancy Equal or more than 50000 burning hrs with Minimum 70% lumen maintained , CRI >70 and CCT 5700K +355K. Surge protection shall be min ≥ 4 KV internal and min 10 KV external inside driver compartment. driver should be Phase to phase protection of 440 V for 4 Hrs. Manufactures Word Mark/Name Engraved/Embossing on die cast housing to allow traceability/authenticity. Fixture shall be AS PER IS 10322 Comlianced.OEM Must have its own in house NABL lab setup for all testing facilities for LED fixtures. (LM79/LM80) Certificate/ report with liable warranty of product/accessories from OEM shall be submitted. 4.0000 Each 3370.00 13480.000 INR Thirteen Thousand Four Hundred & Eighty Only
107	Providing & Fixing of IP 20 box made out from 1.2mm thick CRCA sheet steel with depth of minimun 30 mm and finished with powder coating and suitable for mounting LED tube including side covers, holders , internal wiring to illuminate the single sided connection LED tube. (Without tube). All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR
107.1	Suitable for 4' LED Tube shape fixture for single rod 10.0000 Each 227.00 2270.000 INR Two Thousand Two Hundred & Seventy Only
108	Supplying and drawing flexible / stranded bare copper conductor, PVC / XLPE insulated, overall aluminium mylar tape shielded ATC drain wire and outer PVC sheathed industrial Instrumentation (shielded)cables voltage grade 300/500 V as per BS /EN 50288-7 in existing surface or recessed PVC/ MS conduit/casing capping / Cable tray / Open Duct making connections, testing etc. as required. OEM Must have its own in house NABL lab setup for all testing facilities for cables. All as per pre approved by Engineer in charge. For additional technical parameters of products/ work , refer Annexure "A" attached with this BSR .

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/	
108.1	Un Armoured, 4 core x 2.5 Sq.mm 120.0000 Mtr 232.00 27840.000 INR Twenty Seven Thousand Eight Hundred & Forty Only
109	Providing & Fixing of Recessed/surface mounting heavy duty Vertical TPN Distribution board with Metal end box with provision of incomer suitable for MCB / RCCB and SP / TP MCB as outgoing ,made out from Galvanized steel / CRCA sheet not less then 1.2 mm thick conforming to IS-8623-1 & 3 / IEC 61439- 1 & 3. powder painted with reversible door (for double door DB only) complete with insulated 100 A rating copper bus bar, neutral bars with shrouds, earth bar , color coded interconnecting wire set of suitable rating and din bar,masking sheet, making internal DB terminations with copper lugs, ferrules, detachable gland plate, including making connections, testing etc. as required. OEM shall have submit NABL / CPRI / ERDA accredited lab type test reports & All as per pre approved by Engineer in charge.For additional technical parameters of product / work refer Annexure 'A' attached with this BSR
109.1	Double door IK-09 & IP-43 with Metal end box, 12 Way(8+36) 3.0000 Each 13984.00 41952.000 INR Forty One Thousand Nine Hundred & Fifty Two Only
110	Providing, Laying & Jointing in standard lengths HDPE PE-80 PN-6 pipes conforming to IS-4984 :1995 (UPTODATE) with necessary jointing material like mechanical connection i.e. thread/insert/quickreleasecoupler joint/compression fitting joint of flanged joint and specials jointing pipe by butt fusion welding method, including all taxes(centralandlocal),transportation and freight charges inspection charges loading/unloading charges, stacking the same in closed shade duly protecting from sunray and rain including cost of labour and material, specials (Tees, bend etc.)and also including the excavation of trench upto 1.5 Meter depth in all typeof soil cutting of road surface pavement where required lift upto 1.5-Mt. stacking the soil clear from the edge of excavation and refilling of soil after laying and jointing of pipeline with proper compaction and disposing of all surplus soil as directed with in lead of 50 Meter with satisfactory, hydraulic testing etc. complete as per technical specifications and direction of Engineer-in-charge.(supply upto 90mm dia.Coil & above 90mm dia straight length in 6.0 M) 90 mm 650.0000 Rmt 318.00 206700.000 INR Two Lakh Six Thousand Seven Hundred Only
111	Providing, fabricating and installing MS specials including rolling, cutting, welding in different shape and size. (D-547 dt. 20.12.2011) 300.0000 Kg 80.00 24000.000 INR Twenty Four Thousand Only

Name of Work: Miscellaneous development works at Football ground at Ramniwas Bagh underground parking phase - II, JDA, Jaipur

Contract No: JDA_EE_RRP2_2025_26_NIB_3

Name of the Bidder/						
112	Labour charges for inter connection of proposed pipe line with existing, pipe line by digging of Pit, cutting of pipe, without bailing out of water and satisfactory testing of inter connection and site clearance.(D-547 dt. 20.12.2011)	10.0000	Each	890.00	8900.000	INR Eight Thousand Nine Hundred Only
113	Supply of cast iron detachable joints class-10 as per ISI specification (IS 8794-1988) along with rubber ring (ISI marked) and nut bolts complete as per PHED specifications. (D-547 dt. 20.12.2011) 100 mm	10.0000	Each	274.00	2740.000	INR Two Thousand Seven Hundred & Forty Only
114	Supply and fixing of cast iron double sluice valves IS 14846/2000 specification (ISI marked) of PN-1 rating including cost of rubber flange gasket and nut bolts complete as required for following sizes. (D-547 dt. 20.12.2011) 100 mm	3.0000	Each	5541.00	16623.000	INR Sixteen Thousand Six Hundred & Twenty Three Only
115	Random rubble dry stone Kharanja under floor.	36.0000	Cum	581.40	20930.400	INR Twenty Thousand Nine Hundred & Thirty and Paise Forty Only
116	Providing and fixing Sports fencing square panel net at height upto 10 mtr. The net should be UV protected good for all weather should be 2.25 mm (16+10) braided having 50mm square mesh size, should have regular retention for all throws on any kind of sports ball	4953.000	Sqm	250.00	1238250.000	INR Twelve Lakh Thirty Eight Thousand Two Hundred & Fifty Only
117	Providing and fixing of self-closing spring loaded quick coupling 1 1/2" hydrant made of Aluminium Alloy duly protected inside main parts by brass stainless steel and techno polymers & having self-closing thermoplastic hinged lid for gear driven Rain gun sprinkler	30.0000	Each	3850.00	115500.000	INR One Lakh Fifteen Thousand Five Hundred Only
118	Providing and fixing of 1-1/2" aluminium alloy hydrant key for impact type Rain gun sprinkler	10.0000	Each	1800.00	18000.000	INR Eighteen Thousand Only
Total in Figures					10381203.31	INR One Crore Three Lakh Eighty One Thousand Two Hundred & Three and Paise Thirty One Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words		INR Zero Only				